

A CHECKLIST OF THE PLANTS OF DERBYSHIRE

by

N. J. Moyes & A. Willmot

Derbyshire is a county of great contrast and variety. Its scenery and landforms have been directly influenced by its underlying geology, as has the distribution of its wild flowers and other plants. Many species have suffered serious decline in recent years through activities such as building, farming or mining, although others have benefited from man's presence. Whether native or introduced, these plants have been a source of interest and inspiration to the people of Derbyshire, and to countless visitors over the centuries. Despite this interest, there has never been a definitive checklist of all the plants growing wild within the county. This booklet fills that gap, and is the first step towards publishing a new flora for Derbyshire.

CONTENTS

| | | | |
|-------------------------------|----|--------------------------------------|------------|
| Introduction | 2 | Appendix 1. New County Records | 43 |
| Layout and Scope of Checklist | 3 | Appendix 2. Unconfirmed Records | 48 |
| Key to Entries | 5 | Appendix 3. Derbyshire Flora 2000 | 49 |
| -THE CHECKLIST- | 6 | Table 1. Plants in Modern Derbyshire | 4 |
| Acknowledgments | 42 | Table 2. Plants in VC57 only | 4 |
| References | 42 | Table 3. County Status Codes | 5 |
| | | Table 4. Conservation Codes | 5 |
| | | Fig 1. Derbyshire boundaries | rear cover |

Citation:

Moyes, N.J. & Willmot, A (2002) *A Checklist of the Plants of Derbyshire*.

Publ: Derby Museum, Derby, England.

Cover illustrations: (clockwise from top left)

Common Butterwort (*Pinguicula vulgaris*) on volcanic lava, Woo Dale.

Danish Scurvygrass (*Cochlearia danica*) & Daisy (*Bellis perennis*) A601, Derby.

Toothwort (*Lathraea squamaria*) River Derwent, Darley Park, Derby.

Bloody Crane's-bill (*Geranium sanguineum*) Deep Dale.

This Checklist is a definitive list of all **vascular plants** ever recorded growing in the wild in the county of Derbyshire. All flowering plants, conifers, ferns, horsetails and clubmosses are included, and each is shown with the **latest year** for which records are known. Plants are listed **alphabetically** by their **scientific name**, together with their **status** in Derbyshire as either native or alien. National and local **conservation statuses** are given to draw attention to species of most importance for nature conservation.

Checklist entries start on page 6, preceded by a key to the abbreviations used. A summary of **New County Records** made over the last 20 years is given in Appendix 1. Previously published records that are now considered to be **doubtful or wrong** have been omitted, but are listed in Appendix 2.

Whilst the Checklist aims to be a complete list of plants that have occurred in Derbyshire, it can only ever be a summary of all the data collected or passed on to biological records centres. Half a million records have so far been computerised, covering a 350-year period of botanical recording. This inevitably means that many plants are included which have long since disappeared from our area, such as *Cypripedium calceolus* (Lady's Slipper Orchid), as well as relative newcomers like *Cochlearia danica* (Danish Scurvy Grass). A total of 1927 plant taxa are listed here, of which 1662 are distinct species; 110 are subspecies, 150 hybrids, and 5 cultivars or aggregates. 1329 separate species have been recorded since 1987.

Although the Checklist should prove a useful starting point for anyone recording plants in Derbyshire, its main purpose is to guide work in preparing a new Flora of Derbyshire. This is being worked on by the present authors, with the help of the Derbyshire Flora Group. It is hoped that users will read it with a critical eye and inform the Derbyshire Biological Records Centre of any amendments or corrections they think are necessary. In particular we would like to hear of any information concerning the following:

- Records for any plant appearing in the "Unconfirmed" list in Appendix 2;
- Records made significantly more recently than indicated here;
- Plants found in Derbyshire which are not listed here at all.

Submitting Records

Please supply full details of any new records to: Derbyshire Biological Records Centre, Derby Museum & Art Gallery, The Strand, Derby, DE1 1BS. Tel 01332 716659. Email: enquiries@dbrc.freeserve.co.uk or to nick.moyes@derby.gov.uk Please list Species name, Location, Grid ref, Date, Collector and other supporting information. Fullest location and habitat details are requested for those native plants flagged as having a local or national conservation status.)

Corrections and updates will be incorporated in the subsequent Flora of Derbyshire. Updates on the work of the Derbyshire Flora 2000 group can be found at: www.dbrc.freeserve.co.uk - go to "Plants".

LAYOUT AND SCOPE OF THE CHECKLIST

The Checklist is arranged alphabetically by scientific name. Each entry gives the following information: **Scientific Name**; **Common Name**; **Latest Year Seen**; **County Status** and **Conservation Status**.

Plant names are given down to the level of species, sub-species and hybrid. **Scientific names** follow Stace (1997) except for the critical genera of *Hieracium*, *Rubus* and *Taraxacum*, where Kent (1992) is followed. **Authority** names are only given if a plant name does not appear in either of these works. **Forms and varieties** are excluded from the Checklist, although notable ones will be referred to in the new Flora of Derbyshire. **Common Names** are derived from the RECORDER 3.3 database used by UK biological records centres.

The **County Status** of each plant is given as either Native, Established, Casual or Planted. These terms are fully defined in Table 3. Note that a plant can occur in our area in more than one category. Where it does, the category highest in this table takes precedence. For example, *Polemonium caeruleum* (Jacob's Ladder) occurs as a true native in the Derbyshire Dales, but has established itself elsewhere as a garden escape. It is therefore recorded as Native in this Checklist. Note also that plants once regarded as Native may now only occur as Casuals eg *Mentha pulegium* (Penny Royal).

Entries in *italics* highlight those plants which have not been formally recorded in "recent times", a period defined here as from the start of 1987 onwards. Open ended dates are given in the form "-1903" or "1974+" and usually refer to records extracted from past floras or other publications.

Entries given in **bold** have either a national or local **Conservation Status**. These are explained in Table 4 and relate to plants growing naturally in the wild. A species regarded as Established, Casual or Planted in any part of Derbyshire is considered to have significantly less conservation value than if it were growing here as a native. Examples include: *Buxus sempervirens*, *Centaurea cyanus*, *Galanthus nivalis*, *Polemonium caeruleum*, and *Potentilla fruticosa*. Threat categories are based on IUCN (1994) criteria, an explanation of which can be found in Wigginton (1999). The list of plants identified in Elkington & Willmot (1996) as local red data book species was under review at the time of going to press. Those species likely to be included in the revised local list have been flagged in this Checklist as "candidate red data book" plants.

Where only one **subspecies** occurs in Derbyshire, it is generally listed without the "parent" species. Where more than one subspecies is listed, the species is always shown. Entries flagged with an asterisk indicate that, although this is considered to be the only subspecies occurring in Derbyshire, few if any of the records at DBRC explicitly record it as such. (eg *Cicerbita macrophylla* ssp *uralensis**).

For the purposes of this Checklist and of the forthcoming Flora, the area referred to as "**Derbyshire**" is defined as a combination of both the present-day county boundary (including some minor changes in recent decades), and the somewhat different area known by botanists as the "Vice-County of Derbyshire - VC57". This latter term was developed 150 years ago to avoid the confusion caused by frequent changes to county boundaries in Britain. It is still widely used by naturalists today. Thus, modern Derbyshire now includes parts of adjacent

botanical vice-counties of Cheshire (VC58); Staffordshire (VC39) and Leicestershire (VC55). Whilst the combination of two different areas considerably increases the region of study over the traditional vice-county (see rear cover), just 13 plant taxa in total have been recorded in only one, but not both of them. See Tables 1 and 2 below, and Appendix 1 for full details.

| Species | Where Found | Year |
|--|--------------------------------------|------|
| <i>Cotoneaster x watereri</i> | VC58 Cheshire, now modern Derbyshire | 2001 |
| <i>Dryopteris affinis</i> ssp. <i>cambrensis</i> | VC58 Cheshire, now modern Derbyshire | 1999 |
| <i>Plantago major</i> ssp. <i>intermedia</i> | VC58 Cheshire, now modern Derbyshire | 1994 |
| <i>Rubus hindii</i> | VC58 Cheshire, now modern Derbyshire | 1997 |
| <i>Sedum sexangulare</i> | VC58 Cheshire, now modern Derbyshire | 1996 |

Table 1. Plants found in "modern Derbyshire", but not yet in Derbyshire (VC57)

| Species | Where Found | Year |
|-------------------------------|------------------------------|--------|
| <i>Allium paradoxum</i> | VC57, now modern S.Yorkshire | 1977 |
| <i>Iris sibirica</i> | VC57, now modern Cheshire | 1996 |
| <i>Kerria japonica</i> | VC57, now modern Cheshire | 1993-4 |
| <i>Lonicera pileata</i> | VC57, now modern S.Yorkshire | 2001 |
| <i>Rodgersia podophylla</i> | VC57, now modern Cheshire | 1993-4 |
| <i>Rubus euryanthemus</i> | VC57, now modern Cheshire | 1998 |
| <i>Symphytum grandiflorum</i> | VC57, now modern S.Yorkshire | 2001 |
| <i>Vicia villosa</i> | VC57, now modern Cheshire | 1993 |

Table 2. Plants found in Derbyshire (VC57), but not yet in "modern Derbyshire"

New County Records and Voucher Specimens.

Additional confirmation will be required for all records of plants not listed in this Checklist, so-called "New County Records". Ideally, this should take the form of a pressed specimen, placed in a recognised herbarium and confirmed by an appropriate expert. Such an item is referred to as a "**voucher specimen**". This need for formal confirmation also applies to plants rediscovered after an absence of more than 20 years. However, wildlife conservation must always be our first priority, and common sense must always prevail. Alternative evidence by way of suitable photograph or notes made by a relevant expert are therefore to be encouraged wherever it would be inappropriate or illegal for a plant specimen to be collected. A minimum of material should be collected to present the necessary characters for identification. No wild plant should ever be uprooted, and it should be pointed out that it is a criminal offence to uproot even the commonest species without the consent of the landowner. Voucher specimens need to be kept and made accessible to enable future researchers to check and confirm first county records or study difficult taxa. Many voucher specimens from past and current floras are housed in the herbarium collection at Derby Museum & Art Gallery.

KEY TO CHECKLIST ENTRIES

Checklist entries are arranged as follows:

- **Scientific Name** (alphabetic order)
- **Common Name**
- **Latest Year Seen**
- **County Status** - Native, Established, Casual or Planted. (Table 3)
- **Conservation Status** - National or local status. (Table 4)

Entries in italics indicate plants not recorded since the start of 1987.

Entries in bold have either a local or a national conservation status.

| Term | Explanation |
|--------------------------------|--|
| NATIVE | - refers to plants which are believed to be present in Derbyshire entirely by natural processes. |
| ALIEN | Alien plants are those known or considered to have been introduced to Derbyshire by human activity, whether accidentally or intentionally. All ALIEN species are categorised as either: ESTABLISHED , CASUAL or PLANTED : |
| ESTABLISHED (Estab.) | - refers to Alien plants that maintain or spread themselves in the wild by either sexual or asexual reproduction. |
| CASUAL (Cas.) | - refers to Alien plants that grow in the wild but which do not maintain themselves by reproduction. Casual plants do not therefore persist in any given location beyond the life span of the original colonists. |
| PLANTED (Plant.) | - refers to Alien plants where the individuals are believed to have been deliberately placed in a natural setting. |

Table 3. Explanation of County Statuses

| Status | Explanation |
|-----------|--|
| 1 | Candidate Red Data Book plant. Revised list in preparation in 2002 using BSBI criteria. |
| 2 | Derbyshire Red Data Book plant. Elkington & Willmot (1996) - list currently under review. |
| 3 | Mid-Derbyshire Biodiversity Action Plan species. Derbyshire Wildlife Trust (1997). |
| 4 | UK Biodiversity Action Plan Species of Conservation Concern (original "long" list species) |
| 5 | UK Biodiversity Action Plan Priority Species (original "short" and "middle" list species) |
| 6 | Nationally Scarce (known in 16 to 100 GB hectads).* |
| 7 | Near Threatened (known in 15 or fewer GB hectads).* |
| 8 | British Red List – Vulnerable.* |
| 9 | British Red List – Endangered.* |
| 10 | British Red List – Critically Endangered.* |
| 11 | British Red List – Extinct in the Wild.* |
| 12 | British Red List – Extinct.* |
| 13 | Bern Convention Appendix 1.* |
| 14 | EC Directive Annexe(s) Vb.* |
| 15 | EC Directive Annexe(s) IIb, IVb.* |
| 16 | Wildlife & Countryside Act 1981 Schedule 8. |

Table 4. Conservation Codes used in Checklist

*see Wigginton, M.J. (1999) for further explanations

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|-------------------------------------|-------------|---------------|-----------------------------------|
| <i>Abies alba</i> | European Silver-fir | 1999 | Cas. | |
| <i>Abies procera</i> | Noble Fir | 1999 | Plant. | |
| <i>Abutilon theophrasti</i> | <i>Velvetleaf</i> | 1975 | Cas. | |
| <i>Acaena novae-zelandiae</i> | Pirri-pirri-bur | 1995 | Cas. | |
| <i>Acanthus spinosus</i> | Spiny Bear's-breech | 1989 | Cas. | |
| <i>Acer campestre</i> | Field Maple | 2001 | Native | |
| <i>Acer cappadocicum</i> | Cappadocian Maple | 1999 | Cas. | |
| <i>Acer platanoides</i> | Norway Maple | 2001 | Estab. | |
| <i>Acer pseudoplatanus</i> | Sycamore | 2001 | Estab. | |
| <i>Acer saccharinum</i> L. | Silver Maple | 1988 | Cas. | |
| <i>Aceras anthropophorum</i> | <i>Man Orchid</i> | 1979 | Estab. | 6, 3, 2 |
| <i>Achillea distans</i> ssp. <i>tanacetifolia</i> * | Tall Yarrow | 1993 | Cas. | |
| <i>Achillea millefolium</i> | Yarrow | 2001 | Native | |
| <i>Achillea ptarmica</i> | Sneezewort | 2001 | Native | |
| <i>Aconitum lycoctonum</i> ssp. <i>vulparia</i> | <i>Wolf's-bane</i> | 1982 | Estab. | |
| <i>Aconitum napellus</i> | Monk's-hood | 2001 | Estab. | 6 |
| <i>Aconitum x cammarum</i> | Hybrid monk's-hood | 2001 | Estab. | |
| <i>Acorus calamus</i> | Sweet-flag | 2000 | Estab. | |
| <i>Adonis annua</i> | <i>Pheasant's Eye</i> | 1911 | Cas. | 8, 4 |
| <i>Adoxa moschatellina</i> | Moschatel | 2001 | Native | |
| <i>Aegopodium podagraria</i> | Ground-elder | 2001 | Estab. | |
| <i>Aesculus carnea</i> | <i>Red Horse-chestnut</i> | 1981 | Cas. | |
| <i>Aesculus hippocastanum</i> | Horse-chestnut | 2001 | Estab. | |
| <i>Aethusa cynapium</i> | Fool's Parsley | 2001 | Native | |
| <i>Aethusa cynapium</i> ssp. <i>cynapium</i> | a fool's parsley subspecies | 1993 | Native | |
| <i>Agrimonia eupatoria</i> | Agrimony | 2001 | Native | |
| <i>Agrimonia procera</i> | Fragrant Agrimony | 1997 | Native | 2, 1 |
| <i>Agrostemma githago</i> | Corncockle | 2001 | Estab. | 11 |
| <i>Agrostis canina</i> | Brown Bent | 2001 | Native | |
| <i>Agrostis capillaris</i> | Common Bent | 2001 | Native | |
| <i>Agrostis gigantea</i> | Black Bent | 2000 | Native | |
| <i>Agrostis stolonifera</i> | Creeping Bent | 2001 | Native | |
| <i>Agrostis vinealis</i> | Brown Bent | 2001 | Native | |
| <i>Aira caryophyllea</i> | Silver Hair-grass | 2001 | Native | |
| <i>Aira praecox</i> | Early Hair-grass | 2001 | Native | |
| <i>Ajuga reptans</i> | Bugle | 2001 | Native | |
| <i>Alcea rosea</i> | Hollyhock | 1994 | Cas. | |
| <i>Alchemilla alpina</i> | Alpine Lady's-mantle | 1996 | Cas. | |
| <i>Alchemilla conjuncta</i> | Silver Lady's-mantle | 1995 | Cas. | |
| <i>Alchemilla filicaulis</i> | a lady's-mantle | 1999 | Native | |
| <i>Alchemilla filicaulis</i> ssp. <i>filicaulis</i> | <i>a lady's-mantle</i> | -1969 | Native | |
| <i>Alchemilla filicaulis</i> ssp. <i>vestita</i> | a lady's-mantle | 2001 | Native | |
| <i>Alchemilla glabra</i> | a lady's-mantle | 2001 | Native | |
| <i>Alchemilla mollis</i> | a lady's-mantle | 2001 | Estab. | |
| <i>Alchemilla xanthochlora</i> | a lady's-mantle | 2001 | Native | |
| <i>Alisma lanceolatum</i> | Narrow-leaved Water-plantain | 1997 | Native | 2, 1 |
| <i>Alisma plantago-aquatica</i> | Water-plantain | 2001 | Native | |
| <i>Alliaria petiolata</i> | Garlic Mustard | 2001 | Native | |
| <i>Allium cepa</i> | Onion | 1996 | Cas. | |
| <i>Allium oleraceum</i> | Field Garlic | 2000 | Native | 2 |
| <i>Allium paradoxum</i> | <i>Few-flowered Garlic</i> | 1977 | Cas. | |
| <i>Allium schoenoprasum</i> | Chives | 1999 | Estab. | 6 |
| <i>Allium scorodoprasum</i> | Sand Leek | 1996 | Native | 2, 1 |
| <i>Allium ursinum</i> | Ramsons | 2001 | Native | |
| <i>Allium vineale</i> | Wild Onion | 2000 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|-----------------------------|--------------|---------------|-----------------------------------|
| <i>Alnus cordata</i> | Italian Alder | 2001 | Cas. | |
| <i>Alnus glutinosa</i> | Alder | 2001 | Native | |
| <i>Alnus incana</i> | Grey Alder | 2001 | Cas. | |
| <i>Alopecurus aequalis</i> | Orange Foxtail | 1999 | Native | 2, 1 |
| <i>Alopecurus geniculatus</i> | Marsh Foxtail | 2001 | Native | |
| <i>Alopecurus myosuroides</i> | Black-grass | 2000 | Native | |
| <i>Alopecurus pratensis</i> | Meadow Foxtail | 2001 | Native | |
| <i>Alstroemeria aurea</i> | Peruvian Lily | 1994 | Cas. | |
| <i>Althaea hirsuta</i> | Rough Marsh-mallow | 1988 | Cas. | 16, 9, 4 |
| <i>Alyssum alyssoides</i> | Small Alison | -1903 | Cas. | 16 |
| <i>Alyssum saxatile</i> | Golden Alyssum | 1998 | Cas. | |
| <i>Amaranthus albus</i> | White Pigweed | 1984 | Cas. | |
| <i>Amaranthus cruentus</i> | Purple Amaranth | 1976 | Cas. | |
| <i>Amaranthus deflexus</i> | Perennial Pigweed | 1995 | Estab. | |
| <i>Amaranthus hybridus</i> | Green Pigweed | 1976 | Cas. | |
| <i>Amaranthus retroflexus</i> | Common Amaranth | 2000 | Estab. | |
| <i>Ambrosia artemisiifolia</i> | Ragweed | 1989 | Cas. | |
| <i>Ambrosia trifida</i> | Giant Ragweed | 1974 | Cas. | |
| <i>Amelanchier lamarckii</i> | Juneberry | 1980 | Cas. | |
| <i>Ammi majus</i> | Bullwort | 1992 | Cas. | |
| <i>Ammophila arenaria</i> | Marram | 1972 | Cas. | |
| <i>Amsinckia lycopoides</i> | Scarce Fiddleneck | -1969 | Cas. | |
| <i>Amsinckia micrantha</i> | Common Fiddleneck | 2001 | Cas. | |
| <i>Anacamptis pyramidalis</i> | Pyramidal Orchid | 2001 | Native | 2 |
| <i>Anagallis arvensis</i> | Scarlet Pimpernel | 2001 | Native | |
| <i>Anagallis arvensis</i> ssp. <i>arvensis</i> | Scarlet Pimpernel | 2001 | Native | |
| <i>Anagallis arvensis</i> ssp. <i>foemina</i> | Blue Pimpernel | -1969 | Native | |
| <i>Anagallis minima</i> | Chaffweed | -1969 | Native | 2 |
| <i>Anagallis tenella</i> | Bog Pimpernel | 1999 | Native | 2 |
| <i>Anaphalis margaritacea</i> | Pearly Everlasting | 1997 | Estab. | |
| <i>Anchusa arvensis</i> | Bugloss | 2001 | Native | |
| <i>Anchusa azurea</i> | Garden Anchusa | 1996 | Cas. | |
| <i>Andromeda polifolia</i> | Bog-rosemary | 2000 | Native | 2, 1 |
| <i>Anemone apennina</i> | Blue Anemone | 1998 | Cas. | |
| <i>Anemone nemorosa</i> | Wood Anemone | 2001 | Native | |
| <i>Anethum graveolens</i> | Dill | 1989 | Cas. | |
| <i>Angelica archangelica</i> | Garden Angelica | 1996 | Cas. | |
| <i>Angelica sylvestris</i> | Wild Angelica | 2001 | Native | |
| <i>Anisantha diandra</i> | Great Brome | 2000 | Cas. | |
| <i>Anisantha sterilis</i> | Barren Brome | 2001 | Native | |
| <i>Anisantha tectorum</i> | Drooping Brome | 1977 | Cas. | |
| <i>Antennaria dioica</i> | Mountain Everlasting | 2000 | Native | 2, 1 |
| <i>Anthemis arvensis</i> | Corn Chamomile | 1982 | Cas. | |
| <i>Anthemis cotula</i> | Stinking Chamomile | 1977 | Native | |
| <i>Anthemis punctata</i> ssp. <i>cupaniana</i> * | Sicilian Chamomile | 1983 | Cas. | |
| <i>Anthemis tinctoria</i> | Yellow Chamomile | 1972 | Cas. | |
| <i>Anthoxanthum odoratum</i> | Sweet Vernal Grass | 2001 | Native | |
| <i>Anthriscus caucalis</i> | Bur Parsley | 1990 | Native | 2, 1 |
| <i>Anthriscus cerefolium</i> | Garden Chervil | 1811 | Cas. | |
| <i>Anthriscus sylvestris</i> | Cow Parsley | 2001 | Native | |
| <i>Anthyllis vulneraria</i> | Kidney Vetch | 2001 | Native | |
| <i>Anthyllis vulneraria</i> ssp. <i>carpatica</i> | a kidney vetch subspecies | 1896 | Cas. | |
| <i>Anthyllis vulneraria</i> ssp. <i>vulneraria</i> * | a kidney vetch subspecies | 1997 | Native | |
| <i>Antirrhinum majus</i> | Snapdragon | 2001 | Estab. | |
| <i>Apera interrupta</i> | Dense Silky-bent | 1997 | Cas. | 6 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|------------------------------------|-------------|---------------|-----------------------------------|
| Apera spica-venti | Loose Silky-bent | 2000 | Cas. | 6 |
| Aphanes arvensis | Parsley-piert | 2001 | Native | |
| Aphanes australis | Slender Parsley-piert | 2000 | Native | 1 |
| Apium graveolens | Wild Celery | 2000 | Cas. | |
| Apium inundatum | Lesser Marshwort | 1999 | Native | 2, 1 |
| Apium nodiflorum | Fool's Water-cress | 2001 | Native | |
| <i>Apium x moorei</i> | <i>a hybrid fool's water-cress</i> | 1911 | Native | |
| <i>Aponogeton distachyos</i> | <i>Cape Pondweed</i> | 1978 | Estab. | |
| Aquilegia vulgaris | Columbine | 2001 | Native | |
| Arabidopsis thaliana | Thale Cress | 2001 | Native | |
| Arabis caucasica | Garden Arabis | 2001 | Estab. | |
| Arabis glabra | Tower Mustard | 1985 | Native | 8, 5, 3, 2 |
| Arabis hirsuta | Hairy Rock-cress | 2001 | Native | |
| Araucaria araucana | Monkey-puzzle | 1998 | Plant. | |
| Arctium lappa | Greater Burdock | 1999 | Native | 2, 1 |
| Arctium minus | Lesser Burdock | 2001 | Native | |
| Arctium nemorosum | Wood Burdock | 1989 | Native | 1 |
| Arctostaphylos uva-ursi | Bearberry | 1999 | Native | 2, 1 |
| <i>Arenaria balearica</i> | <i>Mossy Sandwort</i> | 1978 | Estab. | |
| Arenaria serpyllifolia | Thyme-leaved Sandwort | 2001 | Native | |
| Arenaria serpyllifolia ssp. leptocladus | Small Thyme-leaved Sandwort | 1999 | Native | |
| Arenaria serpyllifolia ssp. serpyllifolia | a thyme-leaved sandwort ssp. | 2001 | Native | |
| <i>Argemone mexicana</i> | <i>Mexican Poppy</i> | 1967 | Cas. | |
| <i>Aristolochia clematitis</i> | <i>Birthwort</i> | c.1880 | Cas. | |
| Armeria maritima | Thrift | 2001 | Cas. | |
| Armoracia rusticana | Horse-radish | 2001 | Estab. | |
| Arrhenatherum elatius | False Oat-grass | 2001 | Native | |
| Artemisia absinthium | Wormwood | 2001 | Native | |
| Artemisia verlotiorum | Chinese Mugwort | 1999 | Estab. | |
| Artemisia vulgaris | Mugwort | 2001 | Native | |
| <i>Arum italicum</i> | <i>Italian Lords-and-ladies</i> | -1969 | Estab. | |
| Arum maculatum | Lords-and-ladies | 2001 | Native | |
| Asarina procumbens | Trailing Snapdragon | 1997 | Estab. | |
| <i>Asarum europaeum</i> | <i>Asarabacca</i> | 1970 | Estab. | |
| Asparagus officinalis ssp. officinalis | Garden Asparagus | 2000 | Cas. | |
| <i>Asperula arvensis</i> | <i>Blue Woodruff</i> | -1969 | Cas. | |
| <i>Asperula cynanchica</i> ssp. <i>cynanchica</i> * | <i>Squinancywort</i> | 1903 | Native | |
| Asplenium adiantum-nigrum | Black Spleenwort | 2001 | Native | |
| <i>Asplenium marinum</i> | <i>Sea Spleenwort</i> | 1980 | Estab. | |
| Asplenium ruta-muraria | Wall-rue | 2001 | Native | |
| Asplenium trichomanes | Maidenhair Spleenwort | 2001 | Native | |
| Asplenium trichomanes ssp. quadrivalens | a maidenhair spleenwort subspecies | 1991 | Native | |
| Asplenium viride | Green Spleenwort | 2000 | Native | 2 |
| Aster lanceolatus | Narrow-leaved Michaelmas-daisy | 2001 | Estab. | |
| Aster novi-belgii | Confused Michaelmas-daisy | 1999 | Estab. | |
| <i>Aster tripolium</i> | <i>Sea Aster</i> | -1969 | Cas. | |
| Aster x salignus | Common Michaelmas-daisy | 1998 | Estab. | |
| Aster x versicolor | Late Michaelmas-daisy | 1997 | Estab. | |
| Astilbe x arendsii | Red False-buck's-beard | 1996 | Estab. | |
| Astragalus glycyphyllos | Wild Liquorice | 2000 | Native | 2 |
| Astrantia major | Astrantia | 1988 | Cas. | |
| Athyrium filix-femina | Lady Fern | 2001 | Native | |
| Atriplex hortensis | Garden Orache | 1997 | Cas. | |
| Atriplex littoralis | Grass-leaved Orache | 2001 | Cas. | |
| Atriplex patula | Common Orache | 2001 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|--------------------------------|-------------|---------------|-----------------------------------|
| <i>Atriplex prostrata</i> | Spear-leaved Orache | 2001 | Native | |
| <i>Atropa belladonna</i> | Deadly Nightshade | 2000 | Cas. | 2 |
| <i>Aubrieta deltoidea</i> | Aubretia | 1999 | Estab. | |
| <i>Aucuba japonica</i> | Spotted-laurel | 1988 | Cas. | |
| <i>Avena fatua</i> | Wild Oat | 2001 | Cas. | |
| <i>Avena sativa</i> | Oat | 2001 | Cas. | |
| <i>Avena strigosa</i> | <i>Bristle Oat</i> | -1903 | Cas. | |
| <i>Azolla filiculoides</i> | Water Fern | 2000 | Estab. | |
| <i>Baldellia ranunculoides</i> | Lesser Water-plantain | 1950 | Native | 2 |
| <i>Ballota nigra</i> ssp. <i>meridionalis</i> * | Black Horehound | 2001 | Native | |
| <i>Barbarea intermedia</i> | Medium-flowered Winter-cress | 1998 | Estab. | |
| <i>Barbarea stricta</i> | Small-flowered Winter-cress | 1993 | Cas. | |
| <i>Barbarea verna</i> | American Winter-cress | 1998 | Cas. | |
| <i>Barbarea vulgaris</i> | Winter-cress | 2001 | Native | |
| <i>Bassia scoparia</i> | Summer-cypress | 1989 | Cas. | |
| <i>Bellis perennis</i> | Daisy | 2001 | Native | |
| <i>Berberis darwinii</i> | Darwin's Barberry | 1996 | Estab. | |
| <i>Berberis vulgaris</i> | Barberry | 1999 | Estab. | |
| <i>Bergenia crassifolia</i> | Elephant-ears | 2000 | Cas. | |
| <i>Berteroa incana</i> | <i>Hoary Alison</i> | 1974 | Cas. | |
| <i>Berula erecta</i> | Lesser Water-parsnip | 2000 | Native | |
| <i>Beta vulgaris</i> | Beet | 2001 | Cas. | |
| <i>Beta vulgaris</i> ssp. <i>vulgaris</i> | <i>Root Beet</i> | 1970+ | Cas. | |
| <i>Betula pendula</i> | Silver Birch | 2001 | Native | |
| <i>Betula pubescens</i> ssp. <i>pubescens</i> * | Downy Birch | 2001 | Native | |
| <i>Betula x aurata</i> | Hybrid Birch | 1999 | Native | |
| <i>Bidens cernua</i> | Nodding Bur-marigold | 2000 | Native | |
| <i>Bidens ferulifolia</i> (Jacq.)DC. | Fern-leaved Beggarticks | 1997 | Cas. | |
| <i>Bidens frondosa</i> | Beggarticks | 1998 | Cas. | |
| <i>Bidens tripartita</i> | Trifid Bur-marigold | 2001 | Native | |
| <i>Blackstonia perfoliata</i> | Yellow-wort | 2001 | Native | 2 |
| <i>Blechnum spicant</i> | Hard Fern | 2001 | Native | |
| <i>Blysmus compressus</i> | Flat-sedge | 2000 | Native | 2, 1 |
| <i>Borago officinalis</i> | Borage | 2001 | Cas. | |
| <i>Botrychium lunaria</i> | Moonwort | 2001 | Native | 2 |
| <i>Brachypodium pinnatum</i> | Tor-grass | 2001 | Native | |
| <i>Brachypodium sylvaticum</i> | False-brome | 2001 | Native | |
| <i>Brassica juncea</i> | Chinese Mustard | 1996 | Cas. | |
| <i>Brassica napus</i> | Rape | 2001 | Estab. | |
| <i>Brassica napus</i> ssp. <i>oleifera</i> | Oil-seed Rape | 1999 | Estab. | |
| <i>Brassica nigra</i> | Black Mustard | 2001 | Native | 1 |
| <i>Brassica oleracea</i> | Cabbage | 2000 | Cas. | 6 |
| <i>Brassica rapa</i> | Turnip | 2000 | Estab. | |
| <i>Brassica rapa</i> ssp. <i>oleifera</i> | Turnip-rape | 2000 | Cas. | |
| <i>Briza maxima</i> | Greater Quaking Grass | 2001 | Cas. | |
| <i>Briza media</i> | Quaking-grass | 2001 | Native | |
| <i>Bromopsis benekenii</i> | Lesser Hairy-brome | 1998 | Native | 6, 1 |
| <i>Bromopsis erecta</i> | Upright Brome | 2000 | Native | |
| <i>Bromopsis inermis</i> | Hungarian Brome | 2000 | Estab. | |
| <i>Bromopsis inermis</i> ssp. <i>inermis</i> | a Hungarian brome subspecies | 1999 | Estab. | |
| <i>Bromopsis ramosa</i> | Hairy Brome | 2001 | Native | |
| <i>Bromus commutatus</i> | Meadow Brome | 1995 | Cas. | |
| <i>Bromus hordeaceus</i> | Soft-brome | 2001 | Native | |
| <i>Bromus hordeaceus</i> ssp. <i>hordeaceus</i> | a soft-brome subspecies | 2000 | Native | |
| <i>Bromus hordeaceus</i> ssp. <i>thominei</i> | <i>a soft-brome subspecies</i> | 1978 | Cas. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|---|--------------|---------------|-----------------------------------|
| <i>Bromus lepidus</i> | <i>Slender Soft-brome</i> | 1975 | Cas. | |
| <i>Bromus pseudosecalinus</i> | Smith's Brome | 1988 | Cas. | |
| Bromus racemosus | Smooth Brome | 2001 | Native | 2 |
| <i>Bromus secalinus</i> | <i>Rye Brome</i> | 1975 | Cas. | |
| <i>Bromus x pseudothominei</i> | Lesser Soft-brome | 1999 | Native | |
| <i>Bryonia dioica</i> | White Bryony | 2001 | Native | |
| <i>Buddleja davidii</i> | Butterfly-bush | 2001 | Estab. | |
| <i>Buddleja globosa</i> | Orange-ball-tree | 1999 | Cas. | |
| <i>Bupleurum rotundifolium</i> | <i>Thorow-wax</i> | -1969 | Cas. | 11 |
| <i>Bupleurum subovatum</i> | <i>False Thorow-wax</i> | 1977 | Cas. | |
| Butomus umbellatus | Flowering Rush | 2000 | Native | 2 |
| Buxus sempervirens | Box | 2001 | Estab. | 7, 4 |
| <i>Calamagrostis canescens</i> | <i>Purple Small-reed</i> | 1980 | Native | 2 |
| Calamagrostis epigejos | Wood Small-reed | 2001 | Native | 2 |
| <i>Calendula officinalis</i> | Pot Marigold | 2001 | Cas. | |
| <i>Calla palustris</i> | Bog Arum | 1997 | Cas. | |
| Callitriche hamulata | Intermediate Water-Starwort | 1996 | Native | 1 |
| Callitriche obtusangula | Blue-fruited Water-starwort | 1998 | Native | 1 |
| Callitriche platycarpa | Various-leaved Water-starwort | 2000 | Native | 1 |
| <i>Callitriche stagnalis</i> | Common Water-starwort | 2001 | Native | |
| <i>Callitriche truncata</i> | <i>Short-leaved Water-starwort</i> | 1978 | Native | 6 |
| <i>Calluna vulgaris</i> | Heather | 2001 | Native | |
| <i>Caltha palustris</i> | Marsh Marigold | 2001 | Native | |
| <i>Calystegia pulchra</i> | Hairy Bindweed | 2001 | Estab. | |
| <i>Calystegia sepium</i> ssp. <i>sepium</i> | Great Bindweed | 2001 | Native | |
| <i>Calystegia silvatica</i> | Large Bindweed | 2001 | Estab. | |
| <i>Calystegia x lucana</i> | a hybrid bindweed | 1998 | Native | |
| <i>Camelina sativa</i> | Gold-of-pleasure | 1997 | Cas. | |
| Campanula glomerata | Clustered Bellflower | 2001 | Native | 2 |
| <i>Campanula latifolia</i> | Giant Bellflower | 2001 | Native | |
| <i>Campanula medium</i> | <i>Canterbury-bell</i> | 1970 | Cas. | |
| <i>Campanula patula</i> | <i>Spreading Bellflower</i> | -1969 | Native | 6 |
| Campanula persicifolia | Peach-leaved Bellflower | 2000 | Estab. | 12 |
| <i>Campanula portenschlagiana</i> | Adria Bellflower | 1999 | Estab. | |
| <i>Campanula poscharskyana</i> | Trailing Bellflower | 2001 | Estab. | |
| <i>Campanula rapunculoides</i> | Creeping Bellflower | 1995 | Estab. | |
| <i>Campanula rotundifolia</i> | Harebell | 2001 | Native | |
| <i>Campanula trachelium</i> | Nettle-leaved Bellflower | 2000 | Native | |
| <i>Cannabis sativa</i> | Hemp | 2000 | Cas. | |
| <i>Capsella bursa-pastoris</i> | Shepherd's-purse | 2001 | Native | |
| <i>Cardamine amara</i> | Large Bitter-cress | 2001 | Native | |
| Cardamine bulbifera | Coralroot | 1997 | Estab. | 6 |
| <i>Cardamine corymbosa</i> | New Zealand Bitter-cress | 1998 | Cas. | |
| <i>Cardamine flexuosa</i> | Wavy Bitter-cress | 2001 | Native | |
| <i>Cardamine hirsuta</i> | Hairy Bitter-cress | 2001 | Native | |
| Cardamine impatiens | Narrow-leaved Bitter-cress | 2000 | Native | 6, 3, 2, 1 |
| <i>Cardamine pratensis</i> | Cuckoo-flower | 2001 | Native | |
| <i>Carduus crispus</i> | Wetted Thistle | 2001 | Native | |
| <i>Carduus nutans</i> | Musk Thistle | 2001 | Native | |
| <i>Carduus tenuiflorus</i> | Slender Thistle | 1999 | Cas. | |
| <i>Carduus x stangii</i> | a hybrid thistle | 2000 | Native | |
| Carex acuta | Slender Tufted-sedge | 1995 | Native | 1 |
| <i>Carex acutiformis</i> | Lesser Pond-sedge | 2001 | Native | |
| Carex arenaria | Sand Sedge | 1996 | Estab. | 2 |
| <i>Carex binervis</i> | Green-ribbed Sedge | 2001 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|-----------------------------------|--------------|---------------|-----------------------------------|
| <i>Carex caryophylla</i> | Spring Sedge | 2001 | Native | |
| Carex curta | White Sedge | 2001 | Native | 2 |
| <i>Carex diandra</i> | <i>Lesser Tussock-sedge</i> | 1889 | Native | |
| Carex digitata | Fingered Sedge | 1997 | Native | 6, 2, 1 |
| Carex dioica | Dioecious Sedge | 1992 | Native | 2, 1 |
| <i>Carex distans</i> | <i>Distant Sedge</i> | 1975 | Native | |
| Carex disticha | Brown Sedge | 1999 | Native | 2, 1 |
| Carex divulsa | Grey Sedge | 1999 | Native | 2, 1 |
| Carex divulsa ssp. divulsa | Grey Sedge | 1890 | Native | 2 |
| Carex divulsa ssp. leersii | Leers' Sedge | 1998 | Native | 2, 1 |
| <i>Carex echinata</i> | Star Sedge | 2001 | Native | |
| Carex elata | Tufted Sedge | -1969 | Native | 2 |
| Carex ericetorum | Rare Spring-sedge | 1994 | Native | 6, 3, 2, 1 |
| <i>Carex flacca</i> | Glaucous Sedge | 2001 | Native | |
| <i>Carex hirta</i> | Hairy Sedge | 2001 | Native | |
| Carex hostiana | Tawny Sedge | 2000 | Native | 2, 1 |
| <i>Carex laevigata</i> | Smooth-stalked Sedge | 2001 | Native | |
| Carex montana | Soft-leaved Sedge | 1994 | Native | 6, 3, 2, 1 |
| Carex muricata | Prickly Sedge | 1991 | Native | 2, 1 |
| Carex muricata ssp. lamprocarpa | Prickly Sedge | 1975 | Native | 2, 1 |
| <i>Carex nigra</i> | Common Sedge | 2001 | Native | |
| Carex ornithopoda | Bird's-foot Sedge | 2000 | Native | 7, 3, 2, 1 |
| <i>Carex otrubae</i> | False Fox-sedge | 2001 | Native | |
| <i>Carex ovalis</i> | Oval Sedge | 2001 | Native | |
| Carex pallescens | Pale Sedge | 2001 | Native | 2 |
| <i>Carex panicea</i> | Carnation Sedge | 2001 | Native | |
| <i>Carex paniculata</i> | Greater Tussock-sedge | 2001 | Native | |
| Carex pendula | Pendulous Sedge | 2001 | Native | 2 |
| <i>Carex pilulifera</i> | Pill Sedge | 2001 | Native | |
| Carex pseudocyperus | Cyperus Sedge | 2000 | Native | 2, 1 |
| <i>Carex pulicaris</i> | Flea Sedge | 2001 | Native | |
| <i>Carex remota</i> | Remote Sedge | 2001 | Native | |
| <i>Carex riparia</i> | Great Pond-sedge | 2001 | Native | |
| Carex rostrata | Bottle Sedge | 2001 | Native | 2 |
| <i>Carex spicata</i> | Spiked Sedge | 2001 | Native | |
| Carex strigosa | Thin-spiked Wood-sedge | 1998 | Native | 2, 1 |
| <i>Carex sylvatica</i> | Wood-sedge | 2001 | Native | |
| Carex vesicaria | Bladder-sedge | 2000 | Native | 2 |
| <i>Carex viridula</i> | Yellow Sedge | 2001 | Native | |
| Carex viridula ssp. brachyrrhyncha | Long-stalked Yellow Sedge | 1999 | Native | 2 |
| <i>Carex viridula ssp. oedocarpa</i> | Common Yellow Sedge | 2001 | Native | |
| Carex viridula ssp. viridula | Small-fruited Yellow Sedge | 1984 | Native | 2 |
| <i>Carex x boeninghausiana</i> | <i>a hybrid sedge</i> | 1977 | Native | |
| <i>Carex x fulva</i> | <i>a hybrid sedge</i> | -1969 | Native | |
| <i>Carex x pseudoaxillaris</i> | <i>a hybrid sedge</i> | 1998 | Native | |
| <i>Carlina vulgaris</i> | Carline Thistle | 2000 | Native | |
| <i>Carpinus betulus</i> | Hornbeam | 2001 | Cas. | |
| <i>Carthamus tinctorius</i> | <i>Safflower</i> | 1977 | Cas. | |
| <i>Carum carvi</i> | Caraway | 1988 | Cas. | |
| <i>Castanea sativa</i> | Sweet Chestnut | 2001 | Estab. | |
| Catabrosa aquatica | Whorl-grass | 1997 | Native | 2, 1 |
| <i>Catapodium rigidum</i> | Fern-grass | 2001 | Native | |
| Centaurea calcitrapa | Red Star-thistle | 1944 | Cas. | 8 |
| Centaurea cyanus | Cornflower | 2000 | Cas. | 9, 5, 3, 2 |
| <i>Centaurea diluta</i> | <i>Lesser Star-thistle</i> | 1977 | Cas. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|---------------------------------------|--------------|---------------|-----------------------------------|
| <i>Centaurea montana</i> | Perennial Cornflower | 2001 | Estab. | |
| <i>Centaurea nigra</i> | Common Knapweed | 2001 | Native | |
| <i>Centaurea paniculata</i> | <i>Jersey Knapweed</i> | -1969 | Cas. | |
| <i>Centaurea scabiosa</i> | Greater Knapweed | 2001 | Native | |
| <i>Centaureum erythraea</i> | Common Centaury | 2001 | Native | |
| <i>Centranthus ruber</i> | Red Valerian | 2001 | Estab. | |
| <i>Cephalanthera damasonium</i> | <i>White Helleborine</i> | 1789 | Native | |
| <i>Cephalaria gigantea</i> | Giant Scabious | 1997 | Cas. | |
| Cerastium arvense | Field Mouse-ear | 2000 | Native | 2, 1 |
| <i>Cerastium diffusum</i> | Dark-green Mouse-ear | 2000 | Estab. | |
| <i>Cerastium fontanum</i> | Common Mouse-ear | 2001 | Native | |
| <i>Cerastium fontanum</i> ssp. <i>holosteoides</i> | a common mouse-ear subspecies | 1998 | Native | |
| <i>Cerastium fontanum</i> ssp. <i>vulgare</i> | a common mouse-ear subspecies | 2000 | Native | |
| <i>Cerastium glomeratum</i> | Sticky Mouse-ear | 2001 | Native | |
| <i>Cerastium semidecandrum</i> | Little Mouse-ear | 1999 | Native | |
| <i>Cerastium tomentosum</i> | Snow-in-summer | 2001 | Estab. | |
| <i>Ceratocapnos claviculata</i> | Climbing Corydalis | 2001 | Native | |
| Ceratophyllum demersum | Rigid Hornwort | 2000 | Native | 2 |
| <i>Ceratophyllum submersum</i> | <i>Soft Hornwort</i> | 1979 | Native | 2 |
| <i>Ceterach officinarum</i> | Rustyback | 2001 | Native | 2 |
| <i>Chaenomeles speciosa</i> | Japanese Quince | 2001 | Cas. | |
| <i>Chaenorhinum minus</i> | Small Toadflax | 2001 | Native | |
| <i>Chaerophyllum temulum</i> | Rough Chervil | 2000 | Native | |
| <i>Chamaecyparis lawsoniana</i> | Lawson's Cypress | 2001 | Cas. | |
| <i>Chamaemelum nobile</i> | <i>Chamomile</i> | 1977 | Native | 6, 4, 3, 2 |
| <i>Chamerion angustifolium</i> | Rosebay Willowherb | 2001 | Native | |
| <i>Chelidonium majus</i> | Greater Celandine | 2001 | Estab. | |
| <i>Chenopodium album</i> | Fat-hen | 2001 | Native | |
| <i>Chenopodium bonus-henricus</i> | Good King Henry | 2001 | Estab. | |
| <i>Chenopodium capitatum</i> | Strawberry Blight | 2001 | Cas. | |
| <i>Chenopodium ficifolium</i> | Fig-leaved Goosefoot | 2001 | Cas. | |
| <i>Chenopodium glaucum</i> | Oak-leaved Goosefoot | 1997 | Cas. | |
| <i>Chenopodium hybridum</i> | <i>Maple-leaved Goosefoot</i> | 1975 | Cas. | |
| <i>Chenopodium murale</i> | Nettle-leaved Goosefoot | 1990 | Cas. | |
| <i>Chenopodium polyspermum</i> | Many-seeded Goosefoot | 2001 | Native | 2 |
| <i>Chenopodium rubrum</i> | Red Goosefoot | 2001 | Native | |
| <i>Chenopodium suecicum</i> | <i>Swedish Goosefoot</i> | 1897 | Cas. | |
| <i>Chenopodium urbicum</i> | <i>Upright Goosefoot</i> | -1969 | Cas. | |
| <i>Chenopodium vulvaria</i> | <i>Stinking Goosefoot</i> | -1969 | Cas. | 16, 8, 4 |
| <i>Chionodoxa forbesii</i> | Glory-of-the-snow | 1998 | Cas. | |
| <i>Chrysanthemum segetum</i> | Corn Marigold | 2001 | Native | |
| <i>Chrysosplenium alternifolium</i> | Alternate-lvd Golden-saxifrage | 2000 | Native | 2 |
| <i>Chrysosplenium oppositifolium</i> | Opposite-lvd Golden-saxifrage | 2001 | Native | |
| <i>Cicerbita macrophylla</i> ssp. <i>uralensis</i> * | Common Blue-sow-thistle | 2001 | Estab. | |
| <i>Cichorium intybus</i> | Chicory | 2001 | Estab. | |
| <i>Circaea lutetiana</i> | Enchanter's-nightshade | 2001 | Native | |
| <i>Circaea x intermedia</i> | Upland Enchanter's-nightshade | 1996 | Native | 2, 1 |
| <i>Cirsium acaule</i> | Dwarf Thistle | 1999 | Native | 2 |
| <i>Cirsium arvense</i> | Creeping Thistle | 2001 | Native | |
| <i>Cirsium dissectum</i> | Meadow Thistle | 1999 | Native | 2, 1 |
| <i>Cirsium eriophorum</i> | Woolly Thistle | 1999 | Native | 2, 1 |
| <i>Cirsium heterophyllum</i> | Melancholy Thistle | 2000 | Native | 2 |
| <i>Cirsium palustre</i> | Marsh Thistle | 2001 | Native | |
| <i>Cirsium vulgare</i> | Spear Thistle | 2001 | Native | |
| <i>Cirsium x grandiflorum</i> | a hybrid thistle | 1993 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|----------------------------------|---------------------------------|-------------|---------------|-----------------------------------|
| Claytonia perfoliata | Spring Beauty | 2001 | Estab. | |
| Claytonia sibirica | Pink Purslane | 2001 | Estab. | |
| <i>Clematis flammula</i> | <i>Virgin's-bower</i> | 1973 | Estab. | |
| Clematis vitalba | Traveller's Joy | 2001 | Native | 2 |
| Clinopodium acinos | Basil Thyme | 1999 | Native | 1 |
| Clinopodium ascendens | Common Calamint | 2000 | Native | 2, 1 |
| Clinopodium vulgare | Wild Basil | 2001 | Native | |
| Cochlearia danica | Danish Scurvygrass | 2001 | Estab. | |
| Cochlearia pyrenaica | Pyrenean Scurvygrass | 1999 | Native | 2, 1 |
| Coeloglossum viride | Frog Orchid | 2001 | Native | |
| Coincya monensis | a cabbage | 1999 | Cas. | |
| Coincya monensis ssp cheiranthos | Wallflower Cabbage | 2000 | Estab. | |
| Colchicum autumnale | Meadow Saffron | 1997 | Native | 2, 1 |
| Colutea arborescens | Bladder-senna | 1997 | Cas. | |
| Conium maculatum | Hemlock | 2001 | Native | |
| Conopodium majus | Pignut | 2001 | Native | |
| <i>Conringia orientalis</i> | <i>Hare's-ear Mustard</i> | -1969 | Cas. | |
| <i>Consolida ajacis</i> | <i>Larkspur</i> | 1985 | Cas. | |
| Convallaria majalis | Lily of the Valley | 2000 | Native | 2 |
| Convolvulus arvensis | Field Bindweed | 2001 | Native | |
| Conyza canadensis | Canadian Fleabane | 2001 | Estab. | |
| Coriandrum sativum | Coriander | 1997 | Cas. | |
| Cornus alba | White Dogwood | 1999 | Cas. | |
| Cornus mas | Cornelian-cherry | 1991 | Cas. | |
| Cornus sanguinea | Dogwood | 2001 | Native | |
| Cornus sericea | Red-osier Dogwood | 2000 | Cas. | |
| Coronopus didymus | Lesser Swine-cress | 2001 | Estab. | |
| Coronopus squamatus | Swine-cress | 2001 | Native | |
| Corrigiola litoralis | Strapwort | 1973 | Cas. | 16, 10 |
| Cortaderia seloana | Pampas Grass | 1988 | Cas. | |
| <i>Corydalis cava</i> | <i>Hollow-root</i> | 1983 | Estab. | |
| <i>Corydalis solida</i> | <i>Bird-in-a-bush</i> | 1984 | Estab. | |
| Corylus avellana | Hazel | 2001 | Native | |
| <i>Cotoneaster bacillaris</i> | <i>Open-fruited Cotoneaster</i> | 1925 | Cas. | |
| Cotoneaster bullatus | Hollyberry Cotoneaster | 2001 | Cas. | |
| Cotoneaster dammeri | Bearberry Cotoneaster | 1998 | Cas. | |
| Cotoneaster franchetii | Franchet's Cotoneaster | 1999 | Cas. | |
| Cotoneaster frigidus | Tree Cotoneaster | 1988 | Estab. | |
| Cotoneaster horizontalis | Wall Cotoneaster | 2001 | Estab. | |
| Cotoneaster integrifolius | Small-leaved Cotoneaster | 1998 | Estab. | |
| Cotoneaster rehderi | Bullate Cotoneaster | 1998 | Cas. | |
| Cotoneaster salicifolius | Willow-leaved Cotoneaster | 1999 | Cas. | |
| Cotoneaster simonsii | Himalayan Cotoneaster | 2001 | Estab. | |
| Cotoneaster sternianus | Stern's Cotoneaster | 2001 | Estab. | |
| Cotoneaster x watereri | Waterer's Cotoneaster | 2001 | Cas. | |
| Crassula helmsii | New Zealand Pigmyweed | 1999 | Estab. | |
| Crataegus crus-galli | Cockspur-thorn | 1989 | Estab. | |
| Crataegus laevigata | Midland Hawthorn | 2000 | Native | 2 |
| Crataegus monogyna | Hawthorn | 2001 | Native | |
| Crataegus orientalis | Oriental Hawthorn | 1995 | Estab. | |
| Crataegus x media | Hybrid Hawthorn | 1992 | Native | |
| Crepis biennis | Rough Hawk's-beard | 2000 | Cas. | |
| Crepis capillaris | Smooth Hawk's-beard | 2001 | Native | |
| Crepis paludosa | Marsh Hawk's-beard | 2001 | Native | |
| Crepis setosa | Bristly Hawk's-beard | 1993 | Cas. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|---|---------------|---------------|-----------------------------------|
| <i>Crepis vesicaria</i> ssp. <i>taraxicifolia</i> * | Beaked Hawk's-beard | 2001 | Estab. | |
| <i>Crococsmia</i> x <i>crococsmiiflora</i> | Montbretia | 2001 | Estab. | |
| <i>Crocus nudiflorus</i> | Autumn Crocus | 1999 | Estab. | |
| <i>Crocus tommasinianus</i> | Early Crocus | 1995 | Estab. | |
| <i>Crocus vernus</i> | Spring Crocus | 1998 | Cas. | |
| <i>Cruciata laevipes</i> | Crosswort | 2001 | Native | |
| <i>Cryptogramma crispa</i> | Parsley Fern | 1805 | Native | |
| <i>Cryptomeria japonica</i> | Japanese Red-cedar | 2001 | Estab. | |
| <i>Cucubalus baccifer</i> | Berry Catchfly | -1969 | Cas. | |
| x <i>Cupressocyparis leylandii</i> | Leyland Cypress | 1996 | Estab. | |
| <i>Cuscuta epithymum</i> | Dodder | 1903 | Cas. | |
| <i>Cuscuta europaea</i> | Greater Dodder | 1829 | Cas. | 6 |
| <i>Cymbalaria muralis</i> ssp. <i>muralis</i> | Ivy-leaved Toadflax | 2001 | Estab. | |
| <i>Cymbalaria pallida</i> | Italian Toadflax | 2001 | Cas. | |
| <i>Cynoglossum officinale</i> | Hound's-tongue | 1998 | Native | 2, 1 |
| <i>Cynosurus cristatus</i> | Crested Dog's-tail | 2001 | Native | |
| <i>Cynosurus echinatus</i> | Rough Dog's-tail | 1932 | Cas. | |
| <i>Cyperus eragrostis</i> | Pale Galingale | 1998 | Cas. | |
| <i>Cyperus longus</i> | Galingale | 1999 | Estab. | 6 |
| <i>Cypripedium calceolus</i> | Lady's-slipper | c.1800 | Native | 16, 15, 13, 10, 5 |
| <i>Cystopteris fragilis</i> | Brittle Bladder-fern | 2001 | Native | |
| <i>Cytisus scoparius</i> ssp. <i>scoparius</i> | a broom subspecies | 2001 | Native | |
| <i>Dactylis glomerata</i> | Cock's-foot | 2001 | Native | |
| x <i>Dactyloglossum mixtum</i> | a hybrid orchid | 1971 | Native | |
| <i>Dactylorhiza fuchsii</i> | Common Spotted-orchid | 2001 | Native | |
| <i>Dactylorhiza incarnata</i> | Early Marsh Orchid | 2000 | Native | 2, 1 |
| <i>Dactylorhiza incarnata</i> ssp. <i>coccinea</i> | an early marsh-orchid subspecies | 1996 | Native | 2,1 X |
| <i>Dactylorhiza incarnata</i> ssp. <i>incarnata</i> | an early marsh-orchid subspecies | 1998 | Native | 2,1 X |
| <i>Dactylorhiza incarnata</i> ssp. <i>pulchella</i> | an early marsh-orchid subspecies | 1998 | Native | 2,1 X |
| <i>Dactylorhiza maculata</i> ssp. <i>ericetorum</i> | Heath Spotted-orchid | 2001 | Native | |
| <i>Dactylorhiza praetermissa</i> | Southern Marsh-orchid | 2001 | Native | |
| <i>Dactylorhiza purpurella</i> | Northern Marsh-orchid | 2001 | Native | 2 |
| <i>Dactylorhiza</i> x <i>formosa</i> | a hybrid marsh-orchid | 1975 | Native | |
| <i>Dactylorhiza</i> x <i>grandis</i> | a hybrid marsh-orchid | 1999 | Native | |
| <i>Dactylorhiza</i> x <i>kerneriorum</i> | a hybrid marsh-orchid | 1993 | Native | |
| <i>Dactylorhiza</i> x <i>transiens</i> | a hybrid marsh-orchid | 1991 | Native | |
| <i>Dactylorhiza</i> x <i>venusta</i> | a hybrid marsh-orchid | 1998 | Native | |
| <i>Dactylorhiza</i> x <i>wintoni</i> | a hybrid marsh-orchid | 1993 | Native | |
| <i>Danthonia decumbens</i> | Heath-grass | 2001 | Native | |
| <i>Daphne laureola</i> | Spurge-laurel | 2000 | Native | 2 |
| <i>Daphne mezereum</i> | Mezereon | 2000 | Native | 6, 2, 1 |
| <i>Datura stramonium</i> | Thorn-apple | 2001 | Cas. | |
| <i>Daucus carota</i> | Carrot | 2001 | Native | |
| <i>Daucus carota</i> ssp. <i>carota</i> | Wild Carrot | 1999 | Native | |
| <i>Deschampsia cespitosa</i> | Tufted Hair-grass | 2001 | Native | |
| <i>Deschampsia cespitosa</i> ssp. <i>cespitosa</i> | a tufted hair-grass subspecies | 2001 | Native | |
| <i>Deschampsia cespitosa</i> ssp. <i>parviflora</i> | a tufted hair-grass subspecies | 2001 | Native | |
| <i>Deschampsia danthonioides</i> (Trin.) Munro ex Benth. | a hair-grass | 1977 | Cas. | |
| <i>Deschampsia flexuosa</i> | Wavy Hair-grass | 2001 | Native | |
| <i>Descurainia sophia</i> | Flixweed | 1998 | Cas. | |
| <i>Dianthus armeria</i> | Deptford Pink | 1976 | Cas. | 16, 8, 5 |
| <i>Dianthus barbatus</i> | Sweet William | 2001 | Cas. | |
| <i>Dianthus caryophyllus</i> | Clove Pink | 1789 | Cas. | |
| <i>Dianthus deltoides</i> | Maiden Pink | 2000 | Native | 6, 3, 2, 1 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|--------------------------------|--------------|---------------|-----------------------------------|
| <i>Dianthus plumarius</i> | Pink | 1998 | Estab. | |
| <i>Digitalis purpurea</i> | Foxglove | 2001 | Native | |
| <i>Digitaria sanguinalis</i> | Hairy Finger-grass | 1985 | Cas. | |
| Diphasiastrum alpinum | Alpine Clubmoss | 1997 | Native | 2, 1 |
| <i>Diplotaxis muralis</i> | Annual Wall-rocket | 2001 | Estab. | |
| <i>Diplotaxis tenuifolia</i> | Perennial Wall-rocket | 1999 | Estab. | |
| <i>Dipsacus fullonum</i> | Wild Teasel | 2001 | Native | |
| Dipsacus pilosus | Small Teasel | 2001 | Native | 2 |
| <i>Doronicum pardalianches</i> | Leopard's-bane | 2001 | Estab. | |
| <i>Doronicum x excelsum</i> | Harpur-Crewe's Leopard's-bane | 1998 | Cas. | |
| Draba incana | Hoary Whitlowgrass | 2000 | Native | 2 |
| Draba muralis | Wall Whitlowgrass | 2001 | Native | 6, 2, 1 |
| <i>Drosera anglica</i> | Great Sundew | 1864 | Native | |
| Drosera rotundifolia | Round-leaved Sundew | 2001 | Native | 2 |
| Dryas octopetala | Mountain Avens | 1811 | Native | 6 |
| <i>Dryopteris affinis</i> | Scaly Male-fern | 2001 | Native | |
| <i>Dryopteris affinis</i> ssp. <i>affinis</i> | a scaly male-fern | 1995 | Native | |
| <i>Dryopteris affinis</i> ssp. <i>borreri</i> | a scaly male-fern | 2001 | Native | |
| <i>Dryopteris affinis</i> ssp. <i>cambrensis</i> | a scaly male-fern | 2001 | Native | |
| <i>Dryopteris carthusiana</i> | Narrow Buckler-fern | 2001 | Native | |
| <i>Dryopteris dilatata</i> | Broad Buckler-fern | 2001 | Native | |
| <i>Dryopteris filix-mas</i> | Male-fern | 2001 | Native | |
| <i>Dryopteris oreades</i> | Mountain Male-fern | 1855 | Native | |
| Dryopteris submontana | Rigid Buckler-fern | 1997 | Estab. | 6, 2 |
| <i>Dryopteris x complexa</i> | a hybrid male-fern | 1992 | Native | |
| <i>Dryopteris x deweveri</i> | a hybrid buckler-fern | 1978 | Native | |
| <i>Echinochloa crus-galli</i> | Cockspur | 1997 | Cas. | |
| <i>Echinochloa esculenta</i> | Japanese Millet | 1989 | Cas. | |
| <i>Echinochloa frumentacea</i> | White Millet | 1969 | Cas. | |
| <i>Echinops exaltatus</i> | Globe-thistle | 1999 | Estab. | |
| <i>Echinops sphaerocephalus</i> | Glandular Globe-thistle | 1999 | Estab. | |
| <i>Echium vulgare</i> | Viper's Bugloss | 2001 | Native | |
| Eleocharis acicularis | Needle Spike-rush | 1997 | Native | 2, 1 |
| Eleocharis multicaulis | Many-stalked Spike-rush | -1903 | Native | 2 |
| <i>Eleocharis palustris</i> | Common Spike-rush | 2001 | Native | |
| <i>Eleocharis palustris</i> ssp. <i>vulgaris</i> | a common spike-rush subspecies | 1997 | Native | |
| Eleocharis quinqueflora | Few-flowered Spike-rush | 1983 | Native | 2 |
| <i>Elodea canadensis</i> | Canadian Waterweed | 2001 | Estab. | |
| <i>Elodea nuttallii</i> | Nuttall's Waterweed | 2000 | Estab. | |
| <i>Elymus caninus</i> | Bearded Couch | 2000 | Native | |
| <i>Elytrigia repens</i> ssp. <i>repens</i> | Common Couch | 2001 | Native | |
| <i>Empetrum nigrum</i> ssp. <i>nigrum</i> | Crowberry | 2001 | Native | |
| <i>Epilobium brunnescens</i> | New Zealand Willowherb | 2001 | Estab. | |
| <i>Epilobium ciliatum</i> | American Willowherb | 2001 | Estab. | |
| <i>Epilobium hirsutum</i> | Great Willowherb | 2001 | Native | |
| <i>Epilobium hirsutum</i> x <i>E. obscurum</i> | a hybrid willowherb | 1911 | Native | |
| <i>Epilobium komarovianum</i> | Bronzy Willowherb | 1971 | Estab. | |
| <i>Epilobium montanum</i> | Broad-leaved Willowherb | 2001 | Native | |
| <i>Epilobium montanum</i> x <i>E. ciliatum</i> | a hybrid willowherb | 2001 | Native | |
| <i>Epilobium obscurum</i> | Short-fruited Willowherb | 2001 | Native | |
| <i>Epilobium palustre</i> | Marsh Willowherb | 2001 | Native | |
| <i>Epilobium parviflorum</i> | Hoary Willowherb | 2001 | Native | |
| <i>Epilobium parviflorum</i> x <i>E. ciliatum</i> | a hybrid willowherb | 1978 | Native | |
| <i>Epilobium roseum</i> | Pale Willowherb | 2001 | Native | |
| <i>Epilobium tetragonum</i> | Square-stalked Willowherb | 2001 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|-----------------------------------|-------------|---------------|-----------------------------------|
| <i>Epilobium x aggregatum</i> | <i>a hybrid willowherb</i> | 1911 | Native | |
| <i>Epilobium x brachiatum</i> | <i>a hybrid willowherb</i> | 1975 | Native | |
| <i>Epilobium x dacicum</i> | <i>a hybrid willowherb</i> | -1903 | Native | |
| <i>Epilobium x erroneum</i> | <i>a hybrid willowherb</i> | 1998 | Native | |
| <i>Epilobium x goerzii</i> | <i>a hybrid willowherb</i> | 1911 | Native | |
| <i>Epilobium x limosum</i> | <i>a hybrid willowherb</i> | -1969 | Native | |
| <i>Epilobium x persicinum</i> | <i>a hybrid willowherb</i> | 1975 | Native | |
| <i>Epilobium x rivulare</i> | <i>a hybrid willowherb</i> | 1969 | Native | |
| <i>Epilobium x schmidtianum</i> | <i>a hybrid willowherb</i> | -1903 | Native | |
| Epipactis atrorubens | Dark-red Helleborine | 2001 | Native | 6, 3, 2, 1 |
| <i>Epipactis helleborine</i> | Broad-leaved Helleborine | 2001 | Native | |
| Epipactis palustris | Marsh Helleborine | 1995 | Native | 2, 1 |
| Epipactis phyllanthes | Green-flowered Helleborine | 1994 | Native | 6, 3, 2, 1 |
| <i>Equisetum arvense</i> | Field Horsetail | 2001 | Native | |
| <i>Equisetum fluviatile</i> | Water Horsetail | 2001 | Native | |
| Equisetum hyemale | Rough Horsetail | 1999 | Native | 3, 2, 1 |
| <i>Equisetum palustre</i> | Marsh Horsetail | 2001 | Native | |
| <i>Equisetum sylvaticum</i> | Wood Horsetail | 2001 | Native | |
| <i>Equisetum telmateia</i> | Great Horsetail | 2001 | Native | |
| <i>Equisetum x litorale</i> | Shore Horsetail | 2000 | Native | |
| <i>Eranthis hyemalis</i> | Winter Aconite | 1998 | Estab. | |
| <i>Erica cinerea</i> | Bell Heather | 2001 | Native | |
| <i>Erica tetralix</i> | Cross-leaved Heath | 2001 | Native | |
| <i>Erica vagans</i> | <i>Cornish Heath</i> | 1972 | Estab. | 7 |
| <i>Erigeron acer</i> | Blue Fleabane | 2001 | Native | |
| <i>Erigeron annuus</i> | <i>Tall Fleabane</i> | 1948 | Cas. | |
| <i>Erinus alpinus</i> | Fairy Foxglove | 2001 | Estab. | |
| <i>Eriophorum angustifolium</i> | Common Cottongrass | 2001 | Native | |
| <i>Eriophorum latifolium</i> | Broad-leaved Cottongrass | 1995 | Native | 2, 1 |
| <i>Eriophorum vaginatum</i> | Hare's-tail Cottongrass | 2001 | Native | |
| <i>Erodium cicutarium</i> | Common Stork's-bill | 2001 | Native | |
| <i>Erophila glabrescens</i> | Glabrous Whitlowgrass | 1998 | Native | |
| <i>Erophila majuscula</i> | Hairy Whitlowgrass | 2000 | Native | |
| <i>Erophila verna</i> | Common Whitlowgrass | 2001 | Native | |
| <i>Eruca vesicaria</i> | <i>Garden Rocket</i> | -1969 | Cas. | |
| <i>Erucastrum gallicum</i> | <i>Hairy Rocket</i> | 1960 | Cas. | |
| <i>Eryngium planum</i> | Blue Eryngo | 1998 | Cas. | |
| <i>Erysimum cheiranthoides</i> | Treacle Mustard | 2000 | Estab. | |
| <i>Erysimum cheiri</i> | Wallflower | 2001 | Estab. | |
| <i>Escallonia macrantha</i> | Escallonia | 1998 | Cas. | |
| <i>Eschscholzia californica</i> | Californian Poppy | 2000 | Cas. | |
| <i>Euonymus europaeus</i> | Spindle | 2001 | Native | |
| <i>Eupatorium cannabinum</i> | Hemp-agrimony | 2001 | Native | |
| <i>Euphorbia amygdaloides</i> | Wood Spurge | 1903 | Native | |
| <i>Euphorbia amygdaloides</i> ssp. <i>robbiae</i> | Leathery Wood-spurge | 1999 | Estab. | |
| <i>Euphorbia cyparissias</i> | Cypress Spurge | 1999 | Estab. | |
| <i>Euphorbia esula</i> | <i>Leafy Spurge</i> | 1942 | Cas. | |
| <i>Euphorbia exigua</i> | Dwarf Spurge | 2001 | Native | 2 |
| <i>Euphorbia falcata</i> L. | <i>Sickle Spurge</i> | 1982 | Cas. | |
| <i>Euphorbia helioscopia</i> | Sun Spurge | 2001 | Native | |
| <i>Euphorbia lathyris</i> | Caper Spurge | 2000 | Cas. | |
| <i>Euphorbia peplus</i> | Petty Spurge | 2001 | Native | |
| <i>Euphorbia x pseudovirgata</i> | <i>Twiggy Spurge</i> | 1942 | Estab. | |
| <i>Euphrasia</i> agg. | Eyebright | 2001 | Native | |
| <i>Euphrasia anglica</i> | an eyebright | 1996 | Native | 1 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|-----------------------------------|-------------|---------------|-----------------------------------|
| <i>Euphrasia arctica</i> ssp. <i>borealis</i> | <i>an eyebright</i> | 1978 | Native | |
| <i>Euphrasia confusa</i> | an eyebright | 1998 | Native | |
| Euphrasia nemorosa | an eyebright | 1996 | Native | 1 |
| <i>Euphrasia rostkoviana</i> | <i>an eyebright</i> | -1969 | Native | |
| Euphrasia rostkoviana ssp. <i>rostkoviana</i> | an eyebright | 1995 | Native | 6, 1 |
| <i>Fagopyrum esculentum</i> | Buckwheat | 2000 | Estab. | |
| <i>Fagus sylvatica</i> | Beech | 2001 | Estab. | |
| <i>Fallopia baldschuanica</i> | Russian Vine | 2000 | Estab. | |
| <i>Fallopia convolvulus</i> | Black Bindweed | 2001 | Native | |
| <i>Fallopia japonica</i> | Japanese Knotweed | 2001 | Estab. | |
| <i>Fallopia sachalinensis</i> | Giant Knotweed | 1999 | Estab. | |
| Festuca altissima | Wood Fescue | 1993 | Native | 2, 1 |
| <i>Festuca arundinacea</i> | Tall Fescue | 2001 | Native | |
| <i>Festuca brevipila</i> | <i>Hard Fescue</i> | 1978 | Cas. | |
| <i>Festuca filiformis</i> | <i>Fine-leaved Sheep's-fescue</i> | 1977 | Native | |
| <i>Festuca gigantea</i> | Giant Fescue | 2001 | Native | |
| <i>Festuca lemanii</i> | <i>Confused Fescue</i> | -1987 | Native | |
| Festuca longifolia | Blue Fescue | 1974 | Cas. | 8, 4 |
| <i>Festuca ovina</i> | Sheep's-fescue | 2001 | Native | |
| <i>Festuca ovina</i> ssp. <i>hirtula</i> | a sheep's fescue subspecies | 1999 | Native | |
| <i>Festuca ovina</i> ssp. <i>ovina</i> | a sheep's fescue subspecies | 1999 | Native | |
| <i>Festuca pratensis</i> | Meadow Fescue | 2001 | Native | |
| <i>Festuca rubra</i> | Red Fescue | 2001 | Native | |
| <i>Festuca rubra</i> ssp. <i>commutata</i> | Chewing's Fescue | 1999 | Native | |
| <i>Festuca rubra</i> ssp. <i>megastachys</i> | a red fescue subspecies | 1998 | Cas. | |
| <i>Festuca rubra</i> ssp. <i>rubra</i> | a red fescue subspecies | 1999 | Native | |
| x <i>Festulolium loliaceum</i> | a hybrid grass | 2000 | Native | |
| <i>Ficus carica</i> | Fig | 2001 | Cas. | |
| <i>Filago minima</i> | <i>Small Cudweed</i> | 1973 | Native | |
| <i>Filago vulgaris</i> | Common Cudweed | 2001 | Native | |
| <i>Filipendula ulmaria</i> | Meadowsweet | 2001 | Native | |
| <i>Filipendula vulgaris</i> | Dropwort | 2000 | Native | |
| <i>Foeniculum vulgare</i> | Fennel | 2001 | Estab. | |
| <i>Forsythia suspensa</i> | Golden-bell | 1994 | Estab. | |
| <i>Forsythia</i> x <i>intermedia</i> | Forsythia | 1998 | Estab. | |
| <i>Fragaria moschata</i> | <i>Hautbois Strawberry</i> | -1969 | Cas. | |
| <i>Fragaria vesca</i> | Wild Strawberry | 2001 | Native | |
| <i>Fragaria</i> x <i>ananassa</i> | Garden Strawberry | 2001 | Cas. | |
| Frangula alnus | Alder Buckthorn | 2001 | Native | 2 |
| <i>Fraxinus excelsior</i> | Ash | 2001 | Native | |
| <i>Fraxinus ornus</i> | Manna Ash | 1999 | Plant. | |
| Fritillaria meleagris | Fritillary | 2000 | Cas. | 6 |
| <i>Fuchsia magellanica</i> | Fuchsia | 1999 | Cas. | |
| <i>Fumaria capreolata</i> ssp. <i>babingtonii</i> * | <i>White Ramping-fumitory</i> | -1969 | Native | |
| Fumaria muralis | Common Ramping-fumitory | 1997 | Native | 1 |
| <i>Fumaria officinalis</i> | Common Fumitory | 2001 | Native | |
| <i>Fumaria officinalis</i> ssp. <i>officinalis</i> | a common fumitory subspecies | 2000 | Native | |
| <i>Fumaria officinalis</i> ssp. <i>wirtgenii</i> | a common fumitory subspecies | 2000 | Native | |
| Gagea lutea | Yellow Star-of-Bethlehem | 2001 | Native | 2 |
| Galanthus nivalis | Snowdrop | 2001 | Estab. | 14 |
| <i>Galega officinalis</i> | Goat's-rue | 2001 | Estab. | |
| Galeopsis angustifolia | Red Hemp-nettle | 1998 | Native | 6, 5, 3, 2, 1 |
| <i>Galeopsis bifida</i> | Bifid Hemp-nettle | 2001 | Native | |
| <i>Galeopsis ladanum</i> | <i>Broad-leaved Hemp-nettle</i> | 1970 | Cas. | |
| <i>Galeopsis speciosa</i> | Large-flowered Hemp-nettle | 1999 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|------------------------------------|----------------------------------|--------------|---------------|-----------------------------------|
| Galeopsis tetrahit | Common Hemp-nettle | 2001 | Native | |
| Galinsoga parviflora | Gallant Soldier | 2000 | Cas. | |
| Galinsoga quadriradiata | Shaggy Soldier | 2001 | Cas. | |
| Galium aparine | Cleavers | 2001 | Native | |
| Galium mollugo | Hedge Bedstraw | 2001 | Native | |
| Galium mollugo ssp. erectum | Upright Hedge Bedstraw | 1996 | Native | 2 |
| Galium mollugo ssp. mollugo | Great Hedge Bedstraw | 2000 | Native | |
| Galium odoratum | Woodruff | 2001 | Native | |
| Galium palustre | Common Marsh-bedstraw | 2001 | Native | |
| Galium palustre ssp. elongatum | a common marsh-bedstraw ssp. | 1999 | Native | |
| Galium palustre ssp. palustre | a common marsh-bedstraw ssp. | 2001 | Native | |
| Galium saxatile | Heath Bedstraw | 2001 | Native | |
| <i>Galium spurium</i> | <i>False Cleavers</i> | 1938 | Cas. | |
| Galium sternerii | Limestone Bedstraw | 2001 | Native | |
| Galium tricornutum | Corn Cleavers | -1969 | Cas. | 10, 5 |
| Galium uliginosum | Fen Bedstraw | 2000 | Native | |
| Galium verum | Lady's Bedstraw | 2001 | Native | |
| <i>Galium x pomeranicum</i> | <i>Hybrid Yellow Bedstraw</i> | -1969 | Native | |
| Gaultheria mucronata | Prickly Heath | 1999 | Estab. | |
| Gaultheria shallon | Shallon | 1998 | Estab. | |
| Genista anglica | Petty Whin | 2000 | Native | 2, 1 |
| Genista tinctoria ssp. tinctoria* | Dyer's Greenweed | 2001 | Native | |
| Gentiana pneumonanthe | Marsh Gentian | 1789 | Native | 6 |
| Gentiana verna | Spring Gentian | 2001 | Plant. | 16, 7, 4 |
| Gentianella amarella ssp. amarella | Autumn Gentian | 2001 | Native | |
| Gentianella campestris | Field Gentian | 1998 | Native | 2, 1 |
| Gentianella germanica | Chiltern Gentian | 1911 | Cas. | 6 |
| Geranium columbinum | Long-stalked Crane's-bill | 2000 | Native | 2 |
| Geranium dissectum | Cut-leaved Crane's-bill | 2001 | Native | |
| Geranium endressii | French Crane's-bill | 2001 | Estab. | |
| Geranium ibericum | Caucasian Crane's-bill | 2000 | Cas. | |
| Geranium lucidum | Shining Crane's-bill | 2001 | Native | |
| Geranium macrorrhizum | Rock Crane's-bill | 2001 | Cas. | |
| Geranium molle | Dove's-foot Crane's-bill | 2001 | Native | |
| <i>Geranium nodosum</i> | <i>Knotted Crane's-bill</i> | 1942 | Cas. | |
| Geranium phaeum | Dusky Crane's-bill | 2001 | Estab. | |
| Geranium pratense | Meadow Crane's-bill | 2001 | Native | |
| Geranium pusillum | Small-flowered Crane's-bill | 2001 | Native | |
| Geranium pyrenaicum | Hedgerow Crane's-bill | 2001 | Estab. | 2 |
| Geranium robertianum | Herb-robert | 2001 | Native | |
| Geranium rotundifolium | Round-leaved Crane's-bill | 1903 | Cas. | |
| Geranium sanguineum | Bloody Crane's-bill | 2000 | Native | 2 |
| Geranium sylvaticum | Wood Crane's-bill | 1980 | Native | 2, |
| Geranium versicolor | Pencilled Crane's-bill | 2001 | Cas. | |
| Geranium x magnificum | Purple Crane's-bill | 2001 | Estab. | |
| Geranium x oxonianum | Druce's Crane's-bill | 2001 | Estab. | |
| Geum rivale | Water Avens | 2001 | Native | |
| Geum urbanum | Herb Bennet | 2001 | Native | |
| Geum x intermedium | Hybrid Avens | 2000 | Native | |
| Glechoma hederacea | Ground-ivy | 2001 | Native | |
| Glyceria declinata | Small Sweet-grass | 2001 | Native | |
| Glyceria fluitans | Floating Sweet-grass | 2001 | Native | |
| Glyceria maxima | Reed Sweet-grass | 2001 | Native | |
| Glyceria notata | Plicate Sweet-grass | 2001 | Native | |
| Glyceria x pedicellata | Hybrid Sweet-grass | 2001 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|-------------------------------------|-------------|---------------|-----------------------------------|
| Gnaphalium sylvaticum | Heath Cudweed | 1994 | Native | 4, 3, 2, 1 |
| Gnaphalium uliginosum | Marsh Cudweed | 2001 | Native | |
| Groenlandia densa | Opposite-leaved Pondweed | 1979 | Native | 2 |
| Guizotia abyssinica | Niger | 1989 | Cas. | |
| Gunnera tinctoria | Giant Rhubarb | 1995 | Estab. | |
| Gymnadenia conopsea | Fragrant Orchid | 2000 | Native | |
| Gymnadenia conopsea ssp. borealis | a fragrant orchid subspecies | 1993 | Native | |
| <i>Gymnadenia conopsea ssp. conopsea</i> | <i>a fragrant orchid subspecies</i> | <i>1980</i> | <i>Native</i> | |
| <i>Gymnadenia conopsea ssp. densiflora</i> | <i>a fragrant orchid subspecies</i> | 1995 | Native | |
| Gymnocarpium dryopteris | Oak Fern | 2000 | Native | 2 |
| Gymnocarpium robertianum | Limestone Fern | 2000 | Native | 6, 1 |
| Hedera colchica | Persian Ivy | 2001 | Estab. | |
| Hedera helix | Ivy | 2001 | Native | |
| Hedera helix ssp. helix | Common Ivy | 2001 | Native | |
| Hedera helix ssp. hibernica | Atlantic Ivy | 2001 | Estab. | |
| Helianthemum nummularium | Common Rock-rose | 2001 | Native | |
| Helianthus annuus | Sunflower | 2001 | Cas. | |
| Helianthus tuberosus | Jerusalem Artichoke | 1989 | Cas. | |
| Helictotrichon pratense | Meadow Oat-grass | 2001 | Native | |
| Helictotrichon pubescens | Downy Oat-grass | 2001 | Native | |
| Helleborus foetidus | Stinking Hellebore | 2000 | Native | 6, 3, 2, 1 |
| Helleborus viridis | Green Hellebore | 2000 | Native | 2 |
| Heracleum mantegazzianum | Giant Hogweed | 2001 | Estab. | |
| Heracleum sphondylium ssp. sphondylium | Hogweed | 2001 | Native | |
| Herniaria glabra | Smooth Rupture-wort | 1999 | Cas. | 7, 4 |
| <i>Herniaria hirsuta</i> | <i>Hairy Rupturewort</i> | <i>1789</i> | <i>Cas.</i> | |
| Hesperis matronalis | Dame's Violet | 2001 | Estab. | |
| Heuchera sanguinea | Coral-bells | 1997 | Cas. | |
| Hieracium agg. | Hawkweeds | 2001 | Native | |
| Hieracium acuminatum | a hawkweed | 2001 | Native | |
| <i>Hieracium angustisquamum</i> | <i>a hawkweed</i> | <i>1985</i> | <i>Native</i> | |
| Hieracium britannicum | a hawkweed | 1994 | Native | |
| <i>Hieracium calcaricola</i> | <i>a hawkweed</i> | <i>1897</i> | <i>Native</i> | |
| Hieracium cymbifolium | a hawkweed | 1995 | Native | |
| <i>Hieracium decolor</i> | <i>a hawkweed</i> | <i>1975</i> | <i>Native</i> | |
| <i>Hieracium diaphanoides</i> | <i>a hawkweed</i> | <i>1979</i> | <i>Native</i> | |
| Hieracium diaphanum | a hawkweed | 1996 | Native | |
| Hieracium dicella | a hawkweed | 1988 | Native | |
| <i>Hieracium eboracense</i> | <i>a hawkweed</i> | <i>1979</i> | <i>Native</i> | |
| Hieracium exotericum | a hawkweed | 1996 | Native | |
| Hieracium grandidens | a hawkweed | 2000 | Native | |
| Hieracium holophyllum | a hawkweed | 1987 | Native | |
| Hieracium maculatum | a hawkweed | 1999 | Native | |
| <i>Hieracium mirandum</i> | <i>a hawkweed</i> | <i>1946</i> | <i>Native</i> | |
| <i>Hieracium naviense</i> | <i>a hawkweed</i> | <i>1980</i> | <i>Native</i> | |
| Hieracium pellucidum | a hawkweed | 2000 | Native | |
| Hieracium prenanthoides | a hawkweed | 1999 | Native | |
| Hieracium rubiginosum | a hawkweed | 2000 | Native | |
| Hieracium sabaudum | a hawkweed | 1997 | Native | |
| <i>Hieracium salticola</i> | <i>a hawkweed</i> | <i>1970</i> | <i>Estab.</i> | |
| <i>Hieracium saxorum</i> | <i>a hawkweed</i> | <i>1982</i> | <i>Native</i> | |
| <i>Hieracium scabrisetum</i> | <i>a hawkweed</i> | <i>1970</i> | <i>Native</i> | |
| <i>Hieracium severiceps</i> | <i>a hawkweed</i> | <i>1970</i> | <i>Estab.</i> | |
| <i>Hieracium stenopholidium</i> | <i>a hawkweed</i> | <i>1970</i> | <i>Native</i> | |
| <i>Hieracium subcrocatum</i> | <i>a hawkweed</i> | <i>1970</i> | <i>Native</i> | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|---------------------------------|--------------|---------------|-----------------------------------|
| <i>Hieracium sublepistoides</i> | <i>a hawkweed</i> | 1978 | Native | |
| <i>Hieracium subplanifolium</i> | <i>a hawkweed</i> | 1985 | Native | |
| <i>Hieracium subprasiniifolium</i> | <i>a hawkweed</i> | 1970 | Native | |
| <i>Hieracium umbellatum</i> ssp. <i>umbellatum</i> | <i>a hawkweed</i> | 1998 | Native | |
| <i>Hieracium vagum</i> | <i>a hawkweed</i> | 2000 | Native | |
| <i>Hieracium vulgatum</i> | <i>a hawkweed</i> | 2001 | Native | |
| Hippocrepis comosa | Horseshoe Vetch | 1998 | Native | 2, 1 |
| Hippophae rhamnoides | Sea-buckthorn | 1999 | Cas. | 6 |
| Hippuris vulgaris | Mare's-tail | 2000 | Native | 2 |
| <i>Hirschfeldia incana</i> | Hoary Mustard | 2001 | Cas. | |
| <i>Holcus lanatus</i> | Yorkshire-fog | 2001 | Native | |
| <i>Holcus mollis</i> | Creeping Soft-grass | 2001 | Native | |
| Hordelymus europaeus | Wood Barley | 2001 | Native | 6, 3, 2, 1 |
| <i>Hordeum distichon</i> | Two-rowed Barley | 2001 | Cas. | |
| <i>Hordeum jubatum</i> | Foxtail Barley | 2001 | Estab. | |
| <i>Hordeum murinum</i> ssp. <i>murinum</i> | Wall Barley | 2001 | Native | |
| Hordeum secalinum | Meadow Barley | 2001 | Native | 2 |
| <i>Hordeum vulgare</i> | Six-rowed Barley | 2001 | Cas. | |
| Hornungia petraea | Hutchinsia | 2000 | Native | 6, 2, 1 |
| Hottonia palustris | Water-violet | 2000 | Native | 2, 1 |
| <i>Humulus lupulus</i> | Hop | 2001 | Native | |
| Huperzia selago | Fir Clubmoss | 2001 | Native | 2, 1 |
| <i>Hyacinthoides hispanica</i> | Spanish Bluebell | 2001 | Estab. | |
| Hyacinthoides non-scripta | Bluebell | 2001 | Native | 16, 4, 3 |
| <i>Hyacinthoides non-scripta</i> x <i>H. hispanica</i> | <i>a hybrid bluebell</i> | 2001 | Estab. | |
| <i>Hydrocotyle vulgaris</i> | Marsh Pennywort | 2001 | Native | |
| Hyoscyamus niger | Henbane | 1998 | Native | 2, 1 |
| <i>Hypericum androsaemum</i> | Tutsan | 2000 | Estab. | |
| <i>Hypericum calycinum</i> | Rose-of-Sharon | 2001 | Estab. | |
| <i>Hypericum elodes</i> | <i>Marsh St. John's-wort</i> | -1969 | Native | |
| <i>Hypericum hirsutum</i> | Hairy St. John's-wort | 2001 | Native | |
| Hypericum humifusum | Trailing St. John's-wort | 2001 | Native | 2 |
| <i>Hypericum maculatum</i> ssp. <i>obtusiusculum</i> * | Imperforate St. John's-wort | 2001 | Native | |
| Hypericum montanum | Pale St. John's-wort | 2001 | Native | 2 |
| <i>Hypericum perforatum</i> | Perforate St. John's-wort | 2001 | Native | |
| <i>Hypericum pulchrum</i> | Slender St. John's-wort | 2001 | Native | |
| <i>Hypericum tetrapterum</i> | Square-stalked St. John's-wort | 2001 | Native | |
| <i>Hypericum x desetangsii</i> | Des Etangs' St. John's-wort | 2001 | Native | |
| <i>Hypericum x inodorum</i> | Tall Tutsan | 1998 | Estab. | |
| <i>Hypochaeris radicata</i> | Cat's-ear | 2001 | Native | |
| Iberis amara | Wild Candytuft | 1988 | Cas. | 6 |
| <i>Iberis sempervirens</i> | Perennial Candytuft | 1998 | Estab. | |
| <i>Iberis umbellata</i> | Garden Candytuft | 1999 | Estab. | |
| <i>Ilex aquifolium</i> | Holly | 2001 | Native | |
| Illecebrum verticillatum | Coral Necklace | 1978 | Cas. | 6 |
| <i>Impatiens capensis</i> | Orange Balsam | 2001 | Estab. | |
| <i>Impatiens glandulifera</i> | Indian Balsam | 2001 | Estab. | |
| Impatiens noli-tangere | Touch-me-not Balsam | -1969 | Cas. | 6 |
| <i>Impatiens parviflora</i> | Small Balsam | 2001 | Estab. | |
| <i>Inula conyzae</i> | Ploughman's-spikenard | 2001 | Native | |
| <i>Inula helenium</i> | Elecampane | 2000 | Estab. | |
| <i>Iris foetidissima</i> | Stinking Iris | 1997 | Estab. | |
| <i>Iris germanica</i> | Bearded Iris | 1999 | Estab. | |
| <i>Iris pseudacorus</i> | Yellow Iris | 2001 | Native | |
| <i>Iris sibirica</i> | Siberian Iris | 1996 | Estab. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|--------------------------------------|-------------|---------------|-----------------------------------|
| <i>Isatis tinctoria</i> | Woad | 1998 | Cas. | |
| <i>Isolepis setacea</i> | Bristle Club-rush | 2001 | Native | |
| <i>Jasione montana</i> | Sheep's-bit | 1999 | Native | 2, 1 |
| <i>Juglans regia</i> | Walnut | 2001 | Cas. | |
| <i>Juncus acutiflorus</i> | Sharp-flowered Rush | 2001 | Native | |
| <i>Juncus articulatus</i> | Jointed Rush | 2001 | Native | |
| <i>Juncus bufonius</i> | Toad Rush | 2001 | Native | |
| <i>Juncus bulbosus</i> | Bulbous Rush | 2001 | Native | |
| <i>Juncus compressus</i> | Round-fruited Rush | 2001 | Native | 2, 1 |
| <i>Juncus conglomeratus</i> | Compact Rush | 2001 | Native | |
| <i>Juncus effusus</i> | Soft Rush | 2001 | Native | |
| <i>Juncus foliosus</i> | Leafy Rush | 1996 | Native | |
| <i>Juncus inflexus</i> | Hard Rush | 2001 | Native | |
| <i>Juncus squarrosus</i> | Heath Rush | 2001 | Native | |
| <i>Juncus subnodulosus</i> | Blunt-flowered Rush | 1980 | Native | 2 |
| <i>Juncus tenuis</i> | Slender Rush | 2001 | Estab. | |
| <i>Juncus x diffusus</i> | a hybrid rush | 2000 | Native | |
| <i>Juncus x surrejanus</i> | a hybrid rush | 1950 | Native | |
| <i>Juniperus communis ssp. communis</i> | Juniper | 2000 | Native | 5, 2, 1 |
| <i>Kalmia angustifolia</i> | Sheep-laurel | 1972 | Estab. | |
| <i>Kerria japonica</i> | Kerria | 1994 | Estab. | |
| <i>Kickxia elatine</i> | Sharp-leaved Fluellen | 2000 | Native | 2, 1 |
| <i>Knautia arvensis</i> | Field Scabious | 2001 | Native | |
| <i>Koeleria macrantha</i> | Crested Hair-grass | 2000 | Native | |
| <i>Laburnum anagyroides</i> | Laburnum | 2001 | Cas. | |
| <i>Lactuca sativa</i> | Garden Lettuce | 1989 | Cas. | |
| <i>Lactuca serriola</i> | Prickly Lettuce | 2001 | Estab. | |
| <i>Lactuca virosa</i> | Greater Lettuce | 2001 | Estab. | |
| <i>Lagarosiphon major</i> | Curly Waterweed | 1999 | Estab. | |
| <i>Lamiastrum galeobdolon</i> | Yellow Archangel | 1999 | Native | |
| <i>Lamiastrum galeobdolon ssp. argentatum</i> | a yellow archangel subspecies | 2001 | Estab. | |
| <i>Lamiastrum galeobdolon ssp. montanum</i> | a yellow archangel subspecies | 2001 | Native | |
| <i>Lamium album</i> | White Dead-nettle | 2001 | Native | |
| <i>Lamium amplexicaule</i> | Hen-bit Dead-nettle | 2001 | Native | |
| <i>Lamium confertum</i> | Northern Dead-nettle | 1978 | Cas. | |
| <i>Lamium hybridum</i> | Cut-leaved Dead-nettle | 2000 | Native | 2 |
| <i>Lamium maculatum</i> | Spotted Dead-nettle | 2001 | Estab. | |
| <i>Lamium purpureum</i> | Red Dead-nettle | 2001 | Native | |
| <i>Lapsana communis ssp. communis</i> | Nipplewort | 2001 | Native | |
| <i>Larix decidua</i> | Larch | 2001 | Cas. | |
| <i>Larix kaempferi</i> | Japanese Larch | 2001 | Cas. | |
| <i>Larix x marschlinsii</i> | Hybrid Larch | 2001 | Cas. | |
| <i>Lathraea clandestina</i> | Purple Toothwort | 2001 | Estab. | |
| <i>Lathraea squamaria</i> | Toothwort | 2001 | Native | |
| <i>Lathyrus annuus</i> | Fodder Pea | -1969 | Cas. | |
| <i>Lathyrus aphaca</i> | Yellow Vetchling | 1941 | Cas. | 6 |
| <i>Lathyrus grandiflorus</i> | Two-flowered Everlasting-pea | 1999 | Estab. | |
| <i>Lathyrus hirsutus</i> | Hairy Vetchling | -1969 | Cas. | |
| <i>Lathyrus latifolius</i> | Broad-leaved Everlasting-pea | 2000 | Estab. | |
| <i>Lathyrus linifolius</i> | Bitter-vetch | 2001 | Native | |
| <i>Lathyrus nissolia</i> | Grass Vetchling | 2000 | Native | 1 |
| <i>Lathyrus pratensis</i> | Meadow Vetchling | 2001 | Native | |
| <i>Lathyrus sylvestris</i> | Narrow-leaved Everlasting-pea | 2001 | Native | 2 |
| <i>Lathyrus tuberosus</i> | Tuberous Pea | 2000 | Estab. | |
| <i>Lavatera thuringiaca</i> | Hyeres Tree-mallow | 2000 | Cas. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|---------------------------------|-------------|---------------|-----------------------------------|
| Ledum palustre ssp. groenlandicum* | Labrador-tea | 2000 | Estab. | 3, 2 |
| Legousia hybrida | Venus's-looking-glass | 1998 | Native | 1 |
| Lemna gibba | Fat Duckweed | 2000 | Native | 1 |
| Lemna minor | Common Duckweed | 2001 | Native | |
| Lemna minuta | Least Duckweed | 2001 | Estab. | |
| Lemna trisulca | Ivy-leaved Duckweed | 2001 | Native | |
| Leontodon autumnalis | Autumnal Hawkbit | 2001 | Native | |
| Leontodon hispidus | Rough Hawkbit | 2001 | Native | |
| Leontodon saxatilis | Lesser Hawkbit | 2001 | Native | |
| Leonurus cardiaca | Motherwort | 2000 | Estab. | |
| Lepidium campestre | Field Pepperwort | 2001 | Native | |
| Lepidium draba ssp. draba | Hoary Cress | 2001 | Estab. | |
| Lepidium heterophyllum | Smith's Pepperwort | 1999 | Native | 1 |
| Lepidium latifolium | Dittander | 2001 | Estab. | 6 |
| <i>Lepidium perfoliatum</i> | <i>Perfoliate Pepperwort</i> | 1977 | Cas. | |
| Lepidium ruderales | Narrow-leaved Pepperwort | 1998 | Native | 1 |
| Lepidium sativum | Garden Cress | 2001 | Cas. | |
| Leucanthemum vulgare | Oxeye Daisy | 2001 | Native | |
| Leucanthemum x superbum | Shasta Daisy | 2001 | Estab. | |
| Levisticum officinale | Lovage | 1988 | Cas. | |
| Leycesteria formosa | Himalayan Honeysuckle | 2001 | Cas. | |
| <i>Leymus arenarius</i> | <i>Lyme-grass</i> | 1974 | Cas. | |
| Ligustrum ovalifolium | Garden Privet | 2001 | Cas. | |
| Ligustrum vulgare | Wild Privet | 2001 | Native | |
| Lilium martagon | Martagon Lily | 1999 | Cas. | |
| <i>Lilium pyrenaicum</i> | <i>Pyrenean Lily</i> | 1971 | Cas. | |
| Lilium x hollandicum | Orange Lily | 1998 | Cas. | |
| Limosella aquatica | Mudwort | 2001 | Native | 6, 3, 2, 1 |
| Linaria maroccana | Annual Toadflax | 1996 | Cas. | |
| <i>Linaria pelisseriana</i> | <i>Jersey Toadflax</i> | 1985 | Cas. | |
| Linaria purpurea | Purple Toadflax | 2001 | Estab. | |
| Linaria repens | Pale Toadflax | 2001 | Cas. | |
| Linaria supina | Prostrate Toadflax | 1989 | Cas. | |
| Linaria vulgaris | Common Toadflax | 2001 | Native | |
| Linaria x dominii | a hybrid toadflax | 1991 | Native | |
| Linaria x sepium | a hybrid toadflax | 1996 | Native | |
| <i>Linum bienne</i> | <i>Pale Flax</i> | 1973 | Cas. | |
| Linum catharticum | Fairy Flax | 2001 | Native | |
| Linum perenne ssp. anglicum* | Perennial Flax | 1987 | Cas. | 6 |
| Linum usitatissimum | Flax | 2000 | Cas. | |
| Listera cordata | Lesser Twayblade | 1950 | Native | 2 |
| Listera ovata | Common Twayblade | 2001 | Native | |
| Lithospermum arvense | Field Gromwell | 2001 | Native | 4, 3, 2, 1 |
| Lithospermum officinale | Common Gromwell | 2000 | Native | 2, 1 |
| Littorella uniflora | Shoreweed | 2001 | Native | 2 |
| Lobelia erinus | Garden Lobelia | 2001 | Cas. | |
| Lobularia maritima | Sweet Alison | 2001 | Cas. | |
| Lolium multiflorum | Italian Rye-grass | 2001 | Estab. | |
| Lolium perenne | Perennial Rye-grass | 2001 | Native | |
| <i>Lolium temulentum</i> | <i>Darnel</i> | 1974 | Cas. | |
| Lolium x boucheanum | Hybrid Rye-grass | 2000 | Native | |
| Lonicera caprifolium | Perfoliate Honeysuckle | 1993 | Estab. | |
| Lonicera involucrata | Californian Honeysuckle | 2000 | Cas. | |
| Lonicera japonica | Japanese Honeysuckle | 1988 | Cas. | |
| Lonicera nitida | Wilson's Honeysuckle | 2000 | Cas. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|---------------------------------------|-------------|---------------|-----------------------------------|
| <i>Lonicera periclymenum</i> | Honeysuckle | 2001 | Native | |
| <i>Lonicera pileata</i> | Box-leaved Honeysuckle | 2001 | Cas. | |
| <i>Lonicera tatarica</i> | Tartarian Honeysuckle | 1996 | Cas. | |
| <i>Lonicera xylosteum</i> | Fly Honeysuckle | 2000 | Cas. | 9 |
| <i>Lotus corniculatus</i> | Common Bird's-foot-trefoil | 2001 | Native | |
| <i>Lotus glaber</i> | Narrow-ldd Bird's-foot-trefoil | 1997 | Native | 2, 1 |
| <i>Lotus pedunculatus</i> | Large Bird's-foot-trefoil | 2001 | Native | |
| <i>Lunaria annua</i> | Honesty | 2001 | Estab. | |
| <i>Lupinus arboreus</i> | <i>Tree Lupin</i> | 1973 | Cas. | |
| <i>Lupinus nootkatensis</i> | Nootka Lupin | 1994 | Cas. | |
| <i>Lupinus polyphyllus</i> | Garden Lupin | 1998 | Estab. | |
| <i>Lupinus x regalis</i> | Russell Lupin | 2001 | Cas. | |
| <i>Luronium natans</i> | Floating Water-plantain | 1973 | Native | 16, 15, 13, 6, 5, 3, 2 |
| <i>Luzula campestris</i> | Field Wood-rush | 2001 | Native | |
| <i>Luzula multiflora</i> | Heath Wood-rush | 2001 | Native | |
| <i>Luzula multiflora</i> ssp. <i>congesta</i> | a heath wood-rush subspecies | 2001 | Native | |
| <i>Luzula multiflora</i> ssp. <i>multiflora</i> | a heath wood-rush subspecies | 2000 | Native | |
| <i>Luzula pilosa</i> | Hairy Wood-rush | 2001 | Native | |
| <i>Luzula sylvatica</i> | Great Wood-rush | 2001 | Native | |
| <i>Lychnis chalcedonica</i> | Maltese-Cross | 1998 | Cas. | |
| <i>Lychnis coronaria</i> | Rose Campion | 2001 | Cas. | |
| <i>Lychnis flos-cuculi</i> | Ragged Robin | 2001 | Native | |
| <i>Lychnis viscaria</i> | Sticky Catchfly | 1987 | Cas. | 8, 4 |
| <i>Lycium barbarum</i> | Duke of Argyll's Teaplant | 2001 | Cas. | |
| <i>Lycium chinense</i> | Chinese Teaplant | 2000 | Cas. | |
| <i>Lycopersicon esculentum</i> | Tomato | 2001 | Cas. | |
| <i>Lycopodiella inundata</i> | Marsh Clubmoss | 1864 | Native | 6, 5 |
| <i>Lycopodium clavatum</i> | Stag's-horn Clubmoss | 1999 | Native | 2 |
| <i>Lycopus europaeus</i> | Gipsywort | 2001 | Native | |
| <i>Lysichiton americanus</i> | American Skunk-cabbage | 2001 | Estab. | |
| <i>Lysimachia nemorum</i> | Yellow Pimpernel | 2001 | Native | |
| <i>Lysimachia nummularia</i> | Creeping-Jenny | 2001 | Native | |
| <i>Lysimachia punctata</i> | Dotted Loosestrife | 2001 | Estab. | |
| <i>Lysimachia vulgaris</i> | Yellow Loosestrife | 2001 | Native | 2 |
| <i>Lythrum hyssopifolium</i> | Grass-poly | 1990 | Cas. | 16, 8, 4 |
| <i>Lythrum junceum</i> | False Grass-poly | 2000 | Cas. | |
| <i>Lythrum portula</i> | Water Purslane | 2001 | Native | 2 |
| <i>Lythrum salicaria</i> | Purple-loosestrife | 2001 | Native | |
| <i>Magnolia acuminata</i> L. | Cucumber Tree | 1993 | Cas. | |
| <i>Mahonia aquifolium</i> | Oregon Grape | 2000 | Estab. | |
| <i>Malcolmia maritima</i> | Virginia Stock | 1993 | Cas. | |
| <i>Malus domestica</i> | Apple | 2001 | Estab. | |
| <i>Malus sylvestris</i> | Crab Apple | 2001 | Native | |
| <i>Malva alcea</i> | Greater Musk-mallow | 1996 | Cas. | |
| <i>Malva moschata</i> | Musk-mallow | 2001 | Native | |
| <i>Malva neglecta</i> | Dwarf Mallow | 2000 | Native | 2 |
| <i>Malva nicaeensis</i> | <i>French Mallow</i> | 1973 | Cas. | |
| <i>Malva parviflora</i> | <i>Least Mallow</i> | 1789 | Cas. | |
| <i>Malva sylvestris</i> | Common Mallow | 2001 | Native | |
| <i>Marrubium vulgare</i> | White Horehound | 2000 | Cas. | 6 |
| <i>Matricaria discoidea</i> | Pineapple Weed | 2001 | Estab. | |
| <i>Matricaria recutita</i> | Scented Mayweed | 2001 | Native | |
| <i>Matthiola longipetala</i> | Night-scented Stock | 1997 | Cas. | |
| <i>Meconopsis cambrica</i> | Welsh Poppy | 2001 | Estab. | 6 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|--|--------------|---------------|-----------------------------------|
| <i>Medicago arabica</i> | Spotted Medick | 1998 | Cas. | |
| <i>Medicago lupulina</i> | Black Medick | 2001 | Native | |
| <i>Medicago polymorpha</i> | <i>Toothed Medick</i> | -1969 | Cas. | 6 |
| <i>Medicago sativa</i> | a medick | 2000 | Estab. | |
| <i>Medicago sativa ssp. falcata</i> | <i>Sickle Medick</i> | 1988 | Cas. | 6 |
| <i>Medicago sativa ssp. sativa</i> | Lucerne | 2001 | Estab. | |
| <i>Medicago sativa ssp. varia</i> | Sand Lucerne | 1990 | Cas. | |
| <i>Melampyrum pratense</i> | Common Cow-wheat | 2001 | Native | |
| <i>Melica nutans</i> | <i>Mountain Melick</i> | 2000 | Native | 2 |
| <i>Melica uniflora</i> | Wood Melick | 2001 | Native | |
| <i>Melilotus albus</i> | White Melilot | 2001 | Estab. | |
| <i>Melilotus altissimus</i> | Tall Melilot | 2001 | Estab. | |
| <i>Melilotus indicus</i> | Small Melilot | 1997 | Cas. | |
| <i>Melilotus officinalis</i> | Ribbed Melilot | 2001 | Estab. | |
| <i>Melissa officinalis</i> | Balm | 2001 | Estab. | |
| <i>Melittis melissophyllum</i> | <i>Bastard Balm</i> | 1829 | Cas. | 6 |
| <i>Mentha aquatica</i> | Water Mint | 2001 | Native | |
| <i>Mentha arvensis</i> | Corn Mint | 2001 | Native | |
| <i>Mentha pulegium</i> | <i>Pennyroyal</i> | 1997 | Native | 16, 8, 5, 3, 2 |
| <i>Mentha spicata</i> | Spear Mint | 2001 | Estab. | |
| <i>Mentha suaveolens</i> | Round-leaved Mint | 1999 | Estab. | |
| <i>Mentha x gracilis</i> | Bushy Mint | 1996 | Estab. | |
| <i>Mentha x piperita</i> | Peppermint | 2000 | Estab. | |
| <i>Mentha x rotundifolia</i> | False Apple-mint | 1999 | Estab. | |
| <i>Mentha x smithiana</i> | Tall Mint | 1998 | Estab. | |
| <i>Mentha x verticillata</i> | Whorled Mint | 2001 | Native | |
| <i>Mentha x villosa</i> | Apple-mint | 2000 | Estab. | |
| <i>Mentha x villosonervata</i> | Sharp-toothed Mint | 2000 | Estab. | |
| <i>Menyanthes trifoliata</i> | <i>Bogbean</i> | 2001 | Native | 2 |
| <i>Mercurialis annua</i> | Annual Mercury | 1999 | Cas. | |
| <i>Mercurialis perennis</i> | Dog's Mercury | 2001 | Native | |
| <i>Milium effusum</i> | Wood Millet | 2001 | Native | |
| <i>Mimulus guttatus</i> | Monkeyflower | 2001 | Estab. | |
| <i>Mimulus luteus</i> | Blood-drop Emlets | 1998 | Estab. | |
| <i>Mimulus moschatus</i> | Musk | 2000 | Estab. | |
| <i>Mimulus x robertsii</i> | a hybrid monkeyflower | 1999 | Estab. | |
| <i>Minuartia hybrida</i> | <i>Fine-leaved Sandwort</i> | 1997 | Native | 6, 1 |
| <i>Minuartia verna</i> | <i>Spring Sandwort</i> | 2001 | Native | 6, 3, 2, 1 |
| <i>Misopates orontium</i> | <i>Weasel's-snout</i> | 1976 | Cas. | |
| <i>Moehringia trinervia</i> | Three-nerved Sandwort | 2001 | Native | |
| <i>Molinia caerulea</i> | Purple Moor-grass | 2001 | Native | |
| <i>Molinia caerulea ssp. caerulea</i> | a purple moor-grass subspecies | 1987 | Native | |
| <i>Monotropa hypopitys</i> | <i>Yellow Bird's-nest</i> | 2000 | Native | 2, 1 |
| <i>Monotropa hypopitys ssp. hypophegea</i> | <i>a bird's-nest subspecies</i> | 1986 | Native | 2, 1 |
| <i>Montia fontana</i> | Blinks | 2001 | Native | |
| <i>Montia fontana ssp. amporitana</i> | <i>a blinks subspecies</i> | -1969 | Native | |
| <i>Montia fontana ssp. chondrosperma</i> | a blinks subspecies | 1998 | Native | |
| <i>Montia fontana ssp. fontana</i> | a blinks subspecies | 1999 | Native | |
| <i>Montia fontana ssp. variabilis</i> | <i>a blinks subspecies</i> | 1973 | Native | |
| <i>Morus nigra</i> | Black Mulberry | 1998 | Plant. | |
| <i>Muscari armeniacum</i> | Garden Grape-hyacinth | 1999 | Cas. | |
| <i>Muscari neglectum</i> | <i>Grape-hyacinth</i> | 1998 | Cas. | 8 |
| <i>Mycelis muralis</i> | Wall Lettuce | 2001 | Native | |
| <i>Myosotis arvensis</i> | Field Forget-me-not | 2001 | Native | |
| <i>Myosotis discolor</i> | Changing Forget-me-not | 2001 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|-------------------------------------|-------------|---------------|-----------------------------------|
| <i>Myosotis laxa</i> ssp. <i>caespitosa</i> * | Tufted Forget-me-not | 2001 | Native | |
| <i>Myosotis ramosissima</i> | Early Forget-me-not | 2000 | Native | |
| <i>Myosotis scorpioides</i> | Water Forget-me-not | 2001 | Native | |
| Myosotis secunda | Creeping Forget-me-not | 2001 | Native | 2 |
| <i>Myosotis sylvatica</i> | Wood Forget-me-not | 2001 | Native | |
| <i>Myosoton aquaticum</i> | Water Chickweed | 2001 | Native | |
| <i>Myosurus minimus</i> | <i>Mousetail</i> | -1903 | Native | |
| <i>Myrica gale</i> | <i>Bog Myrtle</i> | 1789 | Native | |
| Myriophyllum alterniflorum | Alternate Water-milfoil | 1997 | Native | 2, 1 |
| <i>Myriophyllum aquaticum</i> | Parrot's Feather | 1998 | Plant. | |
| <i>Myriophyllum spicatum</i> | Spiked Water-milfoil | 2000 | Native | |
| Myriophyllum verticillatum | Whorled Water-milfoil | 1975 | Native | 6, 3, 2, 1 |
| <i>Myrrhis odorata</i> | Sweet Cicely | 2001 | Estab. | |
| <i>Narcissus poeticus</i> | Pheasant's-eye Daffodil | 1994 | Estab. | |
| <i>Narcissus poeticus</i> ssp. <i>poeticus</i> | <i>Pheasant's Eye</i> | -1969 | Estab. | |
| <i>Narcissus pseudonarcissus</i> | a daffodil | 2000 | Native | |
| <i>Narcissus pseudonarcissus</i> ssp. <i>major</i> | Spanish Daffodil | 1997 | Estab. | |
| N. pseudonarcissus ssp. pseudonarcissus | Wild Daffodil | 2001 | Native | 2 |
| <i>Narcissus x incomparabilis</i> | Nonesuch Daffodil | 1997 | Cas. | |
| <i>Narcissus x medioluteus</i> | <i>Primrose-peerless</i> | -1903 | Estab. | |
| <i>Nardus stricta</i> | Mat-grass | 2001 | Native | |
| <i>Narthecium ossifragum</i> | Bog Asphodel | 2001 | Native | |
| Neottia nidus-avis | Bird's-nest Orchid | 2000 | Native | 2, 1 |
| Nepeta cataria | Cat-mint | 2000 | Native | 2, 1 |
| <i>Nepeta x faassenii</i> | Garden Cat-mint | 1999 | Cas. | |
| <i>Nicandra physalodes</i> | Apple of Peru | 2001 | Cas. | |
| <i>Nicotiana x sanderae</i> | a hybrid tobacco | 1996 | Cas. | |
| <i>Nigella damascena</i> | Love-in-a-mist | 2001 | Cas. | |
| <i>Nuphar lutea</i> | Yellow Water-lily | 2001 | Native | |
| Nymphaea alba | White Water-lily | 2000 | Native | 2 |
| Nymphoides peltata | Fringed Water-lily | 1999 | Estab. | 6 |
| <i>Odontites vernus</i> | Red Bartsia | 2001 | Native | |
| <i>Odontites vernus</i> ssp. <i>serotinus</i> | a red bartsia subspecies | 1996 | Native | |
| <i>Odontites vernus</i> ssp. <i>vernus</i> | <i>a red bartsia subspecies</i> | 1977 | Native | |
| Oenanthe aquatica | Fine-leaved Water-dropwort | 2000 | Native | 2, 1 |
| Oenanthe crocata | Hemlock Water-dropwort | 2000 | Native | 2 |
| Oenanthe fistulosa | Tubular Water-dropwort | 2001 | Native | 2 |
| Oenanthe fluviatilis | River Water-dropwort | 1863 | Native | 4 |
| Oenanthe silaifolia | Narrow-leaved Water-dropwort | 2001 | Estab. | 6, 2 |
| <i>Oenothera biennis</i> | Common Evening-primrose | 2001 | Estab. | |
| <i>Oenothera cambrica</i> | Small-flowered Evening-primrose | 1999 | Cas. | |
| <i>Oenothera glazioviana</i> | Large-flowered Evening-primrose | 2000 | Estab. | |
| <i>Oenothera rubricaulis</i> | <i>an evening-primrose</i> | 1974 | Cas. | |
| <i>Oenothera x fallax</i> | Intermediate Evening-primrose | 1998 | Cas. | |
| <i>Onobrychis viciifolia</i> | Sainfoin | 1999 | Estab. | |
| <i>Ononis alopecuroides</i> | <i>Salzman's Restharrow</i> | 1968 | Cas. | |
| <i>Ononis repens</i> | Common Restharrow | 2001 | Native | |
| Ononis spinosa | Spiny Restharrow | 2001 | Native | 2 |
| <i>Ononis x pseudohircina</i> | Hybrid Rest-harrow | 1990 | Native | |
| <i>Onopordum acanthium</i> | Cotton Thistle | 2000 | Cas. | |
| <i>Ophioglossum vulgatum</i> | Adder's-tongue | 2001 | Native | |
| <i>Ophrys apifera</i> | Bee Orchid | 2001 | Native | |
| Ophrys insectifera | Fly Orchid | 2000 | Native | 2, 1 |
| <i>Orchis mascula</i> | Early-purple Orchid | 2001 | Native | |
| Orchis morio | Green-winged Orchid | 2001 | Native | 2, 1 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|-----------------------------------|--------------|---------------|-----------------------------------|
| Orchis ustulata | Burnt Orchid | 2000 | Native | 6, 4, 3, 2, 1 |
| <i>Oreopteris limbosperma</i> | Lemon-scented Fern | 2001 | Native | |
| <i>Origanum vulgare</i> | Wild Marjoram | 2001 | Native | |
| Ornithogalum angustifolium | Star-of-Bethlehem | 1999 | Estab. | 2 |
| <i>Ornithogalum nutans</i> | <i>Drooping Star-of-Bethlehem</i> | 1825 | Estab. | |
| Ornithopus perpusillus | Bird's-foot | 2000 | Native | 2, 1 |
| Orobanche minor | Common Broomrape | 2001 | Native | 2, 1 |
| <i>Orobanche purpurea</i> | <i>Yarrow Broomrape</i> | -1969 | Native | 8, 3, 2 |
| <i>Orobanche rapum-genistae</i> | <i>Greater Broomrape</i> | 1889 | Native | 6, 4, 3, 2 |
| <i>Osmunda regalis</i> | <i>Royal Fern</i> | 1984 | Native | |
| <i>Oxalis acetosella</i> | Wood-sorrel | 2001 | Native | |
| <i>Oxalis articulata</i> | Pink-sorrel | 2000 | Cas. | |
| <i>Oxalis corniculata</i> | Procumbent Yellow-sorrel | 2000 | Estab. | |
| <i>Oxalis debilis</i> | Large-flowered Pink-sorrel | 1999 | Estab. | |
| <i>Oxalis exilis</i> | Least Yellow-sorrel | 2000 | Cas. | |
| <i>Oxalis stricta</i> | Upright Yellow-sorrel | 2001 | Cas. | |
| <i>Paeonia officinalis</i> | Garden Peony | 1998 | Estab. | |
| <i>Panicum miliaceum</i> | Common Millet | 2001 | Cas. | |
| <i>Papaver argemone</i> | <i>Prickly Poppy</i> | 1976 | Native | |
| <i>Papaver atlanticum</i> | <i>Atlas Poppy</i> | 1977 | Estab. | |
| <i>Papaver dubium</i> | Long-headed Poppy | 2001 | Native | |
| <i>Papaver dubium</i> ssp. <i>dubium</i> | Long-headed Poppy | 2001 | Native | |
| <i>Papaver dubium</i> ssp. <i>lecoqii</i> | Yellow-juiced Poppy | 2000 | Native | |
| <i>Papaver hybridum</i> | Rough Poppy | 1990 | Cas. | |
| <i>Papaver orientale</i> | Oriental Poppy | 2000 | Cas. | |
| <i>Papaver pseudoorientale</i> | Oriental Poppy | 2000 | Cas. | |
| <i>Papaver rhoeas</i> | Common Poppy | 2001 | Native | |
| <i>Papaver somniferum</i> | Opium Poppy | 2001 | Estab. | |
| <i>Papaver somniferum</i> ssp. <i>somniferum</i> | an opium poppy subspecies | 2000 | Estab. | |
| <i>Parentucellia viscosa</i> | Yellow Bartsia | 2000 | Cas. | |
| <i>Parietaria judaica</i> | Pellitory-of-the-Wall | 2001 | Native | |
| Paris quadrifolia | Herb Paris | 2000 | Native | 1 |
| Parnassia palustris | Grass of Parnassus | 2001 | Native | 2 |
| <i>Parthenocissus quinquefolia</i> | Virginia-creeper | 1995 | Cas. | |
| <i>Parthenocissus tricuspidata</i> | <i>Boston Ivy</i> | 1960 | Cas. | |
| <i>Pastinaca sativa</i> | Wild Parsnip | 2000 | Native | |
| <i>Pedicularis palustris</i> | <i>Marsh Lousewort</i> | -1969 | Native | 2 |
| <i>Pedicularis sylvatica</i> ssp. <i>sylvatica</i> | Lousewort | 2001 | Native | |
| <i>Pentaglottis sempervirens</i> | Green Alkanet | 2001 | Estab. | |
| <i>Persicaria amphibia</i> | Amphibious Bistort | 2001 | Native | |
| <i>Persicaria amplexicaulis</i> | <i>Red Bistort</i> | 1961 | Cas. | |
| <i>Persicaria bistorta</i> | Common Bistort | 2001 | Native | |
| <i>Persicaria campanulata</i> | Lesser Knotweed | 2001 | Estab. | |
| <i>Persicaria hydropiper</i> | Water-pepper | 2001 | Native | |
| <i>Persicaria lapathifolia</i> | Pale Persicaria | 2001 | Native | |
| <i>Persicaria maculosa</i> | Redshank | 2001 | Native | |
| <i>Persicaria minor</i> | <i>Small Water-pepper</i> | 1978 | Native | |
| <i>Persicaria vivipara</i> | Alpine Bistort | 2000 | Plant. | |
| <i>Persicaria wallichii</i> | Himalayan Knotweed | 1996 | Cas. | |
| <i>Persicaria x intercedens</i> | <i>a hybrid knotweed</i> | -1975 | Native | |
| <i>Petasites albus</i> | White Butterbur | 1999 | Estab. | |
| <i>Petasites fragrans</i> | Winter Heliotrope | 2001 | Estab. | |
| <i>Petasites hybridus</i> | Butterbur | 2001 | Native | |
| <i>Petasites japonicus</i> | Giant Butterbur | 2001 | Estab. | |
| <i>Petroselinum crispum</i> | Garden Parsley | 1998 | Cas. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|------------------------------------|--------------|---------------|-----------------------------------|
| Peucedanum ostruthium | Masterwort | 1993 | Estab. | |
| Phacelia tanacetifolia | Phacelia | 2000 | Cas. | |
| Phalaris arundinacea | Reed Canary-grass | 2001 | Native | |
| Phalaris canariensis | Canary-grass | 2001 | Cas. | |
| Phegopteris connectilis | Beech Fern | 2001 | Native | 2 |
| Philadelphus coronarius | Mock Orange | 2000 | Estab. | |
| Phleum bertolonii | Smaller Cat's-tail | 2001 | Native | |
| Phleum pratense | Timothy | 2001 | Native | |
| Phragmites australis | Common Reed | 2001 | Native | |
| Phyllitis scolopendrium | Hart's-tongue | 2001 | Native | |
| Physalis alkekengi | Japanese-lantern | 2001 | Cas. | |
| <i>Physocarpus opulifolius</i> | <i>Ninebark</i> | -1969 | Cas. | |
| Phyteuma spicatum | Spiked Rampion | 1975 | Estab. | 16, 8, 4, 3, 2 |
| Picea abies | Norway Spruce | 2001 | Cas. | |
| Picea sitchensis | Sitka Spruce | 2001 | Estab. | |
| Picris echioides | Bristly Oxtongue | 2001 | Cas. | 2 |
| Picris hieracioides | Hawkweed Oxtongue | 2001 | Native | |
| <i>Pieris floribunda</i> (<i>Pursh ex Sims</i>) Benth. & Hook. | <i>Mountain Fetter-bush</i> | 1974 | Cas. | |
| Pilosella aurantiaca | Fox-and-cubs | 2001 | Estab. | |
| Pilosella aurantiaca ssp. carpathicola | a fox-and-cubs subspecies | 1998 | Estab. | |
| <i>Pilosella flagellaris</i> ssp. <i>flagellaris</i> * | <i>Shetland mouse-ear-hawkweed</i> | 1979 | Estab. | |
| Pilosella officinarum | Mouse-ear-hawkweed | 2001 | Native | |
| Pilosella peleteriana ssp. tenuiscapa | a shaggy mouse-ear-hawkweed | -1969 | Native | 8 |
| Pimpinella major | Greater Burnet-saxifrage | 2001 | Native | |
| Pimpinella saxifraga | Burnet-saxifrage | 2001 | Native | |
| Pinguicula grandiflora | Large-flowered Butterwort | 1999 | Estab. | |
| Pinguicula vulgaris | Common Butterwort | 2001 | Native | |
| Pinus contorta | Lodgepole Pine | 2001 | Cas. | |
| Pinus nigra | Austrian Pine | 2001 | Cas. | |
| Pinus nigra ssp. laricio | Corsican Pine | 1989 | Cas. | |
| Pinus sylvestris | Scots Pine | 2001 | Estab. | 6 |
| Pisum sativum | Garden Pea | 2000 | Cas. | |
| Plantago coronopus | Buck's-horn Plantain | 2001 | Native | 2, 1 |
| Plantago lanceolata | Ribwort Plantain | 2001 | Native | |
| Plantago major | Greater Plantain | 2001 | Native | |
| Plantago major ssp. intermedia | a greater plantain subspecies | 1994 | Native | |
| Plantago major ssp. major | a greater plantain subspecies | 2000 | Native | |
| Plantago maritima | Sea Plantain | 2001 | Cas. | |
| Plantago media | Hoary Plantain | 2001 | Native | |
| Platanthera bifolia | Lesser Butterfly-orchid | -1903 | Native | |
| Platanthera chlorantha | Greater Butterfly-orchid | 2001 | Native | 1 |
| Platanus x hispanica | London Plane | 2000 | Cas. | |
| Poa angustifolia | Narrow-leaved Meadow-grass | 1999 | Native | 1 |
| Poa annua | Annual Meadow-grass | 2001 | Native | |
| Poa chaixii | Broad-leaved Meadow-grass | 1988 | Cas. | |
| Poa compressa | Flattened Meadow-grass | 2000 | Native | |
| Poa humilis | Spreading Meadow-grass | 2000 | Native | 2 |
| Poa nemoralis | Wood Meadow-grass | 2001 | Native | |
| <i>Poa palustris</i> | <i>Swamp Meadow-grass</i> | 1956 | Cas. | |
| Poa pratensis | Smooth Meadow-grass | 2001 | Native | |
| Poa trivialis | Rough Meadow-grass | 2001 | Native | |
| Polemonium caeruleum | Jacob's-ladder | 2001 | Native | 7, 4, 3, 2, 1 |
| Polygala serpyllifolia | Heath Milkwort | 2001 | Native | |
| Polygala vulgaris | Common Milkwort | 2001 | Native | |
| Polygonatum multiflorum | Solomon's-seal | 2000 | Native | 2 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---------------------------------------|----------------------------------|-------------|---------------|-----------------------------------|
| Polygonatum odoratum | Angular Solomon's-seal | 2000 | Native | 6, 2, 1 |
| Polygonatum x hybridum | Garden Solomon's Seal | 2001 | Estab. | |
| Polygonum arenastrum | Equal-leaved Knotgrass | 2001 | Native | |
| Polygonum aviculare | Knotgrass | 2001 | Native | |
| Polypodium cambricum | Southern Polypody | 1978 | Native | 2 |
| Polypodium interjectum | Intermediate Polypody | 2001 | Native | |
| Polypodium vulgare | Polypody | 2001 | Native | |
| Polypodium x font-queri | a hybrid polypody | 2001 | Native | |
| <i>Polypodium x mantoniae</i> | <i>a hybrid polypody</i> | 1978 | Native | |
| Polypogon monspeliensis | Annual Beard Grass | 1998 | Cas. | 6 |
| Polystichum aculeatum | Hard Shield-fern | 2001 | Native | |
| Polystichum setiferum | Soft Shield-fern | 2001 | Native | 2 |
| Populus alba | White Poplar | 2001 | Estab. | |
| Populus balsamifera | Eastern Balsam-poplar | 2000 | Plant. | |
| Populus nigra | Black-poplar | 2000 | Native | |
| Populus nigra 'Italica' | Lombardy-poplar | 2000 | Cas. | |
| Populus nigra ssp. betulifolia | Native Black Poplar | 2000 | Native | 3, 2 |
| Populus tremula | Aspen | 2001 | Native | |
| Populus trichocarpa | Western Balsam Poplar | 1999 | Cas. | |
| Populus x canadensis | Hybrid Black Poplar | 2001 | Cas. | |
| Populus x canadensis 'Serotina' | a hybrid black poplar | 1988 | Cas. | |
| Populus x canescens | Grey Poplar | 2001 | Estab. | |
| Populus x jackii | Balm-of-Gilead | 2001 | Cas. | |
| Potamogeton alpinus | Red Pondweed | 1995 | Native | 2, 1 |
| Potamogeton berchtoldii | Small Pondweed | 2000 | Native | 2, 1 |
| Potamogeton compressus | Grass-wrack Pondweed | 1997 | Native | 6, 5, 3, 2, 1 |
| Potamogeton crispus | Curled Pondweed | 2001 | Native | |
| Potamogeton friesii | Flat-stalked Pondweed | 1991 | Native | 2, 1 |
| Potamogeton lucens | Shining Pondweed | 2001 | Native | 2, 1 |
| Potamogeton natans | Broad-leaved Pondweed | 2001 | Native | |
| Potamogeton obtusifolius | Blunt-leaved Pondweed | 1998 | Native | 2, 1 |
| Potamogeton pectinatus | Fennel Pondweed | 2000 | Native | |
| Potamogeton perfoliatus | Perfoliate Pondweed | 1998 | Native | 1 |
| Potamogeton polygonifolius | Bog Pondweed | 2001 | Native | |
| Potamogeton praelongus | Long-stalked Pondweed | 1990 | Native | 2, 1 |
| Potamogeton pusillus | Lesser Pondweed | 1998 | Native | 2, 1 |
| <i>Potamogeton x cooperi</i> | <i>Cooper's Pondweed</i> | -1969 | Native | |
| <i>Potamogeton x lintonii</i> | <i>Linton's Pondweed</i> | -1969 | Native | |
| Potentilla anglica | Trailing Tormentil | 2001 | Native | |
| Potentilla anserina | Silverweed | 2001 | Native | |
| Potentilla argentea | Hoary Cinquefoil | 1996 | Native | 2, 1 |
| Potentilla crantzii | Alpine Cinquefoil | 1996 | Native | 6, 2, 1 |
| Potentilla erecta | Tormentil | 2001 | Native | |
| Potentilla erecta ssp. erecta | a tormentil subspecies | 2000 | Native | |
| Potentilla fruticosa | Shrubby Cinquefoil | 1999 | Cas. | 7, 4 |
| Potentilla neumanniana | Spring Cinquefoil | 2000 | Native | 6, 3, 2, 1 |
| <i>Potentilla norvegica</i> | <i>Ternate-leaved Cinquefoil</i> | 1985 | Cas. | |
| Potentilla palustris | Marsh Cinquefoil | 2001 | Native | 2, 1 |
| Potentilla recta | Sulphur Cinquefoil | 1998 | Cas. | |
| Potentilla reptans | Creeping Cinquefoil | 2001 | Native | |
| Potentilla sterilis | Barren Strawberry | 2001 | Native | |
| Potentilla x mixta | Hybrid Cinquefoil | 1999 | Native | |
| Potentilla x suberecta | a hybrid cinquefoil | 1997 | Native | |
| Pratia angulata | Lawn Lobelia | 1994 | Cas. | |
| Primula farinosa | Bird's-eye Primrose | 1997 | Plant. | 6 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|---|--------------|---------------|-----------------------------------|
| <i>Primula veris</i> | Cowslip | 2001 | Native | |
| <i>Primula vulgaris</i> | Primrose | 2001 | Native | |
| <i>Primula x polyantha</i> | False Oxlip | 2001 | Native | |
| <i>Prunella vulgaris</i> | Selfheal | 2001 | Native | |
| <i>Prunus avium</i> | Wild Cherry | 2001 | Native | |
| <i>Prunus cerasifera</i> | Cherry Plum | 2001 | Cas. | |
| <i>Prunus cerasus</i> | Dwarf Cherry | 1997 | Cas. | |
| <i>Prunus domestica</i> | Wild Plum | 2001 | Estab. | |
| <i>Prunus domestica ssp. domestica</i> | <i>Plum</i> | -1969 | <i>Estab.</i> | |
| <i>Prunus domestica ssp. insititia</i> | Damson | 1997 | Estab. | |
| <i>Prunus domestica ssp. italica</i> | Greengage | 1997 | Estab. | |
| <i>Prunus dulcis</i> | Almond | 1988 | Cas. | |
| <i>Prunus laurocerasus</i> | Cherry Laurel | 2001 | Estab. | |
| <i>Prunus lusitanica</i> | Portugal Laurel | 1998 | Cas. | |
| <i>Prunus padus</i> | Bird Cherry | 2000 | Native | |
| <i>Prunus serotina</i> | Rum Cherry | 2001 | Cas. | |
| <i>Prunus spinosa</i> | Blackthorn | 2001 | Native | |
| <i>Prunus x fruticans</i> | a hybrid cherry | 1997 | Native | |
| <i>Pseudofumaria lutea</i> | Yellow Corydalis | 2001 | Estab. | |
| <i>Pseudorchis albida</i> | <i>Small-white Orchid</i> | -1903 | Native | 2 |
| <i>Pseudotsuga menziesii</i> | Douglas Fir | 2000 | Plant. | |
| <i>Pteridium aquilinum</i> | Bracken | 2001 | Native | |
| <i>Pteris cretica</i> | <i>Ribbon Fern</i> | 1977 | <i>Estab.</i> | |
| <i>Puccinellia distans</i> | <i>Reflexed Saltmarsh-grass</i> | 2001 | Estab. | 2 |
| <i>Pulicaria dysenterica</i> | Common Fleabane | 2001 | Native | |
| <i>Pulmonaria officinalis</i> | Lungwort | 2001 | Estab. | |
| <i>Pyracantha coccinea</i> | Firethorn | 1998 | Estab. | |
| <i>Pyrola minor</i> | <i>Common Wintergreen</i> | 2001 | Native | 2, 1 |
| <i>Pyrola rotundifolia ssp. rotundifolia</i> | <i>Round-leaved Wintergreen</i> | 1981 | Native | 6, 2 |
| <i>Pyrus communis</i> | Pear | 1999 | Estab. | |
| <i>Pyrus pyrastrer</i> | Wild Pear | 1999 | Estab. | |
| <i>Quercus cerris</i> | Turkey Oak | 2001 | Estab. | |
| <i>Quercus cerris x Q. robur</i> | <i>a hybrid oak</i> | 1980 | <i>Native</i> | |
| <i>Quercus ilex</i> | Evergreen Oak | 2000 | Estab. | |
| <i>Quercus petraea</i> | Sessile Oak | 2001 | Native | |
| <i>Quercus robur</i> | Pedunculate Oak | 2001 | Native | |
| <i>Quercus rubra</i> | Red Oak | 2001 | Cas. | |
| <i>Quercus x crenata</i> | Lucombe Oak | 1999 | Cas. | |
| <i>Quercus x rosacea</i> | Hybrid Oak | 2001 | Native | |
| <i>Ranunculus acris</i> | Meadow Buttercup | 2001 | Native | |
| <i>Ranunculus aquatilis</i> | <i>Common Water-crowfoot</i> | 2001 | Native | 2 |
| <i>Ranunculus arvensis</i> | <i>Corn Buttercup</i> | 1997 | Native | 4, 3, 1 |
| <i>Ranunculus auricomus</i> | Goldilocks Buttercup | 2001 | Native | |
| <i>Ranunculus bulbosus</i> | Bulbous Buttercup | 2001 | Native | |
| <i>Ranunculus circinatus</i> | <i>Fan-leaved Water-crowfoot</i> | 1998 | Native | 2, 1 |
| <i>Ranunculus ficaria</i> | Lesser Celandine | 2001 | Native | |
| <i>Ranunculus ficaria ssp. bulbifer</i> | a lesser celandine subspecies | 2001 | Native | |
| <i>Ranunculus ficaria ssp. ficaria</i> | a lesser celandine subspecies | 2001 | Native | |
| <i>Ranunculus flammula ssp. flammula*</i> | Lesser Spearwort | 2001 | Native | |
| <i>Ranunculus fluitans</i> | <i>River Water-crowfoot</i> | 2000 | Native | 4, 3 |
| <i>Ranunculus hederaceus</i> | <i>Ivy-leaved Crowfoot</i> | 2001 | Native | 4 |
| <i>Ranunculus lingua</i> | <i>Greater Spearwort</i> | 2001 | Native | 2 |
| <i>Ranunculus omiophyllus</i> | Round-leaved Crowfoot | 2001 | Native | |
| <i>Ranunculus parviflorus</i> | <i>Small-flowered Buttercup</i> | 1950+ | <i>Native</i> | |
| <i>Ranunculus peltatus</i> | <i>Pond Water-crowfoot</i> | 2000 | Native | 2 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|-------------------------------------|-------------|---------------|-----------------------------------|
| Ranunculus penicillatus | Stream Water-crowfoot | 1999 | Native | 4 |
| Ranunculus penicillatus ssp. pseudofluitans | a stream water-crowfoot subspecies | 2000 | Native | |
| Ranunculus repens | Creeping Buttercup | 2001 | Native | |
| Ranunculus sardous | Hairy Buttercup | 1998 | Native | 1 |
| Ranunculus sceleratus | Celery-leaved Buttercup | 2001 | Native | |
| Ranunculus trichophyllus | Thread-leaved Water-crowfoot | 2000 | Native | 1 |
| <i>Ranunculus x bachii</i> | <i>Wirtgen's Water-crowfoot</i> | -1975 | Native | |
| <i>Ranunculus x kelchoensis</i> | <i>Kelso Water-crowfoot</i> | 1970 | Native | |
| <i>Ranunculus x lutzii</i> | <i>a hybrid water-crowfoot</i> | 1970 | Native | |
| Raphanus raphanistrum | Wild Radish | 2001 | Estab. | |
| Raphanus raphanistrum ssp. raphanistrum | a wild radish subspecies | 1997 | Estab. | |
| Raphanus sativus | Garden Radish | 2000 | Cas. | |
| <i>Rapistrum rugosum</i> | <i>Bastard Cabbage</i> | 1975 | Cas. | |
| Reseda lutea | Wild Mignonette | 2001 | Native | |
| Reseda luteola | Weld | 2001 | Native | |
| Rhamnus cathartica | Buckthorn | 2000 | Native | |
| Rheum x hybridum | Rhubarb | 1999 | Estab. | |
| Rhinanthus minor | Yellow-rattle | 2001 | Native | |
| Rhinanthus minor ssp. minor | a yellow-rattle subspecies | 1998 | Native | |
| Rhinanthus minor ssp. stenophyllus | a yellow-rattle subspecies | 1999 | Native | |
| Rhododendron luteum | Yellow Azalea | 1998 | Cas. | |
| Rhododendron ponticum | Rhododendron | 2001 | Estab. | |
| Rhus typhina | Stag's-horn Sumach | 1999 | Cas. | |
| Ribes alpinum | Mountain Currant | 2000 | Native | 6, 4, 3, 2, 1 |
| Ribes nigrum | Black Currant | 2001 | Native | |
| Ribes odoratum | Buffalo Currant | 2000 | Cas. | |
| Ribes rubrum | Red Currant | 2001 | Native | |
| Ribes sanguineum | Flowering Currant | 2001 | Estab. | |
| Ribes uva-crispa | Gooseberry | 2001 | Native | |
| Robinia pseudoacacia | False Acacia | 2000 | Estab. | |
| Rodgersia podophylla | Rodgersia | 1994 | Estab. | |
| Rorippa amphibia | Greater Yellow-cress | 2000 | Native | |
| Rorippa microphylla | Narrow-fruited Water-cress | 2000 | Native | |
| Rorippa nasturtium-aquaticum | Water-cress | 2000 | Native | |
| Rorippa palustris | Marsh Yellow-cress | 2001 | Native | |
| Rorippa sylvestris | Creeping Yellow-cress | 2000 | Native | |
| Rorippa x sterilis | Hybrid Water-cress | 1999 | Native | |
| Rosa arvensis | Field Rose | 2001 | Native | |
| <i>Rosa arvensis x R. caesia</i> | <i>a hybrid rose</i> | -1970 | Native | |
| Rosa caesia | a dog-rose | 1999 | Native | |
| Rosa caesia ssp. caesia | Hairy Dog-rose | 1998 | Native | |
| Rosa caesia ssp. glauca | Glaucous Dog-rose | 1999 | Native | |
| <i>Rosa caesia x R. obtusifolia</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa caesia x R. rubiginosa</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa caesia x R. sherardii</i> | <i>a hybrid rose</i> | 1890 | Native | |
| Rosa canina | Dog Rose | 2001 | Native | |
| Rosa 'Hollandica' | Dutch Rose | 1998 | Plant. | |
| <i>Rosa micrantha</i> | <i>Small-flowered Sweet-briar</i> | -1903 | Native | |
| Rosa mollis | a rose | 1991 | Native | |
| <i>Rosa multiflora</i> | <i>Many-flowered Rose</i> | 1980 | Estab. | |
| Rosa obtusifolia | Round-leaved Dog-rose | 1997 | Native | |
| Rosa pimpinellifolia | Burnet Rose | 2000 | Native | 2 |
| Rosa rubiginosa | Sweet Briar | 1997 | Native | 2, 1 |
| Rosa rugosa | Japanese Rose | 2001 | Estab. | |
| Rosa sherardii | Sherard's Downy-rose | 1999 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--------------------------------|--------------------------|-------------|---------------|-----------------------------------|
| Rosa tomentosa | Harshy Downy-rose | 1998 | Native | 1 |
| <i>Rosa x andegavensis</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x biturigensis</i> | <i>a hybrid rose</i> | 1898 | Native | |
| <i>Rosa x consanguinea</i> | <i>a hybrid rose</i> | 1975 | Native | |
| <i>Rosa x cottetii</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x dumalis</i> | <i>a hybrid rose</i> | 2001 | Native | |
| <i>Rosa x dumetorum</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x glaucoides</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x involuta</i> | <i>a hybrid rose</i> | 1972 | Native | |
| <i>Rosa x molletorum</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x nitidula</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x rothschildii</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x sabinii</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x scabriuscula</i> | <i>a hybrid rose</i> | 1970 | Native | |
| <i>Rosa x verticillacantha</i> | <i>a hybrid rose</i> | 2001 | Native | |
| <i>Rubus accrescens</i> | <i>a bramble</i> | 1995 | Native | |
| <i>Rubus amplificatus</i> | <i>a bramble</i> | 1997 | Native | |
| <i>Rubus anglocandicans</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus anisacanthos</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus armeniacus</i> | <i>a bramble</i> | 2001 | Estab. | |
| <i>Rubus arrheniiformis</i> | <i>a bramble</i> | -1970 | Native | |
| <i>Rubus bagnallianus</i> | <i>a bramble</i> | -1970 | Native | |
| <i>Rubus bartonii</i> | <i>a bramble</i> | 1997 | Estab. | |
| <i>Rubus bertramii</i> | <i>a bramble</i> | 1987 | Native | |
| <i>Rubus bloxamianus</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus caesius</i> | Dewberry | 2001 | Native | |
| <i>Rubus calvatus</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus cardiophyllus</i> | <i>a bramble</i> | 1987 | Native | |
| Rubus chamaemorus | Cloudberry | 2001 | Native | 2 |
| <i>Rubus cissburiensis</i> | <i>a bramble</i> | 1997 | Estab. | |
| <i>Rubus conjugens</i> | <i>a bramble</i> | -1970 | Native | |
| <i>Rubus criniger</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus dasyphyllus</i> | <i>a bramble</i> | 2001 | Native | |
| <i>Rubus distractiformis</i> | <i>a bramble</i> | 1999 | Native | |
| <i>Rubus drejeri</i> | <i>a bramble</i> | 1981 | Native | |
| <i>Rubus durescens</i> | <i>a bramble</i> | 1999 | Native | |
| <i>Rubus eboracensis</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus echinatoides</i> | <i>a bramble</i> | 1998 | Native | |
| <i>Rubus echinatus</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus euryanthemus</i> | <i>a bramble</i> | 1998 | Native | |
| <i>Rubus fissus</i> | <i>a bramble</i> | -1969 | Native | |
| <i>Rubus flexuosus</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus fruticosus</i> agg. | Bramble | 2001 | Native | |
| <i>Rubus gratus</i> | <i>a bramble</i> | -1903 | Native | |
| <i>Rubus griffithianus</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus hindii</i> A.L.Bull | <i>a bramble</i> | 1997 | Native | |
| <i>Rubus hylocharis</i> | <i>a bramble</i> | 1998 | Native | |
| <i>Rubus idaeus</i> | Raspberry | 2001 | Native | |
| <i>Rubus incurvatiformis</i> | <i>a bramble</i> | 1997 | Native | |
| <i>Rubus infestus</i> | <i>a bramble</i> | 1997 | Native | |
| <i>Rubus insectifolius</i> | <i>a bramble</i> | -1970 | Native | |
| <i>Rubus intensior</i> | <i>a bramble</i> | 2001 | Native | |
| <i>Rubus laciniatus</i> | <i>a bramble</i> | 1999 | Estab. | |
| <i>Rubus leightonii</i> | <i>a bramble</i> | 1969+ | Native | |
| <i>Rubus leptothyrsos</i> | <i>a bramble</i> | 1969+ | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|-----------------------------|-------------|---------------|-----------------------------------|
| <i>Rubus lindebergii</i> | a bramble | 1997 | Native | |
| <i>Rubus lindleianus</i> | a bramble | 2001 | Native | |
| <i>Rubus macrophyllus</i> | a bramble | 1969+ | Native | |
| <i>Rubus mucronulatus</i> | a bramble | 1979 | Native | |
| <i>Rubus nemoralis</i> | a bramble | 1999 | Native | |
| <i>Rubus nessensis</i> | a bramble | 1979 | Native | |
| <i>Rubus newbouldii</i> | a bramble | 1998 | Native | |
| <i>Rubus pallidus</i> | a bramble | 1969+ | Native | |
| <i>Rubus parviflorus</i> | Thimbleberry | 1980 | Estab. | |
| <i>Rubus pistoris</i> | a bramble | -1970 | Native | |
| <i>Rubus platyacanthus</i> | a bramble | 1988 | Native | |
| <i>Rubus plicatus</i> | a bramble | -1970 | Native | |
| <i>Rubus polyanthemus</i> | a bramble | 2001 | Native | |
| <i>Rubus porphyrocaulis</i> | a bramble | 1999 | Native | |
| <i>Rubus pruinosis</i> | a bramble | 2001 | Native | |
| <i>Rubus pyramidalis</i> | a bramble | 1969+ | Native | |
| <i>Rubus radula</i> | a bramble | 1969+ | Native | |
| <i>Rubus raduloides</i> | a bramble | -1970 | Native | |
| <i>Rubus robiae</i> | a bramble | 1987 | Native | |
| <i>Rubus rubriflorus</i> | a bramble | 1969+ | Native | |
| <i>Rubus rubristylus</i> | a bramble | -1970 | Native | |
| <i>Rubus rudis</i> | a bramble | 2000 | Native | |
| <i>Rubus rufescens</i> | a bramble | 2001 | Native | |
| <i>Rubus saxatilis</i> | Stone Bramble | 2000 | Native | |
| <i>Rubus sciocharis</i> | a bramble | 1969+ | Native | |
| <i>Rubus scissus</i> | a bramble | 1994 | Native | |
| <i>Rubus sprengelii</i> | a bramble | 2001 | Native | |
| <i>Rubus subtercanens</i> | a bramble | 1969+ | Native | |
| <i>Rubus tricolor</i> | Chinese Bramble | 1999 | Estab. | |
| <i>Rubus tuberculatus</i> | a bramble | 2001 | Native | |
| <i>Rubus ulmifolius</i> | a bramble | 1999 | Native | |
| <i>Rubus vestitus</i> | a bramble | 2001 | Native | |
| <i>Rubus warrenii</i> | a bramble | 2001 | Native | |
| <i>Rubus winteri</i> | a bramble | 1969+ | Native | |
| <i>Rubus wirralensis</i> | a bramble | 1998 | Native | |
| <i>Rubus x pseudoideaus</i> | a hybrid bramble | 1970 | Native | |
| <i>Rudbeckia hirta</i> | Black-eyed-Susan | 1948 | Cas. | |
| <i>Rumex acetosa</i> ssp. <i>acetosa</i> * | Common Sorrel | 2001 | Native | |
| <i>Rumex acetosella</i> | Sheep's Sorrel | 2001 | Native | |
| <i>Rumex acetosella</i> ssp. <i>acetosella</i> | a sheep's sorrel subspecies | 1998 | Native | |
| <i>Rumex conglomeratus</i> | Clustered Dock | 2001 | Native | |
| <i>Rumex crispus</i> ssp. <i>crispus</i> | Curled Dock | 2001 | Native | |
| <i>Rumex hydrolapathum</i> | Water Dock | 2001 | Native | |
| <i>Rumex longifolius</i> | Northern Dock | 1913 | Native | 2 |
| <i>Rumex maritimus</i> | Golden Dock | 1998 | Estab. | |
| <i>Rumex obtusifolius</i> | Broad-leaved Dock | 2001 | Native | |
| <i>Rumex palustris</i> | Marsh Dock | 1976 | Cas. | |
| <i>Rumex pseudoalpinus</i> | Monk's Rhubarb | 2001 | Estab. | |
| <i>Rumex pulcher</i> | Fiddle Dock | -1969 | Cas. | |
| <i>Rumex sanguineus</i> | Wood Dock | 2001 | Native | |
| <i>Rumex x pratensis</i> | a hybrid dock | 2001 | Native | |
| <i>Ruscus aculeatus</i> | Butcher's-broom | 1978 | Cas. | 14 |
| <i>Sagina apetala</i> | Annual Pearlwort | 2001 | Native | |
| <i>Sagina apetala</i> ssp. <i>apetala</i> | Annual Pearlwort | 2000 | Native | |
| <i>Sagina apetala</i> ssp. <i>erecta</i> | Fringed Pearlwort | 2001 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---------------------------------|------------------------------|-------------|---------------|-----------------------------------|
| Sagina nodosa | Knotted Pearlwort | 2001 | Native | 2 |
| Sagina procumbens | Procumbent Pearlwort | 2001 | Native | |
| <i>Sagina subulata</i> | <i>Heath Pearlwort</i> | -1969 | <i>Estab.</i> | |
| Sagittaria sagittifolia | Arrowhead | 2001 | Native | 2 |
| Salix alba | White Willow | 2001 | Native | |
| Salix aurita | Eared Willow | 2000 | Native | |
| Salix caprea ssp. caprea* | Goat willow | 2001 | Native | |
| Salix cinerea ssp. oleifolia | Grey Willow | 2001 | Native | |
| Salix daphnoides | European Violet-willow | 2000 | Cas. | |
| Salix elaeagnos | Olive Willow | 1998 | Cas. | |
| Salix fragilis | Crack Willow | 2001 | Native | |
| Salix pentandra | Bay Willow | 2001 | Native | 2 |
| Salix phylicifolia | Tea-leaved Willow | 2001 | Plant. | |
| Salix purpurea | Purple Willow | 2000 | Native | |
| Salix repens | Creeping Willow | 2000 | Native | 2, 1 |
| Salix triandra | Almond Willow | 2000 | Native | 2, 1 |
| Salix viminalis | Osier | 2001 | Native | |
| <i>Salix x alopecuroides</i> | <i>a hybrid willow</i> | -1969 | <i>Native</i> | |
| Salix x capreola | a hybrid willow | 2000 | Native | |
| <i>Salix x forbyana</i> | <i>Fine Osier</i> | 1970 | <i>Native</i> | |
| <i>Salix x meyeriana</i> | <i>Shiny-leaved Willow</i> | 1948 | <i>Cas.</i> | |
| <i>Salix x mollissima</i> | <i>Sharp-stipuled Willow</i> | 1978 | <i>Native</i> | |
| Salix x multinervis | a hybrid willow | 2000 | Native | |
| Salix x pendulina | Weeping Crack-willow | 2000 | Plant. | |
| Salix x reichardtii | a hybrid willow | 2001 | Native | |
| Salix x rubens | Hybrid Crack-willow | 2000 | Native | |
| <i>Salix x rubra</i> | <i>Green-leaved Willow</i> | 1979 | <i>Native</i> | |
| Salix x sepulcralis | Weeping Willow | 1998 | Cas. | |
| Salix x sericans | Broad-leaved Osier | 2001 | Native | |
| Salix x smithiana | Silky-leaved Osier | 1998 | Native | |
| Salsola kali ssp. ruthenica | Spineless Saltwort | 1989 | Cas. | |
| Salvia pratensis | Meadow Clary | 1866 | Cas. | 16, 6, 4 |
| Salvia reflexa | Mintweed | 1996 | Cas. | |
| Salvia verticillata | Whorled Clary | 1998 | Cas. | |
| Sambucus canadensis | American Elder | 1992 | Cas. | |
| Sambucus ebulus | Dwarf Elder | 2000 | Estab. | 2 |
| Sambucus nigra | Elder | 2001 | Native | |
| Sambucus racemosa | Red-berried Elder | 1998 | Cas. | |
| <i>Samolus valerandi</i> | <i>Brookweed</i> | 1950 | <i>Native</i> | |
| Sanguisorba minor | Salad Burnet | 2001 | Native | |
| Sanguisorba minor ssp. minor | Salad Burnet | 2001 | Native | |
| Sanguisorba minor ssp. muricata | Fodder Burnet | 1998 | Cas. | |
| Sanguisorba officinalis | Great Burnet | 2001 | Native | |
| Sanicula europaea | Sanicle | 2001 | Native | |
| Saponaria officinalis | Soapwort | 2000 | Native | |
| Saxifraga cuneifolia | Lesser Londonpride | 1996 | Cas. | |
| <i>Saxifraga cymbalaria</i> | <i>Celandine Saxifrage</i> | 1983 | <i>Cas.</i> | |
| Saxifraga granulata | Meadow Saxifrage | 2001 | Native | |
| Saxifraga hirsuta | Kidney Saxifrage | 2001 | Estab. | |
| Saxifraga hypnoides | Mossy Saxifrage | 2001 | Native | 2 |
| Saxifraga tridactylites | Rue-leaved Saxifrage | 2001 | Native | |
| <i>Saxifraga umbrosa</i> | <i>Pyrenean Saxifrage</i> | -1969 | <i>Estab.</i> | |
| Saxifraga x urbium | Londonpride | 2001 | Estab. | |
| Scabiosa columbaria | Small Scabious | 2001 | Native | |
| Scandix pecten-veneris | Shepherd's-needle | 1996 | Native | 6, 5, 3, 2, 1 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---------------------------------------|---------------------------------|-------------|---------------|-----------------------------------|
| <i>Schoenoplectus lacustris</i> | Common Club-rush | 2001 | Native | |
| Schoenoplectus tabernaemontani | Grey Club-rush | 2001 | Native | 2, 1 |
| <i>Schoenus nigricans</i> | <i>Black Bog-rush</i> | 1829 | Native | |
| <i>Scirpus sylvaticus</i> | Wood Club-rush | 1999 | Native | |
| Scleranthus annuus | Annual Knawel | 1999 | Native | 2, 1 |
| <i>Scorpiurus muricatus</i> | <i>Caterpillar-plant</i> | 1976 | Cas. | |
| <i>Scrophularia auriculata</i> | Water Figwort | 2001 | Native | |
| <i>Scrophularia nodosa</i> | Common Figwort | 2001 | Native | |
| Scrophularia umbrosa | Green Figwort | 1998 | Native | 2, 1 |
| <i>Scrophularia vernalis</i> | Yellow Figwort | 1987+ | Cas. | |
| <i>Scutellaria galericulata</i> | Skullcap | 2001 | Native | |
| Scutellaria minor | Lesser Skullcap | 2001 | Native | 2, 1 |
| <i>Secale cereale</i> | Rye | 1998 | Cas. | |
| <i>Securigera varia</i> | Crown Vetch | 2001 | Estab. | |
| <i>Sedum acre</i> | Biting Stonecrop | 2001 | Native | |
| <i>Sedum album</i> | White Stonecrop | 2001 | Estab. | |
| <i>Sedum anacampseros</i> | <i>Love-restoring Stonecrop</i> | 1977 | Cas. | |
| Sedum anglicum | English Stonecrop | 1999 | Native | 2 |
| <i>Sedum dasyphyllum</i> | Thick-leaved Stonecrop | 1994 | Estab. | |
| <i>Sedum ewersii</i> | a stonecrop | 1996 | Cas. | |
| Sedum forsterianum | Rock Stonecrop | 2001 | Estab. | 6 |
| <i>Sedum hispanicum</i> | <i>Spanish Stonecrop</i> | 1977 | Cas. | |
| <i>Sedum lydium</i> | <i>Least Stonecrop</i> | -1969 | Cas. | |
| <i>Sedum rupestre</i> | Reflexed Stonecrop | 2001 | Estab. | |
| <i>Sedum sexangulare</i> | Tasteless Stonecrop | 1996 | Cas. | |
| <i>Sedum spectabile</i> | Butterfly Stonecrop | 1999 | Cas. | |
| <i>Sedum spurium</i> | Caucasian-stonecrop | 2001 | Estab. | |
| <i>Sedum telephium</i> | Orpine | 2000 | Native | |
| <i>Sedum telephium ssp. telephium</i> | <i>an orpine subspecies</i> | 1950 | Native | |
| <i>Selaginella kraussiana</i> | Kraus's Clubmoss | 2000 | Cas. | |
| <i>Selaginella selaginoides</i> | <i>Lesser Clubmoss</i> | 1805 | Native | |
| <i>Sempervivum tectorum</i> | <i>House-leek</i> | 1977 | Estab. | |
| <i>Senecio aquaticus</i> | Marsh Ragwort | 2001 | Native | |
| <i>Senecio cineraria</i> | Silver Ragwort | 1999 | Cas. | |
| <i>Senecio erucifolius</i> | Hoary Ragwort | 2001 | Native | |
| <i>Senecio fluviatilis</i> | <i>Broad-leaved Ragwort</i> | -1969 | Estab. | |
| <i>Senecio jacobaea</i> | Common Ragwort | 2001 | Native | |
| <i>Senecio squalidus</i> | Oxford Ragwort | 2001 | Estab. | |
| <i>Senecio sylvaticus</i> | Heath Groundsel | 2001 | Native | |
| <i>Senecio viscosus</i> | Sticky Groundsel | 2001 | Native | |
| <i>Senecio vulgaris</i> | Groundsel | 2001 | Native | |
| <i>Senecio x ostenfeldii</i> | a hybrid ragwort | 1995 | Native | |
| <i>Senecio x subnebrodensis</i> | a hybrid ragwort | 2000 | Native | |
| <i>Sequoiadendron giganteum</i> | Wellingtonia | 2000 | Plant. | |
| <i>Serratula tinctoria</i> | Saw-wort | 2000 | Native | |
| Sesleria caerulea | Blue Moor-grass | 2000 | Native | 6, 2, 1 |
| <i>Setaria italica</i> | <i>Foxtail Bristle-grass</i> | 1977 | Cas. | |
| <i>Setaria pumila</i> | Yellow Bristle-grass | 1999 | Cas. | |
| <i>Setaria viridis</i> | Green Bristle-grass | 2001 | Cas. | |
| <i>Sherardia arvensis</i> | Field Madder | 2001 | Native | |
| Silaum silaus | Pepper-saxifrage | 2000 | Native | 2, 1 |
| <i>Silene armeria</i> | Sweet William Catchfly | 1996 | Cas. | |
| <i>Silene dioica</i> | Red Champion | 2001 | Native | |
| Silene gallica | Small-flowered Catchfly | 1982 | Cas. | 6, 5 |
| <i>Silene latifolia</i> | White Champion | 2001 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|---------------------------------------|-------------|---------------|-----------------------------------|
| Silene noctiflora | Night-flowering Catchfly | 1995 | Cas. | 2 |
| Silene nutans | Nottingham Catchfly | 2000 | Native | 6, 3, 2, 1 |
| <i>Silene uniflora</i> | <i>Sea Campion</i> | 1942 | Cas. | |
| <i>Silene vulgaris</i> ssp. <i>vulgaris</i> | Bladder Campion | 2001 | Native | |
| <i>Silene x hampeana</i> | Hybrid Campion | 2000 | Native | |
| <i>Silybum marianum</i> | Milk Thistle | 2000 | Cas. | |
| <i>Sinapis alba</i> | White Mustard | 2000 | Estab. | |
| <i>Sinapis arvensis</i> | Charlock | 2001 | Native | |
| Sison amomum | Stone Parsley | 1997 | Native | 2, 1 |
| <i>Sisymbrium altissimum</i> | Tall Rocket | 2001 | Estab. | |
| <i>Sisymbrium irio</i> | <i>London Rocket</i> | 1985 | Cas. | |
| <i>Sisymbrium loeselii</i> | False London Rocket | 2000 | Cas. | |
| <i>Sisymbrium officinale</i> | Hedge Mustard | 2001 | Native | |
| <i>Sisymbrium orientale</i> | Eastern Rocket | 2001 | Estab. | |
| <i>Sisymbrium volgense</i> | Russian Mustard | -1995 | Estab. | |
| <i>Sisyrinchium bermudiana</i> | Blue-eyed-grass | 1999 | Estab. | |
| <i>Smyrniolum olusatrum</i> | Alexanders | 2000 | Estab. | |
| <i>Solanum dulcamara</i> | Bittersweet | 2001 | Native | |
| <i>Solanum nigrum</i> | Black Nightshade | 2001 | Native | |
| <i>Solanum nigrum</i> ssp. <i>nigrum</i> | a black nightshade subspecies | 1997 | Native | |
| <i>Solanum physalifolium</i> | <i>Green Nightshade</i> | 1976 | Cas. | |
| <i>Solanum rostratum</i> | <i>Buffalo-bur</i> | 1983 | Cas. | |
| <i>Solanum tuberosum</i> | Potato | 2001 | Cas. | |
| <i>Soleirolia soleirolii</i> | Mind-your-own-business | 2000 | Cas. | |
| <i>Solidago canadensis</i> | Canadian Goldenrod | 2001 | Estab. | |
| <i>Solidago gigantea</i> | Early Goldenrod | 2001 | Estab. | |
| <i>Solidago virgaurea</i> | Goldenrod | 2001 | Native | |
| <i>Sonchus arvensis</i> | Perennial Sow-thistle | 2001 | Native | |
| <i>Sonchus asper</i> | Prickly Sow-thistle | 2001 | Native | |
| <i>Sonchus oleraceus</i> | Smooth Sow-thistle | 2001 | Native | |
| Sorbus aria | a common whitebeam | 1982 | Native | 1 |
| <i>Sorbus aria</i> agg. | Common Whitebeam | 2001 | Native | |
| <i>Sorbus aucuparia</i> | Rowan | 2001 | Native | |
| Sorbus domestica | Service-tree | 1789 | Cas. | 10, 4 |
| <i>Sorbus intermedia</i> | a Swedish Whitebeam | 2001 | Estab. | |
| <i>Sorbus latifolia</i> agg. | Broad-leaved Whitebeam | 1998 | Cas. | |
| Sorbus rupicola | Rock Whitebeam | 2000 | Native | 6, 2, 1 |
| Sorbus torminalis | Wild Service-tree | 2000 | Native | 2 |
| <i>Sorghum bicolor</i> | Great Millet | 1994 | Cas. | |
| <i>Sorghum halepense</i> | <i>Johnson-grass</i> | 1975 | Cas. | |
| <i>Sparganium angustifolium</i> | <i>Floating Bur-reed</i> | 1967 | Cas. | |
| <i>Sparganium emersum</i> | Unbranched Bur-reed | 2000 | Native | |
| <i>Sparganium erectum</i> | Branched Bur-reed | 2001 | Native | |
| <i>Sparganium erectum</i> ssp. <i>erectum</i> | a branched bur-reed subspecies | 2000 | Native | |
| <i>Sparganium erectum</i> ssp. <i>microcarpum</i> | a branched bur-reed subspecies | 1956 | Native | |
| Sparganium erectum ssp. neglectum | a branched bur-reed subspecies | 1990 | Native | 2 |
| <i>Sparganium erectum</i> ssp. <i>oocarpum</i> | a branched bur-reed subspecies | 1956 | Native | |
| <i>Spartium junceum</i> | Spanish Broom | 1998 | Plant. | |
| <i>Spergula arvensis</i> | Corn Spurrey | 2001 | Native | |
| <i>Spergularia marina</i> | Lesser Sea-spurrey | 2001 | Cas. | |
| <i>Spergularia rubra</i> | Sand Spurrey | 2001 | Native | |
| <i>Spinacia oleracea</i> | Spinach | 2000 | Cas. | |
| <i>Spiraea douglasii</i> | Steeplebush | 1995 | Estab. | |
| <i>Spiraea salicifolia</i> | Bridewort | 1998 | Estab. | |
| <i>Spiraea x billardii</i> | Billard's Bridewort | 2000 | Cas. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|--|-------------------------|-------------|---------------|-----------------------------------|
| <i>Spiraea x pseudosalicifolia</i> | Confused Bridewort | 2001 | Estab. | |
| <i>Spiranthes spiralis</i> | Autumn Lady's-tresses | -1969 | Native | |
| Spirodela polyrhiza | Greater Duckweed | 2000 | Native | 1 |
| Stachys arvensis | Field Woundwort | 2001 | Native | 2 |
| <i>Stachys byzantina</i> | Lamb's-ear | 1994 | Estab. | |
| <i>Stachys officinalis</i> | Betony | 2001 | Native | |
| <i>Stachys palustris</i> | Marsh Woundwort | 2001 | Native | |
| <i>Stachys sylvatica</i> | Hedge Woundwort | 2001 | Native | |
| <i>Stachys x ambigua</i> | Hybrid Woundwort | 2001 | Native | |
| <i>Stellaria graminea</i> | Lesser Stitchwort | 2001 | Native | |
| <i>Stellaria holostea</i> | Greater Stitchwort | 2001 | Native | |
| <i>Stellaria media</i> | Common Chickweed | 2001 | Native | |
| <i>Stellaria neglecta</i> | Greater Chickweed | 2000 | Native | |
| Stellaria nemorum ssp. nemorum* | Wood Stitchwort | 1999 | Native | 2 |
| <i>Stellaria pallida</i> | Lesser Chickweed | 1973 | Native | |
| Stellaria palustris | Marsh Stitchwort | 1998 | Native | 2, 1 |
| <i>Stellaria uliginosa</i> | Bog Stitchwort | 2001 | Native | |
| Stratiotes aloides | Water-soldier | 2000 | Estab. | 6 |
| <i>Succisa pratensis</i> | Devil's-bit Scabious | 2001 | Native | |
| <i>Symphoricarpos albus</i> | Snowberry | 2001 | Estab. | |
| <i>Symphoricarpos x chenaultii</i> | Pink Snowberry | 1998 | Estab. | |
| <i>Symphytum asperum</i> | Rough Comfrey | 1991 | Cas. | |
| <i>Symphytum grandiflorum</i> | Creeping Comfrey | 2001 | Estab. | |
| <i>Symphytum officinale</i> | Common Comfrey | 2001 | Native | |
| <i>Symphytum orientale</i> | White Comfrey | 1997 | Estab. | |
| <i>Symphytum tuberosum</i> | Tuberous Comfrey | 1999 | Cas. | |
| <i>Symphytum x uplandicum</i> | Russian Comfrey | 2001 | Estab. | |
| <i>Syringa vulgaris</i> | Lilac | 2001 | Cas. | |
| <i>Tamus communis</i> | Black Bryony | 2001 | Native | |
| <i>Tanacetum parthenium</i> | Feverfew | 2001 | Estab. | |
| <i>Tanacetum vulgare</i> | Tansy | 2001 | Native | |
| <i>Taraxacum agg.</i> | Dandelions | 2001 | Native | |
| <i>Taraxacum acroglossum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum acutum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum aequilobum</i> | a dandelion | 1993 | Estab. | |
| <i>Taraxacum alatum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum ancistrolobum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum argutum</i> | a dandelion | 1993 | Native | |
| <i>Taraxacum atactum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum aurosulum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum boeckmanii</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum brachyglossum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum bracteatum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum broddesonii</i> G.E.Haglund ined. | a dandelion | 1993 | Estab. | |
| <i>Taraxacum cophocentrum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum cordatum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum corynodes</i> | a dandelion | 1993 | Estab. | |
| <i>Taraxacum crociflorum</i> | a dandelion | 1981 | Native | |
| <i>Taraxacum cyanolepis</i> | a dandelion | 1975 | Native | |
| <i>Taraxacum dahlstedtii</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum dilaceratum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum dilatatum</i> | a dandelion | 1993 | Native | |
| <i>Taraxacum duplidentifrons</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum ekmanii</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum euryphyllum</i> | a dandelion | 1975 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|-------------|-------------|---------------|--------------------------------------|
| <i>Taraxacum exacutum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum excellens</i> | a dandelion | 1993 | Native | |
| <i>Taraxacum expallidiforme</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum exsertum</i> | a dandelion | 1980 | Estab. | |
| <i>Taraxacum faeroense</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum fasciatum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum fulvicarpum</i> | a dandelion | 1975 | Native | |
| <i>Taraxacum fulviforme</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum fulvum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum fusciflorum</i> | a dandelion | 1979 | Estab. | |
| <i>Taraxacum gelertii</i> | a dandelion | -1970 | Native | |
| <i>Taraxacum glauciniforme</i> | a dandelion | 1993 | Native | |
| <i>Taraxacum hamatifforme</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum hamatum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum hamiferum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum huelphersianum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum incisum</i> | a dandelion | 1993 | Estab. | |
| <i>Taraxacum inopinatum</i> | a dandelion | 1990+ | Native | |
| <i>Taraxacum insigne</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum intumescens</i> | a dandelion | 1993 | Estab. | |
| <i>Taraxacum lacinosifrons</i> | a dandelion | 1979 | Native | |
| <i>Taraxacum lacistophyllum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum laeticolor</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum lamprophyllum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum landmarkii</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum lingulatum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum longisquameum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum macranthoides</i> | a dandelion | -1997 | Estab. | |
| <i>Taraxacum maculosum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum marklundii</i> | a dandelion | 1993 | Native | |
| <i>Taraxacum naevosiforme</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum naevosum</i> | a dandelion | 1980 | Native | |
| <i>Taraxacum nordstedtii</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum obliquilobum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum oblongatum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum ochrochlorum</i> | a dandelion | 1993 | Estab. | |
| <i>Taraxacum oxoniense</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum pachymerum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum pannucium</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum pannulatiforme</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum pannulatum</i> | a dandelion | 1993 | Estab. | |
| <i>Taraxacum pectinatiforme</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum piceatum</i> | a dandelion | 1969+ | Estab. | |
| <i>Taraxacum polyodon</i> | a dandelion | 1975 | Native | |
| <i>Taraxacum pseudohamatum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum pseudolarssonii</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum quadrans</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum richardsianum</i> | a dandelion | 1993 | Native | |
| <i>Taraxacum rubicundum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum sagittipotens</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum sahlinianum</i> Dudman & A.J.Richards (1994) | a dandelion | 1993 | Native | |
| <i>Taraxacum sellandii</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum silesiacum</i> | a dandelion | 1980 | Native | |
| <i>Taraxacum stenacrum</i> | a dandelion | 1969+ | Native | |
| <i>Taraxacum stereodes</i> | a dandelion | 1993 | Estab. | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|---------------------------------------|--------------|---------------|-----------------------------------|
| <i>Taraxacum stictophyllum</i> | <i>a dandelion</i> | 1969+ | Native | |
| <i>Taraxacum subbracteatum</i> | a dandelion | 1993 | Native | |
| <i>Taraxacum subcyanolepis</i> | a dandelion | 1993 | Native | |
| <i>Taraxacum subexpallidum</i> | <i>a dandelion</i> | 1969+ | Estab. | |
| <i>Taraxacum subhamatum</i> | <i>a dandelion</i> | 1969+ | Native | |
| <i>Taraxacum sublacerifolium</i> | a dandelion | 1993 | Estab. | |
| <i>Taraxacum subnaevosum</i> | <i>a dandelion</i> | 1969+ | Native | |
| <i>Taraxacum tanyphyllum</i> | <i>a dandelion</i> | 1969+ | Estab. | |
| <i>Taraxacum tumentilobum</i> | a dandelion | 1993 | Estab. | |
| <i>Taraxacum undulatiflorum</i> | <i>a dandelion</i> | 1969+ | Estab. | |
| <i>Taraxacum undulatum</i> | a dandelion | -1997 | Native | |
| <i>Taraxacum unguilobum</i> | <i>a dandelion</i> | 1977 | Native | |
| <i>Taraxacum xanthostigma</i> | a dandelion | 1989 | Native | |
| <i>Taxus baccata</i> | Yew | 2001 | Native | |
| <i>Teesdalia nudicaulis</i> | Shepherd's Cress | 1983 | Native | 2 |
| <i>Telekia speciosa</i> | Yellow Oxeye | 1998 | Cas. | |
| <i>Tellima grandiflora</i> | Fringe-cups | 2000 | Estab. | |
| <i>Teucrium scorodonia</i> | Wood Sage | 2001 | Native | |
| <i>Thalictrum flavum</i> | Common Meadow-rue | 2000 | Native | 2, 1 |
| <i>Thalictrum minus</i> | Lesser Meadow-rue | 2001 | Native | 2 |
| <i>Thelypteris palustris</i> | Marsh Fern | 1998 | Native | 6, 2, 1 |
| <i>Thlaspi arvense</i> | Field Penny-cress | 2000 | Native | |
| <i>Thlaspi caerulescens</i> | Lead-wort (Alpine Penny Cress) | 2000 | Native | 6, 2, 1 |
| <i>Thymus polytrichus</i> ssp. <i>britannicus</i> * | Wild Thyme | 2001 | Native | |
| <i>Thymus pulegioides</i> | Large Thyme | 2001 | Estab. | |
| <i>Tilia cordata</i> | Small-leaved Lime | 2001 | Native | 2 |
| <i>Tilia platyphyllos</i> | Large-leaved Lime | 2000 | Native | 6, 3, 2, 1 |
| <i>Tilia x europaea</i> | Lime | 2001 | Native | |
| <i>Tofieldia pusilla</i> | <i>Scottish Asphodel</i> | 1975 | Plant. | |
| <i>Tolmiea menziesii</i> | Pick-a-back-plant | 2001 | Estab. | |
| <i>Torilis arvensis</i> | Spreading Hedge-parsley | -1903 | Cas. | 6, 5 |
| <i>Torilis japonica</i> | Upright Hedge-parsley | 2001 | Native | |
| <i>Torilis nodosa</i> | Knotted Hedge-parsley | 2001 | Native | 2, 1 |
| <i>Trachystemon orientalis</i> | Abraham-Isaac-Jacob | 1996 | Estab. | |
| <i>Tragopogon hybridus</i> | <i>Slender Salsify</i> | 1974 | Cas. | |
| <i>Tragopogon porrifolius</i> | Salsify | 2001 | Cas. | |
| <i>Tragopogon pratensis</i> | Goat's-beard | 2001 | Native | |
| <i>Tragopogon pratensis</i> ssp. <i>minor</i> | a goat's-beard subspecies | 2001 | Native | |
| <i>Tragopogon pratensis</i> ssp. <i>pratensis</i> | <i>a goat's-beard subspecies</i> | -1969 | Estab. | |
| <i>Trichomanes speciosum</i> | Killarney Fern | 1991 | Native | 16, 15, 13, 8, 5, 3, 2, 1 |
| <i>Trichophorum cespitosum</i> ssp. <i>germanicum</i> * | Deergrass | 2001 | Native | |
| <i>Trientalis europaea</i> | Chickweed Wintergreen | 2001 | Native | 2, 1 |
| <i>Trifolium arvense</i> | Hare's-foot Clover | 2001 | Native | 2 |
| <i>Trifolium aureum</i> | <i>Large Trefoil</i> | 1974 | Cas. | |
| <i>Trifolium campestre</i> | Hop Trefoil | 2001 | Native | |
| <i>Trifolium dubium</i> | Lesser Trefoil | 2001 | Native | |
| <i>Trifolium fragiferum</i> | Strawberry Clover | 1979 | Native | 2 |
| <i>Trifolium hybridum</i> | Alsike Clover | 2001 | Estab. | |
| <i>Trifolium incarnatum</i> ssp. <i>incarnatum</i> | Crimson Clover | 2001 | Cas. | |
| <i>Trifolium medium</i> | Zigzag Clover | 2001 | Native | |
| <i>Trifolium micranthum</i> | Slender Trefoil | 2001 | Native | 1 |
| <i>Trifolium monanthum</i> A. Gray | <i>Carpet Clover</i> | 1939 | Cas. | |
| <i>Trifolium ornithopodioides</i> | <i>Bird's-foot clover</i> | 1864 | Cas. | |
| <i>Trifolium pratense</i> | Red Clover | 2001 | Native | |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|--|--------------|---------------|-----------------------------------|
| <i>Trifolium repens</i> | White Clover | 2001 | Native | |
| <i>Trifolium scabrum</i> | Rough Clover | 1998 | Cas. | |
| Trifolium striatum | Knotted Clover | 2000 | Native | 2 |
| Trifolium subterraneum | Subterranean Clover | 1999 | Native | 2, 1 |
| <i>Trifolium uniflorum</i> L. | One-flowered Clover | 1939 | Cas. | |
| <i>Triglochin palustre</i> | Marsh Arrowgrass | 2001 | Native | |
| <i>Trigonella foenum-graecum</i> | <i>Fenugreek</i> | 1939 | Cas. | |
| <i>Tripleurospermum inodorum</i> | Scentless Mayweed | 2001 | Native | |
| <i>Trisetum flavescens</i> | Yellow Oat-grass | 2001 | Native | |
| <i>Triticum aestivum</i> | Bread Wheat | 2001 | Cas. | |
| Trollius europaeus | Globe-flower | 2000 | Native | 2 |
| <i>Tsuga heterophylla</i> | Western Hemlock | 2001 | Cas. | |
| <i>Tulipa sylvestris</i> | <i>Wild Tulip</i> | 1976 | <i>Estab.</i> | |
| <i>Turgenia latifolia</i> | <i>Greater Bur-parsley</i> | -1969 | Cas. | |
| <i>Tussilago farfara</i> | Colt's-foot | 2001 | Native | |
| Typha angustifolia | Lesser Bulrush | 2000 | Native | 2 |
| <i>Typha latifolia</i> | Bulrush | 2001 | Native | |
| <i>Ulex europaeus</i> | Gorse | 2001 | Native | |
| Ulex gallii | Western Gorse | 2001 | Native | 4, 3 |
| <i>Ulmus glabra</i> | Wych Elm | 2001 | Native | |
| <i>Ulmus minor</i> | an elm | 2000 | Native | |
| <i>Ulmus minor</i> ssp. <i>sarniensis</i> | Jersey Elm | 1999 | Plant. | |
| <i>Ulmus plotii</i> | <i>Plot's Elm</i> | -1969 | Native | 6, 4 |
| <i>Ulmus procera</i> | English Elm | 2001 | Native | |
| <i>Ulmus x elegantissima</i> | <i>a hybrid elm</i> | -1969 | Native | |
| <i>Ulmus x hollandica</i> | Dutch Elm | 2000 | Native | |
| <i>Ulmus x vegeta</i> | Huntingdon Elm | 1999 | Native | |
| Umbilicus rupestris | Navelwort | 1999 | Native | 2, 1 |
| <i>Urtica dioica</i> | Common Nettle | 2001 | Native | |
| <i>Urtica urens</i> | Small Nettle | 2000 | Native | |
| <i>Utricularia vulgaris</i> | <i>Greater Bladderwort</i> | 1889 | Native | |
| <i>Vaccaria hispanica</i> | <i>Cowherb</i> | 1979 | Cas. | |
| <i>Vaccinium myrtillus</i> | Bilberry | 2001 | Native | |
| <i>Vaccinium oxycoccos</i> | Cranberry | 2001 | Native | |
| <i>Vaccinium vitis-idaea</i> | Cowberry | 2001 | Native | |
| Vaccinium x intermedium | Hybrid Bilberry | 2001 | Native | 2 |
| <i>Valeriana dioica</i> | Marsh Valerian | 2000 | Native | |
| <i>Valeriana officinalis</i> | Common Valerian | 2001 | Native | |
| <i>Valeriana pyrenaica</i> | Pyrenean Valerian | 2001 | <i>Estab.</i> | |
| <i>Valerianella carinata</i> | Keeled-fruited Cornsalad | 2000 | Native | |
| <i>Valerianella dentata</i> | <i>Narrow-fruited Cornsalad</i> | 1977 | Native | 4, 3 |
| <i>Valerianella eriocarpa</i> | <i>Hairy-fruited Cornsalad</i> | -1969 | Cas. | 8 |
| <i>Valerianella locusta</i> | Common Cornsalad | 2001 | Native | |
| <i>Valerianella rimosa</i> | <i>Broad-fruited Cornsalad</i> | 1881 | Native | 5 |
| <i>Verbascum blattaria</i> | Moth Mullein | 1999 | Cas. | |
| <i>Verbascum densiflorum</i> | Dense-flowered Mullein | 1997 | Cas. | |
| Verbascum lychnitis | White Mullein | 1996 | Estab. | 6 |
| Verbascum nigrum | Dark Mullein | 1999 | Native | 2 |
| <i>Verbascum phlomoides</i> | Orange Mullein | 1998 | <i>Estab.</i> | |
| <i>Verbascum phoeniceum</i> | Purple Mullein | 1999 | Cas. | |
| Verbascum pulverulentum | Hoary Mullein | 2000 | Cas. | 6 |
| <i>Verbascum thapsus</i> | Great Mullein | 2001 | Native | |
| <i>Verbascum virgatum</i> | <i>Twiggy Mullein</i> | 1979 | Cas. | 6 |
| <i>Verbascum x semialbum</i> | a hybrid mullein | 1998 | Native | |
| Verbena officinalis | Vervain | 1998 | Native | 2, 1 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|---|--------------------------------------|-------------|---------------|-----------------------------------|
| <i>Veronica agrestis</i> | Green Field-speedwell | 2001 | Native | |
| <i>Veronica anagallis-aquatica</i> | Blue Water-speedwell | 2000 | Native | |
| <i>Veronica arvensis</i> | Wall Speedwell | 2001 | Native | |
| <i>Veronica beccabunga</i> | Brooklime | 2001 | Native | |
| Veronica catenata | Pink Water-speedwell | 2000 | Native | 2 |
| <i>Veronica chamaedrys</i> | Germander Speedwell | 2001 | Native | |
| <i>Veronica filiformis</i> | Slender Speedwell | 2001 | Estab. | |
| <i>Veronica hederifolia</i> | Ivy-leaved Speedwell | 2001 | Native | |
| <i>Veronica hederifolia</i> ssp. <i>hederifolia</i> | an ivy-leaved speedwell subspecies | 2001 | Native | |
| <i>Veronica hederifolia</i> ssp. <i>lucorum</i> | an ivy-leaved speedwell subspecies | 2000 | Native | |
| <i>Veronica longifolia</i> | Garden Speedwell | 2000 | Estab. | |
| <i>Veronica montana</i> | Wood Speedwell | 2001 | Native | |
| <i>Veronica officinalis</i> | Heath Speedwell | 2001 | Native | |
| <i>Veronica persica</i> | Common Field-speedwell | 2001 | Estab. | |
| Veronica polita | Grey Field-speedwell | 1999 | Native | 1 |
| <i>Veronica repens</i> | <i>Corsican Speedwell</i> | 1930 | Cas. | |
| Veronica scutellata | Marsh Speedwell | 2001 | Native | 1 |
| <i>Veronica serpyllifolia</i> ssp. <i>serpyllifolia</i> * | Thyme-leaved Speedwell | 2001 | Native | |
| <i>Veronica x lackschewitzii</i> | <i>Water Speedwell</i> | 1970 | Native | |
| <i>Viburnum lantana</i> | Wayfaring-tree | 2000 | Cas. | |
| <i>Viburnum opulus</i> | Guelder-rose | 2001 | Native | |
| <i>Vicia cracca</i> | Tufted Vetch | 2001 | Native | |
| <i>Vicia faba</i> | Broad Bean | 2001 | Cas. | |
| <i>Vicia hirsuta</i> | Hairy Tare | 2001 | Native | |
| <i>Vicia sativa</i> | Common Vetch | 2001 | Native | |
| <i>Vicia sativa</i> ssp. <i>nigra</i> | Narrow-leaved Vetch | 2001 | Cas. | |
| <i>Vicia sativa</i> ssp. <i>sativa</i> | Common Vetch | 2001 | Cas. | |
| <i>Vicia sativa</i> ssp. <i>segetalis</i> | a common vetch subspecies | 2001 | Native | |
| <i>Vicia sepium</i> | Bush Vetch | 2001 | Native | |
| Vicia sylvatica | Wood Vetch | 2000 | Native | 2, 1 |
| <i>Vicia tenuifolia</i> | Fine-leaved Vetch | 1997 | Estab. | |
| Vicia tetrasperma | Smooth Tare | 2001 | Native | 2 |
| <i>Vicia villosa</i> | Fodder Vetch | 1993 | Cas. | |
| <i>Vinca major</i> | Greater Periwinkle | 2001 | Estab. | |
| <i>Vinca minor</i> | Lesser Periwinkle | 2001 | Estab. | |
| <i>Viola arvensis</i> | Field Pansy | 2001 | Native | |
| Viola canina | Heath Dog Violet | 1989 | Native | 2 |
| Viola canina ssp. <i>canina</i> | a heath dog-violet subspecies | 1950 | Native | 2 |
| <i>Viola cornuta</i> | Horned Pansy | 1999 | Cas. | |
| <i>Viola hirta</i> | Hairy Violet | 2000 | Native | |
| Viola lutea | Mountain Pansy | 2001 | Native | 2 |
| <i>Viola lutea</i> x <i>V. tricolor</i> | a hybrid pansy | 1990 | Native | |
| <i>Viola odorata</i> | Sweet Violet | 2001 | Native | |
| <i>Viola palustris</i> ssp. <i>palustris</i> * | Marsh Violet | 2001 | Native | |
| <i>Viola reichenbachiana</i> | Early Dog-violet | 2000 | Native | |
| <i>Viola riviniana</i> | Common Dog-violet | 2001 | Native | |
| Viola tricolor ssp. <i>tricolor</i> * | Wild Pansy | 2000 | Native | 2 |
| <i>Viola x bavarica</i> | <i>a hybrid violet</i> | 1891 | Native | |
| <i>Viola x contempta</i> | <i>a hybrid violet</i> | -1969 | Native | |
| <i>Viola x intersita</i> | <i>a hybrid violet</i> | 1978 | Native | |
| <i>Viola x wittrockiana</i> | a hybrid violet | 2000 | Cas. | |
| Viscum album | Mistletoe | 2001 | Native | 2 |
| <i>Vitis vinifera</i> | Grape-vine | 1999 | Cas. | |
| Vulpia bromoides | Squirrel-tail Fescue | 2001 | Native | 2 |
| Vulpia myuros | Rat's-tail Fescue | 2001 | Estab. | 2 |

A Checklist of the Plants of Derbyshire

| Scientific Name | Common Name | Latest Year | County Status | Conservation Status (when native) |
|-------------------------------|------------------------------|-------------|---------------|--------------------------------------|
| <i>Vulpia unilateralis</i> | <i>Mat-grass Fescue</i> | -1969 | Cas. | 6 |
| Wahlenbergia hederacea | Ivy-leaved Bellflower | 2001 | Native | 2 |
| Weigela florida | Weigelia | 1999 | Cas. | |
| Zannichellia palustris | Horned Pondweed | 1997 | Native | 2, 1 |
| Zea mays | Maize | 1996 | Cas. | |

ACKNOWLEDGEMENTS

This Checklist has been built on the work of many hundreds of botanists, many of whose efforts were brought together in previous county Floras. In a work such as this it is inevitable that errors will creep in, despite intensive efforts to check all records. These errors are ours alone. A full list of all recent contributors and helpers will appear in the Flora itself. Nevertheless we must acknowledge the considerable efforts of past county recorders, in particular Roy Smith who set in motion the recording efforts of Derbyshire Flora 2000 and investigated the history of many early records for the Vice-comital Census Catalogue (Stace, in prep.) The Friends of Derby Museum have funded the printing costs, whilst Derby Museum and the University of Derby have both supported the project.

REFERENCES

- ARDRON, P., LOVELL, P. & ROSE, J (1988) Upper Derwent Ecological Survey (1986-1988) Final Report. Peak Park.
- CLAPHAM, A.R. (1969). Flora of Derbyshire. Publ. County Borough of Derby.
- DERBYSHIRE WILDLIFE TRUST (1997) Mid-Derbyshire Biodiversity Action Plan.
- DUDMAN, A.A. & RICHARDS, A.J. (1997). Dandelions of Great Britain and Ireland. Publ. BSBI London.
- ELKINGTON, T. & WILLMOT, A (1996). Endangered Wildlife in Derbyshire. The County Red Data Book. Publ. Derbyshire Wildlife Trust.
- ENGLISH NATURE (1998) UK Biodiversity Group Tranche 2 Action Plans.
- FUTTER, K. & RAYNES, P. (1989), Flora of Derby. Privately published.
- GLOVER, S. (1829) The History of the County of Derby, etc. Vol 1 Derby.
- GRAHAM, G.G. & PRIMAVESI, A.L. (1993) Roses of Great Britain and Ireland. Publ. BSBI London.
- HOLLICK, K.M. & PATRICK, S. (1980). Supplement to the Flora of Derbyshire 1969: additional records received 1974 – 1979. Publ. Derby City Council.
- IUCN (1994) IUCN Red List Categories. Publ. The World Conservation Union.
- KENT, D.H. (1992). List of the Vascular Plants of the British Isles. Publ. Botanical Society of the British Isles.
- LINTON, W.R. (1903). Flora of Derbyshire. Publ. Bemrose & Sons.
- PAINTER, W.H. (1889) A Contribution to the Flora of Derbyshire. Publ. E.Clulow.
- PATRICK, S. & HOLLICK, K.M. (1975). Supplement to the Flora of Derbyshire 1969: additional records 1969 – 1974. Publ. Derby Borough Council.
- PEAK DISTRICT NATIONAL PARK AUTHORITY (2001) A Living Landscape: A Biodiversity Action Plan for the Peak District.
- PERRING, F.H. (1968); Critical Supplement to the Atlas of the British flora. Publ. Thomas Nelson, London.
- PRESTON, C.D., PEARMAN, D.A. & DINES, T.D. (in press) *New Atlas of the British and Irish Flora*. Oxford University Press.
- SHAW, M. (1998) A Flora of the Sheffield Area. Publ. Sorby Natural History Society, Sheffield.
- STACE, C.A. (1975) Hybridization and the flora of the British Isles. Publ. Academic Press, London.
- STACE, C.A. (1997). New Flora of the British Isles, 2nd Ed., Publ. Cambridge University Press.
- STACE, C.A. (in prep) Vice-comital Census Catalogue (VCCC) VC57 draft, 1998.
- WIGGINTON, M.J. (1999) British Red Data Book Vascular Plants 3rd Ed. Publ. JNCC.
- WILDLIFE & COUNTRYSIDE ACT 1981 Schedule 8 Publ. HMSO.

APPENDIX 1.

NEW RECORDS FOR DERBYSHIRE

The species listed here are all regarded as new county records for Derbyshire. They are listed in the following format: **Species name, Grid Ref** (or vice-county), **Year, Recorder's initials** (see end). Whilst some have already been published in nationally available botanical literature, none have previously been published in any Derbyshire flora or supplement. (See references) Note that 5 plants have been recorded from only that part of the modern Derbyshire county which falls into vice-county 58 (Cheshire), whilst 8 have come only from VC57. These entries are underlined.

- Abies procera* SK1789 1999 OG
Acaena novae-zelandiae SK3469 1995 MCH
Acanthus spinosus SK2272 1989 MCH
Acer cappadocicum SK32 1999 JM
Acer saccharinum SK33 1987-88 F&R
Aconitum x cammarum SK2967 1960-69 MCH
Aesculus carnea SK25 1981 PDS
Aethusa cynapium ssp. cynapium SK3771 1992 MCH
Agrostis vinealis SK2079 1983 AW
Alcea rosea SK3835 1994 ABL
Alchemilla mollis SK3071 1988 MCH
Allium cepa SK0674 1996 JEH
Allium paradoxum SK3381 1977 FoS VC57
Alnus cordata SK33 1987-88 F&R
Alnus incana SK33 1987-88 F&R
Alstroemeria aurea SK2275 1994 MCH
Althaea hirsuta SK33 1987-88 F&R
Alyssum saxatile SK3251 1976 RS
Amaranthus albus SK3833 1983 MWBRC
Amaranthus deflexus SK3935 1995 ABL
Amelanchier lamarckii SK2476 1980 GC
Anchusa azurea SK2564 1996 MCH
Anemone apennina SK3079 1998 KB
Anethum graveolens SK0296 1989 GMK
Angelica archangelica SK1478 1996 GW
Anisantha diandra SK2256 1998 AW
Anthemis punctata ssp. cupaniana SK3171 1982 MCH
Anthyllis vulneraria ssp. carpatica SK25 1896 RWL
Apium x moorei SK47 1911 MWBRC
Araucaria araucana SK4077 1998 KB
Aristolochia clematitidis SK32 c.1880 WHP
Armeria maritima SK1377 2001 GW
Artemisia verlotiorum SK4063 1999 TWJD
Asparagus officinalis ssp. officinalis SK28 1950+ MWBRC
Asplenium trichomanes ssp. quadrivalens SK3060 1800 MWBRC
Aster x salignus SK3333 1991 NJM
Aster x versicolor SJ9890 1993 EK
Astilbe x arendsii SK0674 1996 JEH
Atriplex hortensis SK3665 1997 TWJD
Atriplex littoralis SK47 1994 MWBRC
Aucuba japonica SK21W 1988 AB
Barbarea stricta SK3771 1992 MCH
Bassia scoparia SK0296 1989 GMK
Berberis darwinii SK1471 1996 GW
Bergenia crassifolia SK4831 2000 AW
Beta vulgaris SK2667 1995 TWJD
Betula x aurata SK2656 1997 AW
Bidens ferulifolia SK0085 1997 JEH
Bidens frondosa SK5031 1998 AW
Brassica napus ssp. oleifera SK4644 1998 VD
Brassica rapa ssp. oleifera SK4736 2000 VD
Bromopsis benekenii SK3174 1998 TWJD
Bromopsis inermis ssp. inermis SK4375 1975 JGH
Buddleja globosa SK3259 1999 RS
Calendula officinalis SK2762 1994-95 TWJD
Calystegia x lucana SK3469 1998 TWJD
Campanula portenschlagiana SK2269 1996 TWJD
Campanula poscharskyana SK0085 1992 JEH
Cardamine corymbosa SK2374 1998 TWJD
Carex x pseudoaxillaris SK4878 1998 TD
Cerastium fontanum ssp. holosteoides SK57 1987-95 RSI
Chaenomeles speciosa SK2663 1996 MCH
Chamaecyparis lawsoniana SK2071 1987 TT
Chenopodium capitatum SK3545 2001 AWi
Chenopodium ficifolium SK3871 1992 MCH
Chionodoxa forbesii SK1572 1985 GW
Cirsium x grandiflorum SK3275 1990 LAS
Coicya monensis SK5268 1999 KB
Cornus alba SK0674 1996 AU
Cornus sericea SK3872 1997 KB
Cortaderia selloana SK33 1987-88 F&R
Corydalis cava SK4635 1983 GS
Corydalis solida SK4635 1982 MWBRC
Cotoneaster bacillaris SK15 1925 MWBRC
Cotoneaster bullatus SK4040 1998 MS
Cotoneaster dammeri SK4342 1998 MS
Cotoneaster franchetii SK1582 1999 OG
Cotoneaster rehderi SK3951 1998 RS

Cotoneaster salicifolius SK1780 1999 OG
Cotoneaster sternianus SK0086 1995 JEH
Cotoneaster x watereri SK08A 2001 WT VC58
Crassula helmsii SK4072 1984 MCH
Crataegus crus-galli SK2764 1989 MCH
Crataegus orientalis SK2564 1995 EMT
Crataegus x media SK3525 1976 AW
Crocus tommasinianus SK2556 1978 SJ
Crocus vernus SK3369 1998 TWJD
Cryptomeria japonica SK1092 2001 DM
x Cupressocyparis leylandii SK46A 1996 RM
Cymbalaria pallida SK1482 1999 OG
Cyperus eragrostis SK4639 1998 CNS
Cyperus longus SK3862 1997 TWJD
Dactylorhiza incarnata ssp. coccinea SK07
1996 PMT
D. incarnata ssp. pulchella SK07 1996 PMT
Dactylorhiza x kerneriorum SK1679 1991 LAS
Dactylorhiza x transiens SK28 1950 MWBRC
Dactylorhiza x wintoni SK2876 1993 LAS
Daucus carota ssp. carota SK07 1950+
MWBRC
Deschampsia cespitosa ssp. cespitosa SK1390
1988 A,L&R
D. cespitosa ssp. parviflora SK1242 1997 JEH
Doronicum x excelsum SK3655 1998 RS
Dryopteris affinis ssp. affinis SK1098 1995
GMK
Dryopteris affinis ssp. borrieri SK3352 1975
AW
Dryopteris affinis ssp. cambrensis SK0289 1999
GMK VC58
Echinops exaltatus SK3971 1991 RAF
Echinops sphaerocephalus SK1271 1980 MCH
Eleocharis palustris ssp. vulgaris SK15 1950
MWBRC
Epilobium montanum x E. ciliatum SK2348 1987
RS
Epilobium x brachiatum VC57 pre 1975 CAS
Epilobium x persicinum VC57 pre 1975 CAS
Erophila glabrescens SK2957 1996 RS
Erophila majuscula SK1774 1995 GMK
Eryngium planum SK3431 1998 NJM
Escallonia macrantha SK3777 1998 KB
Eschscholzia californica SK3674 1985 MCH
Euphorbia amygdaloides ssp. robbiae SK4642
1996 VD
Euphorbia falcata L. SK1746 1982 KMH
Euphorbia x pseudovirgata SK34 1942 DMcC
Euphrasia rostkoviana ssp. rostkoviana SK18
1946 MWBRC
Festuca brevipila SK1371 1973 SRB
Festuca lemarii VC57 pre 1988 Wats.1989
Festuca ovina ssp. hirtula SK1091 1999 DCW
Festuca ovina ssp. ovina SK3029 1977 AW
Festuca rubra ssp. megastachys SK3051 1998
RS
Ficus carica SK4175 1998 KB
Forsythia suspensa SK3562 1994 MCH
Forsythia x intermedia SK3575 1998 KB
Fraxinus ornus SK4741 1999 VD
Fritillaria meleagris SK3940 1981 PB
Fuchsia magellanica SK3671 1991 MCH
Fumaria officinalis ssp. officinalis SK4053 1988
RS
Gentiana verna SK2656 1971 KMH
Geranium ibericum SK2876 1993 LAS
Geranium macrorrhizum SK4635 1997 MS
Geranium versicolor SK1773 1988 MCH
Geranium x magnificum SK0182 1995 JEH
Geranium x oxonianum SK1270 1984 LAS
Gunnera tinctoria SJ9992 1995 EK
Gymnadenia conopsea ssp. borealis VC57 pre
1978 Wat.1991
G. conopsea ssp. conopsea SK07 1950
MWBRC
Hedera helix ssp. hibernica SK0572 1983 JO
Helianthus tuberosus SK0296 1989 GMK
Herniaria glabra SK1073 1998 OG
Heuchera sanguinea SK3667 1997 TWJD
Hieracium angustisquamum SK2664 1985 RS
Hieracium salticola VC57 post 1970 DBRC
Hippophae rhamnoides SK21W 1987 AB
Hirschfeldia incana SK0187 1993 JEH
Hordeum distichon SK33 1987-88 F&R
Hordeum vulgare SK33 1987-88 F&R
Hypericum x inodorum SK0674 1996 JEH
Iberis sempervirens SK1959 1968 KMH
Iris sibirica SJ9890 1996 EK VC57
Juncus foliosus SK2568 1996 TWJD
Juncus x diffusus SK35 1884 CB
Juncus x surrejanus SK28 1950 MWBRC
Kerria japonica SJ9690 1993 EK VC57
Lactuca sativa SK0296 1989 GMK
Lamiastrum galeobdolon ssp. argentatum
SK2876 1992 LAS
Larix kaempferi SK1493 1988 A,L&R
Larix x marschlinsii SK1493 1988 A,L&R
Lavatera thuringiaca SK3672 1998 TWJD
Lemna minuta SK2138 1996 AW
Leycesteria formosa SK0180 2001 WT
Lilium pyrenaicum SK1846 1971 KMH
Lilium x hollandicum SK3073 1998 KB
Linaria maroccana SK3672 1996 MCH
Linaria pelisseriana SK3674 1984 MCH
Linaria x sepium VC57 1970+ Unk
Linaria supina SK0296 1989 GMK
Linaria x dominii SK2367 1991 LAS
Lobelia erinus SK3251 1977 RS
Lobularia maritima SK33 1987-88 F&R
Lonicera caprifolium SK2169 1993 LAS

Lonicera involucrata SK0972 1985 LAS
Lonicera nitida SJ9689 1999 AW
Lonicera pileata SK3382 2001 AW VC57
Lonicera tatarica SK1561 1996 JEH
Lupinus x regalis SK4362 1992 KB
Lychnis chalcedonica SK3073 1998 KB
Lychnis coronaria SK4831 1997 MS
Lychnis viscaria SK4831 1987 AW
Lycopersicon esculentum SK3551 1976-77 RS
Lysichiton americanus SK3082 1997 KB
Magnolia acuminata SK2762 1993 LAS
Malcolmia maritima SK3471 1992 MCH
Malva alcea SK0674 1996 JEH
Matthiola longipetala SK3869 1997 TWJD
Medicago sativa ssp. varia SK33 1950+
MWBRC
Molinia caerulea ssp. caerulea SJ9887 1987
GMK
Morus nigra SK3462 1998 KB
Muscari armeniacum SK3671 1991 MCH
Muscari neglectum SK3671 1991 MCH
Myriophyllum aquaticum SK3678 1998 TT
Narcissus pseudonarcissus ssp. major SK1746
1997 JEH
Narcissus x incomparabilis SK1746 1997 JEH
Nicandra physalodes SK1746 1982 KMH
Nicotiana x sanderae SK0674 1996 JEH
Nigella damascena SK3060 1997 TWJD
Oenanthe silaifolia SK1572 1989 GW
Oenothera cambrica SK3874 1999 TWJD
Oenothera x fallax SK3735 1998 NJM
Oxalis debilis SK2670 1981 JGH
Paeonia officinalis SK0779 1996 JEH
Papaver orientale SK3171 1998 TWJD
Papaver pseudoorientale SK3976 1999 TWJD
Papaver somniferum ssp. somniferum SK4736
2000 VD
Parentucellia viscosa VC57 1970 BSBID
Parthenocissus tricuspidata SK3574 1960 MCH
Persicaria x intercedens VC57 pre 1975 CAS
Persicaria vivipara SK2656 1970 MWBRC
Persicaria wallichii SK28 1950+ MWBRC
Phacelia tanacetifolia SK4964 1999 TWJD
Philadelphus coronarius SK3926 1988 AW
Physalis alkekengi SK4542 1998 MS
Picea abies SK16 1950+ MWBRC
Picea sitchensis SK1493 1988 A,L&R
Pilosella peleteriana ssp. tenuiscapa SK15 pre
1969 FHP
Pinus contorta SK1493 1988 A,L&R
Pinus nigra SK33 1987-88 F&R
Pinus nigra ssp. laricio SK5374 1987 KLB
Pisum sativum SK0296 1989 GMK
Plantago major ssp. major SK1682 1998 TD
P. major ssp. intermedia SK0080 1994 GMK
VC58
Plantago maritima SK4566 2001 KB
Platanus x hispanica SK33 1987-88 F&R
Poa chaixii SK25 1960 MWBRC
Polypodium x font-queri SK2956 2001 MS
Polypogon monspeliensis SK3533 1998 NJM
Populus balsamifera SK2739 2000 AW
Populus trichocarpa SK2935 1997 AW
Populus x canadensis SK28 1950+ MWBRC
Populus x canadensis 'Serotina' SK33 1987-88
F&R
Populus x jackii SK4539 1940-49 MHA
Potentilla erecta ssp. erecta SK1682 1998 TD
Potentilla fruticosa SK4739 1997 MS
Pratia angulata SK3872 1994 MCH
Primula farinosa SK2656 1971 KMH
Prunus domestica ssp. italica SK2044 1978
KMH
Prunus dulcis SK33 1987-88 F&R
Prunus lusitanica SK1242 1986 AW
Prunus x fruticans SK2249 1997 SB
Pseudotsuga menziesii SK1789 1999 OG
Pyracantha coccinea SK3870 1990 MCH
Pyrola rotundifolia ssp. rotundifolia SK1782
1981 HS
Pyrus communis SK43 1978 RS
Quercus cerris x Q. robur SK3976 1980 MCH
Quercus rubra SK18 1988 A,L&R
Quercus x crenata SK3473 1988 MCH
Quercus x rosacea SK24 1891 RWL
Ranunculus x bachii SK2264 pre 1975 CAS
Ranunculus x kelchoensis SK23 1888 RWL
Ranunculus x lutzii VC57 pre 1970 CAS
Raphanus raphanistrum var. raphanistrum
SK07 1950+ MWBRC
Raphanus sativus SK23X 1980 AW
Rheum x hybridum SK0674 1996 AU
Rhododendron luteum SK3065 1998 TWJD
Rhus typhina SK3774 1997 KB
Ribes odoratum SK4248 2000 MS
Rodgersia podophylla SJ9690 1993 EK VC57
Rosa arvensis x R. caesia VC57 pre 1970 G&P
Rosa caesia ssp. caesia SK24 1840 JWC
Rosa caesia ssp. glauca SK16 1848 Unk
Rosa caesia x R. obtusifolia VC57 pre 1970
G&P
Rosa caesia x R. rubiginosa VC57 pre 1970
G&P
Rosa 'Hollandica' SK1070 1998 DCW
Rosa multiflora SK2475 1980 MCH
Rosa rugosa SK4244 1988 AW
Rosa x andegavensis SK15 1913 AHWD
Rosa x biturigensis SK17 1898 WRL
Rosa x consanguinea VC57 1889 WRL
Rosa x dumetorum SK24 1887 WRL
Rosa x glaucoides VC57 pre 1970 G&P
Rosa x involuta SK17 1898 WRL

Rosa x molletorum SK25 1913 AHWD
Rosa x nitidula SK33 1891 CB
Rosa x rothschildii SK15 1887 RWL
Rosa x sabinii SK27 1882 Unk
Rosa x scabriuscula SK17 1884 GCD
Rosa x verticillacantha SK35 1884 WMR
Rubus bartonii SK0085 1996 DPE
Rubus cissburiensis SJ9885 1993 DPE
Rubus drejeri VC57 post 1969 R&ND
Rubus euryanthemus SK0486 1980 RS VC57
Rubus hindii SJ9984 1997 EK VC58
Rubus parviflorus SK3567 1980 MR
Rubus x pseudoidaeus VC57 pre 1970 CAS
Rumex x pratensis SK0086 1995 JEH
Salix elaeagnos SK3951 1998 RS
Salix phylicifolia SK3830 2001 AW
Salix x forbyana VC57 pre 1970 CAS
Salix x pendulina SK2522 2000 CH
Salix x reichardtii SK1273 1969 DBRC?
Salix x sepulcralis SK33 1987-89 DCWP
Salsola kali ssp. ruthenica SK0296 1989 GMK
Salvia reflexa SK0674 1996 JEH
Saxifraga cuneifolia SK1463 1988 MWBRC
Saxifraga cymbalaria SK1746 1983 KMH
Saxifraga hirsuta SK0573 1971 GW
Schoenus nigricans VC57 1829 GI
Scrophularia vernalis SK3453 1987+ RS
Secale cereale SK0775 1997 JEH
Sedum ewersii SK0674 1996 AU
Sedum sexangulare SK0079 1996 GMK VC58
Sedum spectabile SK2275 1993 MCH
Sedum telephium ssp. telephium SK16 1950
MWBRC
Selaginella kraussiana SK3140 1999 DMB
Senecio cineraria SK3550 1976-77 RS
Senecio x ostenfeldii SK0085 1988 JEH
Senecio x subnebrodensis SK5075 1980 RS
Sequoiadendron giganteum SK33 1987-88 F&R
Sesleria caerulea SK17 1980+ RT
Silene armeria SK5268 1996 RAF
Silene uniflora SK34 1942 DMcC
Sisymbrium volgense SK43 1994 JS
Solanum nigrum ssp. nigrum SK3969 1997
TWJD
Solanum tuberosum SK23 1973 AW
Soleirolia soleirolii SK25 1971 MWBRC
Sorbus latifolia agg. SK3830 1998 AW
Sparganium erectum ssp. oocarpum SK43 1956
CDKC
Spartium junceum SK2220 1997 AW
Spergularia marina SK4566 1998 JEH
Spinacia oleracea SK1734 2000 MS
Spiraea douglasii SK1371 1990 MCH
Spiraea x billardii SK4348 2000 MS
Spiraea x pseudosalicifolia SK0674 1996 JEH
Stachys byzantina SK2269 1993 LAS
Stratiotes aloides SJ9885 1999-2000 JEH
Symphoricarpos x chenaultii SK1782 1998 TD
Symphytum asperum SK1767 1987 MWBRC
Symphytum grandiflorum SK3181 2001 KB
VC57
Taraxacum acutum VC57 1970+ D&RD
Taraxacum aequilobum VC57 1970+ D&RD
Taraxacum argutum VC57 1970+ D&RD
Taraxacum broddesonii G.E.Haglund ined.
VC57 1970+ D&RD
Taraxacum corynodes VC57 1970+ D&RD
Taraxacum croceiflorum VC57 1970+ D&RD
Taraxacum dilatatum VC57 1970+ D&RD
Taraxacum excellens VC57 1970+ D&RD
Taraxacum exsertum VC57 1970+ D&RD
Taraxacum fulvicarpum VC57 1970+ D&RD
Taraxacum fusciflorum VC57 1970+ D&RD
Taraxacum glauciniforme VC57 1970+ D&RD
Taraxacum incisum VC57 1970+ D&RD
Taraxacum inopinatum VC57 1970+ D&RD
Taraxacum intumescens VC57 1970+ D&RD
Taraxacum lacinosifrons VC57 1970+ D&RD
Taraxacum macranthoides VC57 1970+ D&RD
Taraxacum marklundii VC57 1970+ D&RD
Taraxacum naevosum VC57 1970+ D&RD
Taraxacum ochrochlorum VC57 1970+ D&RD
Taraxacum pannulatum VC57 1970+ D&RD
Taraxacum pseudolarssonii VC57 1970+
D&RD
Taraxacum richardsianum VC57 1970+ D&RD
Taraxacum sahalinianum Dudman &
A.J.Richards (1994) VC57 1994 D&RD
Taraxacum silesiacum VC57 1970+ D&RD
Taraxacum stereodes VC57 1970+ D&RD
Taraxacum subbracteatum VC57 1970+ D&RD
Taraxacum subcyanolepis VC57 1970+ D&RD
Taraxacum sublacerifolium VC57 1970+
D&RD
Taraxacum tumentilobum VC57 1970+ D&RD
Taraxacum undulatum VC57 1970+ D&RD
Taraxacum unguilobum VC57 1970+ D&RD
Taraxacum xanthostigma VC57 1970+ D&RD
Telekia speciosa SK2836 1978 EAP
Thelypteris palustris SK2674 1991 IR
Thymus pulegioides SK4167 2001 KB
Tofieldia pusilla SK2656 1975 AW
Trichomanes speciosum SK2476 1990 FJR
Triticum aestivum SK3757 1976-77 RS
Tsuga heterophylla SK1389 1988 A,L&R
Ulmus minor SK37D 1999 TWJD
Ulmus minor ssp. sarniensis SK4833 1999 VD
Ulmus x vegeta SK4933 1999 VD
Verbascum densiflorum SK2473 1997 JHC
Verbascum phoeniceum SK4964 1999 KB
Veronica hederifolia ssp. hederifolia SK2070
1987 TT

V. hederifolia ssp. lucorum SK08 1987-95 JEH
Veronica x lackschewitzii VC57 pre 1970 CAS
Vicia faba SK3574 1992 MCH
Vicia sativa ssp. segetalis SK2812 1987 AB
Vicia villosa SJ9688 1993 ARF VC57
Viola canina ssp. canina SK1455 1950 KMH
Viola cornuta SK0868 1999 MS
Viola lutea x V.tricolor SK2063 1990 MFC
Viola x wittrockiana SK0296 1989 GMK
Weigela florida SK0674 1996 JEH
Zea mays SK0674 1996 JEH

Abbreviations of Recorders Names (see also references)

AB: Burns, Mrs A.; **ABL:** Loy, A.B.; **AHWD:** Wolley-Dod, A.H.; **A,L&R:** Ardron, P., Lovell, P. & Rose, J (1988); **ARF:** Franks, A.R.; **AU:** Underhill, A.; **AW:** Willmot, A.; **AWi:** Withington, A.; **BSBID:** BSBI Scarce Plants Database; **CAS:** Stace, C.A. (1975); **CB:** Bailey, Mr C.; **CDKC:** Cook, Dr C.D.K.; **CH:** Higginbottom, C.; **CNS:** Smith, Miss C.N.; **D&RD:** Dudman & Richards Taraxacum Database.; **DBRC:** Derbyshire BRC; **DCW:** Wood, D.C.; **DCWP:** Derby City Wildlife Project; **DM:** Mallon, D.; **DMB:** Bryce, D.M.; **DMcC:** McClintock, D.; **DPE:** Earl, D.P.; **EAP:** Pratt, Revd E.A.; **EK:** Kearns, E.; **EMT:** Thorpe, Mrs E.M.; **F&R:** Futter, K. & Raynes (1988); **FHP:** Perring, F.H. (1968); **FJR:** Rumsey, F.J.; **FoS:** Shaw, M. (1988); **G&P:** Graham, G.G. and Primavesi, A.L. (1993); **GC:** Challenger, G.; **GCD:** Druce, G.C.; **GI:** Glover (1829); **GMK:** Kay, G.M.; **GS:** Smith, G.; **GW:** Wheeldon, G.W. & G.S.; **HS:** Smith, H.; **IR:** Rotherham, I.; **JEH:** Hawksford, J.E.; **JGH:** Hodgson, J.G.; **JHC:** Clarke, Mrs J.H.; **JM:** Muscott, Miss J.; **JO:** Ogden, J.; **JS:** Shaw, J.; **JWC:** Curtis, J.W.; **KB:** Balkow, K.; **KLB:** Buckley, K.L.; **KMH:** Hollick, Miss K.M.; **LAS:** Storer, Dr L.A.; **MCH:** Hewitt, Miss M.C.; **MFC:** Matlock Field Club(?); **MHA:** Atkinson, M.H.; **MR:** Robson, M.; **MS:** Smith, Mrs M.; **MStr:** Stribley, M.; **MWBRC:** Monks Wood BRC; **NJM:** Moyes, N.J.; **OG:** Gilbert, Dr O.; **PB:** Brassley, Mrs P.; **PDS:** Sell, P.D.; **PMT:** Torry, Mrs P.M.; **R&ND:** Randall & Newton Rubus Database; **RAF:** Frost, R.A.; **RM:** Mileto, R.; **RS:** Smith, R.; **RSI:** Slaney, R.; **RT:** Thomas, R.; **SB:** Barratt, Mrs S.; **SJ:** Jackson, S.; **SRB:** Band, S.R.; **TD:** Dines, Mr T.; **TT:** Taylor, T.; **TWJD:** Dupree, T.W.J.D.; **Unk:** Unknown; **VD:** Dale, V.; **Wat:** BSBI (Watsonia); **WHP:** Purchas, Rev W.H.; **WMR:** Rogers, Rev.W.M.; **WRL:** Linton, Rev W.R.; **WT:** Thompson, W.

APPENDIX 2.

ERRORS AND UNCONFIRMED PLANTS

A number of previously accepted records have been excluded from this Checklist. Most have been formally published, though others have only appeared in nationally held datasets. All are now regarded as erroneous, or at least remain unconfirmed in Derbyshire. [Publication dates are given in square brackets]

Ajuga alpina [1805]; *Asplenium obovatum* [1969]; *Bromus arvensis* [1903]; *Callitriche autumnalis* [1881]; *Campanula rapunculus* [1863]; *Carex appropinquata* (*C.paradoxa*) [1903]; *Carex vulpina* [1789, 1903]; *Carum bulbocastanum* [1829]; *Caucalis daucoides* [1881]; *Caucalis platycarpus* [1969/1989]; *Cephalanthera longifolia* [1829]; *Cicuta virosa* [1881]; *Circaea alpina* [1903]; *Clinopodium calamintha* [1789/1903]; *Cochlearia officinalis sen.str.* 1980; *Crocus sativus* [1881]; *Dryopteris cristata* [1903]; *Dryopteris x uliginosa* (*Lastraea uliginosa*) [1903]; *Echium plantagineum* [1829]; *Eleogiton fluitans* [1903]; *Empetrum nigrum ssp. hermaphroditum* [1969]; *Epilobium anagallidifolium* [1840-51/1980]; *Epipactis atroviridis* nov.sp. Linton [1903]; *Erodium moschatum* [1789]; *Filago gallica* [1903]; *Galium anglicum* [1863]; *Galium parisiense* (*G.anglicum*) [1903]; *Genista hispanica ssp occidentalis*; *Gentianella uliginosa* [1899]; *x Gymnaglossum jacksonii* 1969 [1975]; *Herminium monorchis* [1840-51]; *Hieracium caledonicum* [1969]; *Hieracium submutabile* [1980]; *Hymenophyllum wilsonii* [1969]; *Lathyrus palustris* [1789]; *Moenchia erecta* [1829, 1866, 1969] 1970; *Mentha longifolia* [1903]; *Orchis hircina* [1840-51]; *Orchis militaris* [1829]; *Orobanche ramosa* [1829]; *Oxyria reniformis* [1840-51]; *Persicaria mitis* [1969]; *Petroselinum segetum* [1889]; *Peucedanum palustre* [1881]; *Polystichum lonchitis* [1903]; *Potamogeton filiformis* [1881]; *Potamogeton gramineus* 1986 [1996]; *Potamogeton heterophyllum* [1863]; *Potamogeton lanceolatus* [1840-51]; *Pyrola rotundifolia* [1829]; *Ranunculus baudotii* [1889]; *Rorippa islandica* [1969]; *Rosa x coronata* [1988], 1884; *Rosa stylosa* [1889]; *Rubia peregrina* [1903]; *Rubus adpersus* [1903, 1969]; *Rubus dentatifolius* [1980]; *Rubus dumnoniensis* [1903, 1969]; *Rubus trichodes* [1903]; *Rubus viridis* [1903]; *Saxifraga aizoides* [1805]; *Saxifraga caespitosa* [1835]; *Saxifraga geum* [1903]; *Scirpus fluitans* [1863]; *Scirpus triquetus* [1829]; *Scleranthus perennis* [1881]; *Sinapis muralis* [1863]; *Sium latifolium* [1881]; *Solanum sarachoides* 1971 [1973]; *Stachys germanica* [1789]; *Taraxacum hamatulum* [1980]; *Taraxacum laetiforme* [1980]; *Taraxacum laetum* [1980]; *Taraxacum procerisquameum* [1980]; *Taraxacum procerum* Hagl. [1980]; *Taraxacum pseudolacustophyllum* [1980]; *Taraxacum rhamphodes* [1980]; *Taraxacum scotiniforme* [1980]; *Taraxacum septentrionale* [1980]; *Taraxacum sinuatum* [1980]; *Taraxacum sublaciniosum* [1975]; *Thymus pulegioides* [1969]; *Tordylium maximum* [1789]; *Trifolium ochroleucum* [1881]; *Verbascum nigrum x V. virgatum* 1975 [1980]; *Veronica alpina* [1829]; *Vicia lathyroides* [1866]; *Vulpia ciliata ssp ambigua* [1996].

APPENDIX 3. THE DERBYSHIRE FLORA 2000 PROJECT

The last Flora of Derbyshire appeared over thirty years ago (Clapham, 1969) but many of the records it contained were already more than twenty years old by the time of publication. Two supplements were later produced which listed additional new county records and new 10km square records. (Patrick & Hollick 1975; Hollick & Patrick 1980). There have been no updates since that time. There have, however, been significant and often devastating losses in habitat diversity across many parts of Derbyshire in the intervening period, mostly through urban development and intensification of farming practices. A small number of gains to our flora have also occurred, and many introduced species are now recorded, whereas in the past they were mostly ignored. A new county flora has therefore been needed for a long time to record all these changes.

In 1994, botanists in Derbyshire responded to the proposal from the **Botanical Society of the British Isles (BSBI)** to produce a new national atlas of vascular plants covering the whole of Britain and Ireland. Called **Atlas 2000**, this project officially began in 1996, though by then much work had already been done locally to collect records both for that scheme, and to help produce a new Derbyshire flora at the same time. This involved collecting records with sufficient detail to enable every species to be accurately mapped at the county level. This work became known as the **Derbyshire Flora 2000** project. It was not possible to work directly on this new flora while collecting and processing records for Atlas 2000. However those efforts ended in December 2000, and this Checklist is now the next step in the production of a new Derbyshire flora.

The Derbyshire Flora 2000 Project will publish a new Flora of Derbyshire, giving distribution maps and accounts of each vascular plant species growing wild here, together with a background and introduction to the county. The publication will be aimed at conservationists, botanists, amateur naturalists and general visitors who wish to gain an insight into Derbyshire's plants. Work on preparing the Flora will proceed after the publication of the New Atlas of the British and Irish Flora in summer 2002 (Preston, Pearman & Dines. in press).

Derbyshire's contribution to Atlas 2000 began in 1994 when Roy Smith, the BSBI's county plant recorder at the time, set up procedures for recording all plants seen in each hectad (10km map square). A team of volunteer botanists was organised to collect records on a monad or tetrad basis (1km and 4km map squares, respectively). Field meetings were arranged to encourage participation, and a team of over seventy volunteers eventually became involved. Special plant recording cards were designed to encourage amateur naturalists to take part. These listed just the commonest species, alphabetically by their English names. Others were produced specially for high moorland areas to encourage walkers to submit plant records from up to five monads per card.

Record cards were initially checked by the county plant recorder, then passed to Derby Museum for computerisation on a RECORDER 3.3 database. Once again, volunteers assisted greatly in this task. Dr Alan Willmot took over as county plant recorder in Jan 1997, but maintained the procedures previously established. Error checking was regarded as a high priority; every computerised record was printed out and checked against each record card for accuracy. Hectad species lists were regularly generated and matched against those maintained manually by the county recorder. Every discrepancy was investigated and, if necessary, traced back to the original recorder for clarification. Past county floras were

computerised in summary form, and data collected for flora supplements were also processed. (see references)

Botanists were kept informed of progress by regular newsletters, indoor meetings and, more recently, by website and email. Recorders were always encouraged to visit areas which computer analysis showed were under-recorded, and to visit the less well-recorded habitats.

Half a million plant records have now been computerised by the Derbyshire Biological Records Centre at Derby Museum. Of these, over a third of a million were collected by local botanists and amateur naturalists specifically for the Derbyshire Flora 2000 project and for the New Atlas of the British and Irish Flora. Other records have been obtained from the national Biological Records Centre at Monks Wood, or extracted from past floras and other botanical works, especially Linton (1903) and Clapham (1969)

As well as allowing us to produce the present Checklist, the size and extent of the DBRC dataset is enabling us to help with a review of the plants listed in a previously published local red data book, see Elkington & Willmot (1996). It is clear that some species had been grossly under-recorded in the past and should not have been included, whilst other important species were omitted from the original lists. Selected using criteria recommended by the BSBI, the new list of so-called "Candidate Red Data Book" plants are indicated herein, although the complete list has yet to be finalised.

In Spring 2001 a draft version of this Checklist was circulated to local botanists for their comments, and updates made accordingly. Finally, in autumn 2001, a summary of data held on a smaller database by the Derbyshire Wildlife Trust relating to their nature reserves and Sites of Interest for Nature Conservation was compared and a small number of additional updates were made.

The authors hope that the publication of this Checklist will encourage further plant recording in Derbyshire. We hope, in particular, to encourage naturalists to record in full detail the precise whereabouts of those native species flagged as having a conservation status. These records can be invaluable in enabling conservation organisations to protect and enhance sites of high biodiversity. See page 2 for details on submitting records to the Derbyshire Flora 2000 project.

A Checklist of the Plants of Derbyshire

This publication is the first definitive plant checklist for Derbyshire. Based upon half a million computerised records, it forms the first step in the production of a new county flora. All vascular plants are included. It covers both the modern county of Derbyshire as well as the botanical vice-county (VC57). The modern boundary is indicated below by a solid line, whilst the vice-county is shown dotted. The boundary of the City of Derby is shown in SK33.




Fig 1. Derbyshire Boundaries

Dr Alan Willmot is BSBI plant recorder for Derbyshire, and teaches biological sciences at the University of Derby.

Nick Moyes is Assistant Keeper of Natural History & Records at Derby Museum, and runs the Derbyshire Biological Records Centre.

